

# Fallon Senior Plan™

## 2019 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID: 00019396 Version: 15

This formulary was updated on 06/25/2019. For more recent information or other questions, please contact Fallon Senior Plan at 1-800-325-5669, or, for TTY users, TRS 711, 8 a.m.–8 p.m., Monday–Friday (Oct. 1–March 31, seven days a week), or visit [fallonhealth.org/seniorplan](http://fallonhealth.org/seniorplan).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Fallon Health. When it refers to “plan” or “our plan,” it means Fallon Senior Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of June 25, 2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

## What is the Fallon Senior Plan Formulary?

A formulary is a list of covered drugs selected by Fallon Senior Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Fallon Senior Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Fallon Senior Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

## Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Fallon Senior Plan Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug.

The enclosed formulary is current as of June 25, 2019. To get updated information about the drugs covered by Fallon Senior Plan, please contact us. Our contact information appears on the front and back cover pages. All members will be mailed an update to their printed formulary that details all non-maintenance formulary changes when they occur. The formulary and any addenda will also be available online at [fallonhealth.org/seniorplan](http://fallonhealth.org/seniorplan).

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

### Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 83. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Fallon Senior Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Fallon Senior Plan requires you or your provider to get prior authorization for certain drugs. This means that you will need to get approval from Fallon Senior Plan before you fill your prescriptions. If you don't get approval, Fallon Senior Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Fallon Senior Plan limits the amount of the drug that Fallon Senior Plan will cover. For example, Fallon Senior Plan provides 2 each per 1 day per prescription for JANUMET. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Fallon Senior Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Fallon Senior Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Fallon Senior Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Fallon Senior Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Fallon Senior Plan formulary?" on page iv for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Fallon Senior Plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Fallon Senior Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Fallon Senior Plan.
- You can ask Fallon Senior Plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Fallon Senior Plan Formulary?

You can ask Fallon Senior Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Fallon Senior Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Fallon Senior Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member being admitted to or discharged from a long-term care facility, you will be able to get an early refill on your medications if needed.

## **For more information**

For more detailed information about your Fallon Senior Plan prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about Fallon Senior Plan, please contact us. Our contact information, along with the last date we updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Fallon Senior Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Fallon Senior Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 83.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if Fallon Senior Plan has any special requirements for coverage of your drug.

Abbreviation	Explanation
B/D	This prescription drug has a Part B versus Part D administrative prior authorization requirement. This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
LA	Limited Access. This prescription may be available only at certain pharmacies. For more information consult your <i>Pharmacy Directory</i> or call Customer Service at 1-800-325-5669 (TRS 711), Monday–Friday, 8 a.m.–8 p.m. (Oct. 1–March 31, seven days a week).
MO	Mail-Order Drug. This prescription drug is available through our mail-order service.
NEDS	Non Extended Day Supply. This drug is limited to a 30-day supply per prescription fill.
PA	Prior Authorization. Fallon Senior Plan requires your provider to get prior authorization for certain drugs. This means that you will need to get approval from Fallon Senior Plan before you fill your prescriptions. If you don't get approval, Fallon Senior Plan may not cover the drug.
QL	Quantity limit. For certain drugs, Fallon Senior Plan limits the amount of the drug that Fallon Senior Plan will cover. For example, Fallon Senior Plan provides 2 each per 1 day per prescription for JANUMET. This may be in addition to a standard one-month or three-month supply.
ST	Step Therapy. In some cases, Fallon Senior Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Fallon Senior Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Fallon Senior Plan will then cover Drug B.

## Table of Contents

Analgesics .....	3
Anesthetics .....	5
Anti-Addiction/Substance Abuse Treatment Agents .....	5
Antibacterials .....	6
Anticonvulsants .....	12
Antidementia Agents .....	14
Antidepressants .....	15
Antiemetics .....	17
Antifungals .....	18
Antigout Agents .....	19
Anti-Inflammatory Agents .....	19
Antimigraine Agents .....	20
Antimyasthenic Agents .....	20
Antimycobacterials .....	20
Antineoplastics .....	21
Antiparasitics .....	27
Antiparkinson Agents .....	28
Antipsychotics .....	29
Antispasticity Agents .....	31
Antivirals .....	32
Anxiolytics .....	37
Bipolar Agents .....	37
Blood Glucose Regulators .....	38
Blood Products/Modifiers/Volume Expanders .....	41
Cardiovascular Agents .....	43
Central Nervous System Agents .....	49
Dental And Oral Agents .....	51
Dermatological Agents .....	51
Electrolytes/Minerals/ Metals/ Vitamins .....	52
Gastrointestinal Agents .....	54
Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment .....	56
Genitourinary Agents .....	57
Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) .....	58
Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) .....	61
Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) .....	62
Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) .....	62
Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) .....	66
Hormonal Agents, Suppressant (Adrenal) .....	66
Hormonal Agents, Suppressant (Pituitary) .....	67
Hormonal Agents, Suppressant (Thyroid) .....	67
Immunological Agents .....	67
Inflammatory Bowel Disease Agents .....	72
Metabolic Bone Disease Agents .....	73
Miscellaneous Therapeutic Agents .....	73
Ophthalmic Agents .....	74
Otic Agents .....	77
Respiratory Tract/Pulmonary Agents .....	77
Skeletal Muscle Relaxants .....	81
Sleep Disorder Agents .....	81

This page intentionally left blank



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Analgesics</b>		
<b>Nonsteroidal Anti-Inflammatory Drugs</b>		
<i>celecoxib oral capsule</i>	1	MO
<i>choline &amp; mag trisalicylate oral tablet 1000 mg</i>	2	MO
<i>diclofenac potassium oral tablet</i>	1	MO
<i>diclofenac sodium er oral tablet extended release 24 hour</i>	1	MO
<i>diclofenac sodium oral tablet delayed release</i>	1	MO
<i>diflunisal oral tablet</i>	1	MO
<i>etodolac er oral tablet extended release 24 hour</i>	1	MO
<i>fenoprofen calcium oral capsule 400 mg</i>	1	MO
<i>fenoprofen calcium oral tablet</i>	1	MO
<i>ibuprofen oral suspension</i>	1	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>indomethacin er oral capsule extended release</i>	1	MO
<i>indomethacin oral capsule</i>	1	MO
<i>ketoprofen er oral capsule extended release 24 hour</i>	1	MO
<i>ketoprofen oral capsule</i>	1	MO
<i>meclofenamate sodium oral capsule</i>	1	MO
<i>meloxicam oral suspension</i>	2	MO
<i>meloxicam oral tablet</i>	1	MO
<i>nabumetone oral tablet</i>	1	MO
<i>naproxen dr oral tablet delayed release</i>	1	MO
<i>naproxen oral suspension</i>	1	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	1	MO
<i>oxaprozin oral tablet</i>	1	MO
<i>piroxicam oral capsule</i>	1	MO
<i>salsalate oral tablet</i>	2	MO
<i>sulindac oral tablet</i>	1	MO
<i>tolmetin sodium oral capsule</i>	1	MO
<i>tolmetin sodium oral tablet 200 mg</i>	2	MO
<i>tolmetin sodium oral tablet 600 mg</i>	1	MO
<b>Opioid Analgesics, Long-Acting</b>		
<b>EMBEDA ORAL CAPSULE EXTENDED RELEASE</b>	4	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	MO
<i>levorphanol tartrate oral tablet</i>	2	MO
<i>methadone hcl injection solution</i>	2	MO
<i>methadone hcl oral solution</i>	2	MO
<i>methadone hcl oral tablet</i>	2	MO
<i>morphine sulfate er oral tablet extended release</i>	1	MO
<i>oxycodone hcl er oral tablet er 12 hour abuse-deterrent</i>	1	PA; MO; QL (2 EA per 1 day)
<b>Opioid Analgesics, Short-Acting</b>		
<i>acetaminophen-codeine #3 oral tablet</i>	1	MO
<i>acetaminophen-codeine oral solution</i>	1	MO
<i>acetaminophen-codeine oral tablet</i>	1	MO
<i>butorphanol tartrate nasal solution</i>	2	MO
<i>codeine sulfate oral tablet</i>	2	MO
<i>duramorph injection solution</i>	1	B/D; MO
<i>endocet oral tablet 5-325 mg</i>	2	MO
<i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; MO; QL (4 EA per 1 day); NEDS
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; MO; QL (4 EA per 1 day)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 2.5-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg</i>	1	MO
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	MO
<i>hydromorphone hcl oral liquid</i>	2	MO
<i>hydromorphone hcl oral tablet</i>	2	MO
<i>meperidine hcl injection solution 10 mg/ml, 100 mg/ml, 25 mg/ml, 50 mg/ml</i>	2	B/D; MO
<i>meperidine hcl oral solution</i>	2	MO
<i>meperidine hcl oral tablet</i>	2	MO
<i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i>	1	MO
<i>morphine sulfate (pf) injection solution 1 mg/ml</i>	1	B/D; MO
<b>MORPHINE SULFATE INJECTION SOLUTION 5 MG/ML</b>	4	B/D; MO
<i>morphine sulfate oral solution</i>	1	MO
<i>morphine sulfate oral tablet</i>	1	MO
<i>oxycodone hcl oral capsule</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>oxycodone hcl oral concentrate 100 mg/5ml</i>	2	MO
<i>oxycodone hcl oral solution</i>	2	MO
<i>oxycodone hcl oral tablet</i>	2	MO
<i>oxycodone-acetaminophen oral solution</i>	2	MO
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	MO
<i>oxycodone-ibuprofen oral tablet</i>	2	MO
<b>ROXICET ORAL SOLUTION</b>	4	MO
<i>roxicet oral tablet 5-325 mg</i>	2	MO
<i>tramadol hcl oral tablet</i>	1	MO
<i>tramadol-acetaminophen oral tablet</i>	2	MO
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>lidocaine external ointment</i>	1	MO; QL (200 GM per 30 days)
<i>lidocaine external patch 5 %</i>	1	PA; MO; QL (3 EA per 1 day)
<i>lidocaine hcl (pf) injection solution 1 %</i>	1	B/D; MO
<i>lidocaine hcl external solution</i>	1	MO
<i>lidocaine hcl urethral/mucosal external gel</i>	1	MO; QL (200 ML per 30 days)
<i>lidocaine viscous hcl mouth/throat solution</i>	1	MO
<i>lidocaine-prilocaine external cream</i>	1	MO
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Alcohol Deterrents/Anti-Craving</b>		
<i>acamprosate calcium oral tablet delayed release</i>	2	MO
<i>disulfiram oral tablet</i>	2	MO
<b>Opioid Dependence Treatments</b>		
<i>buprenorphine hcl injection solution</i>	1	MO
<i>buprenorphine hcl sublingual tablet sublingual</i>	1	MO
<i>buprenorphine hcl-naloxone hcl sublingual film</i>	1	MO
<i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual</i>	1	MO
<b>LUCEMYRA ORAL TABLET</b>	4	MO
<i>naltrexone hcl oral tablet</i>	1	MO
<b>SUBOXONE SUBLINGUAL FILM</b>	3	MO
<b>VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED</b>	3	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Opioid Reversal Agents</b>		
<i>naloxone hcl injection solution 0.4 mg/ml</i>	1	MO
<i>naloxone hcl injection solution cartridge</i>	1	MO
<i>naloxone hcl injection solution prefilled syringe</i>	1	MO
<b>NARCAN NASAL LIQUID</b>	3	MO
<b>Smoking Cessation Agents</b>		
<i>buproban oral tablet extended release 12 hour</i>	2	MO
<i>bupropion hcl er (smoking det) oral tablet extended release 12 hour</i>	2	MO
<b>CHANTIX CONTINUING MONTH PAK ORAL TABLET</b>	4	MO
<b>CHANTIX ORAL TABLET</b>	4	MO
<b>CHANTIX STARTING MONTH PAK ORAL TABLET</b>	4	MO
<b>NICOTROL INHALATION INHALER</b>	4	MO
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>amikacin sulfate injection solution 500 mg/2ml</i>	2	B/D; MO
<i>gentak ophthalmic ointment</i>	1	MO
<i>gentamicin sulfate external cream</i>	2	MO
<i>gentamicin sulfate external ointment</i>	2	MO
<i>gentamicin sulfate injection solution</i>	2	B/D; MO
<i>gentamicin sulfate intravenous solution</i>	2	B/D; MO
<i>gentamicin sulfate ophthalmic ointment</i>	2	MO
<i>gentamicin sulfate ophthalmic solution</i>	1	MO
<i>neomycin sulfate oral tablet</i>	2	MO
<i>paromomycin sulfate oral capsule</i>	2	MO
<b>STREPTOMYCIN SULFATE INTRAMUSCULAR SOLUTION RECONSTITUTED</b>	4	B/D; MO
<i>tobramycin ophthalmic solution</i>	1	MO
<i>tobramycin sulfate injection solution 10 mg/ml</i>	2	B/D; MO
<b>TOBREX OPHTHALMIC OINTMENT</b>	3	MO
<b>Antibacterials</b>		
<i>colistimethate sodium (cba) injection solution reconstituted</i>	2	B/D; MO
<i>tinidazole oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Antibacterials, Other</b>		
<i>bacitracin ophthalmic ointment</i>	2	MO
<i>bacitra-neomycin-polymyxin-hc ophthalmic ointment</i>	2	MO
<b>CHLORAMPHENICOL SOD SUCCINATE INTRAVENOUS SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>CLEOCIN VAGINAL SUPPOSITORY</b>	4	MO
<i>clindamycin hcl oral capsule</i>	2	MO
<i>clindamycin palmitate hcl oral solution reconstituted</i>	2	MO
<i>clindamycin phosphate external gel</i>	2	MO
<i>clindamycin phosphate external lotion</i>	2	MO
<i>clindamycin phosphate external solution</i>	2	MO
<i>clindamycin phosphate injection solution 600 mg/4ml</i>	2	B/D; MO
<i>clindamycin phosphate vaginal cream</i>	2	MO
<i>colistimethate sodium injection solution reconstituted</i>	2	B/D; MO
<i>daptomycin intravenous solution reconstituted</i>	2	B/D; MO
<i>firvanq oral solution reconstituted</i>	1	MO
<b>FLAGYL ER ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	4	MO
<b>GLOBAL ALCOHOL PREP EASE PAD</b>	4	MO
<i>linezolid intravenous solution 600 mg/300ml</i>	5	PA; MO; NEDS
<i>linezolid oral suspension reconstituted</i>	5	PA; MO; NEDS
<i>linezolid oral tablet</i>	5	PA; MO; NEDS
<i>methenamine hippurate oral tablet</i>	2	MO
<i>metronidazole external cream</i>	2	MO
<i>metronidazole external gel</i>	2	MO
<i>metronidazole external lotion</i>	2	MO
<i>metronidazole in nacl intravenous solution 500-0.79 mg/100ml-%</i>	2	B/D; MO
<i>metronidazole oral tablet</i>	1	MO
<i>metronidazole vaginal gel</i>	2	MO
<b>MONUROL ORAL PACKET</b>	4	MO
<i>mupirocin calcium external cream</i>	2	MO
<i>mupirocin external ointment</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>	2	MO
<i>nitrofurantoin macrocrystal oral capsule</i>	2	MO; QL (56 EA per 14 days)
<i>nitrofurantoin monohyd macro oral capsule</i>	2	MO; QL (28 EA per 14 days)
<i>nitrofurantoin oral suspension</i>	2	MO; QL (1120 ML per 14 days)
<i>polymyxin b sulfate injection solution reconstituted</i>	2	MO
<b>PRIMSOL ORAL SOLUTION</b>	4	MO
<i>silver sulfadiazine external cream</i>	2	MO
<i>ssd external cream</i>	2	MO
<b>SYNERCID INTRAVENOUS SOLUTION RECONSTITUTED</b>	4	B/D; MO
<i>tigecycline intravenous solution reconstituted</i>	2	PA; MO
<i>trimethoprim oral tablet</i>	2	MO
<b>TYGACIL INTRAVENOUS SOLUTION RECONSTITUTED</b>	4	PA; MO
<i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 250 mg, 750 mg</i>	2	B/D; MO
<i>vancomycin hcl oral capsule</i>	2	PA; MO
<i>vandazole vaginal gel</i>	2	MO
<b>XIFAXAN ORAL TABLET 550 MG</b>	4	MO; QL (3 EA per 1 day)
<b>Beta-Lactam, Cephalosporins</b>		
<b>CEFACLOR ER ORAL TABLET EXTENDED RELEASE 12 HOUR</b>	4	MO
<i>cefaclor oral capsule</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension reconstituted</i>	2	MO
<i>cefadroxil oral tablet</i>	2	MO
<i>cefazolin sodium injection solution reconstituted 10 gm</i>	2	B/D; MO
<i>cefдинир oral capsule</i>	2	MO
<i>cefдинир oral suspension reconstituted</i>	2	MO
<i>cefepime hcl injection solution reconstituted</i>	2	B/D; MO
<i>cefixime oral suspension reconstituted</i>	2	MO
<i>cefотaxime sodium injection solution reconstituted 1 gm</i>	2	MO
<i>cefоxitin sodium intravenous solution reconstituted 1 gm</i>	2	B/D; MO
<i>cefpodoxime proxetil oral suspension reconstituted</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>cefepodoxime proxetil oral tablet</i>	2	MO
<i>cefprozil oral suspension reconstituted</i>	2	MO
<i>cefprozil oral tablet</i>	2	MO
<i>ceftazidime injection solution reconstituted 1 gm</i>	2	MO
<b>CEFTIN ORAL SUSPENSION RECONSTITUTED 250 MG/5ML</b>	4	MO
<i>ceftriaxone sodium injection solution reconstituted 500 mg</i>	2	B/D; MO
<i>cefuroxime axetil oral tablet</i>	2	MO
<i>cefuroxime sodium injection solution reconstituted 7.5 gm</i>	2	B/D; MO
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	MO
<i>cephalexin oral capsule 750 mg</i>	2	MO
<i>cephalexin oral suspension reconstituted</i>	2	MO
<b>SUPRAX ORAL CAPSULE</b>	4	MO
<b>SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML</b>	4	MO
<b>TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>Beta-Lactam, Other</b>		
<b>AZACTAM INJECTION SOLUTION RECONSTITUTED</b>	4	B/D; MO
<i>aztreonam injection solution reconstituted 1 gm</i>	2	MO
<i>doripenem intravenous solution reconstituted 500 mg</i>	2	B/D; MO
<i>ertapenem sodium injection solution reconstituted</i>	2	B/D; MO
<i>imipenem-cilastatin intravenous solution reconstituted</i>	2	B/D; MO
<i>meropenem intravenous solution reconstituted</i>	2	B/D; MO
<b>Beta-Lactam, Penicillins</b>		
<i>amoxicillin oral capsule</i>	1	MO
<i>amoxicillin oral suspension reconstituted</i>	1	MO
<i>amoxicillin oral tablet</i>	1	MO
<i>amoxicillin oral tablet chewable 125 mg</i>	2	MO
<i>amoxicillin oral tablet chewable 250 mg</i>	1	MO
<i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension reconstituted</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral tablet chewable</i>	2	MO
<i>ampicillin oral capsule</i>	1	MO
<i>ampicillin oral suspension reconstituted</i>	2	MO
<i>ampicillin sodium injection solution reconstituted 1 gm</i>	2	B/D; MO
<i>ampicillin-sulbactam sodium injection solution reconstituted 15 (10-5) gm, 3 (2-1) gm</i>	2	B/D; MO
<b>BICILLIN C-R INTRAMUSCULAR SUSPENSION</b>	4	MO
<i>dicloxacillin sodium oral capsule</i>	2	MO
<i>nafcillin sodium injection solution reconstituted</i>	2	B/D; MO
<i>oxacillin sodium injection solution reconstituted 1 gm</i>	2	B/D; MO
<i>oxacillin sodium injection solution reconstituted 2 gm</i>	2	MO
<i>penicillin g potassium injection solution reconstituted</i>	2	B/D; MO
<i>penicillin v potassium oral solution reconstituted</i>	1	MO
<i>penicillin v potassium oral tablet</i>	1	MO
<i>piperacillin sod-tazobactam so intravenous solution reconstituted 3.375 (3-0.375) gm</i>	2	B/D; MO
<b>Macrolides</b>		
<b>AZASITE OPHTHALMIC SOLUTION</b>	4	MO
<i>azithromycin intravenous solution reconstituted</i>	2	B/D; MO
<i>azithromycin oral suspension reconstituted</i>	2	MO
<i>azithromycin oral tablet 250 mg, 500 mg</i>	1	MO
<i>azithromycin oral tablet 600 mg</i>	2	MO
<i>clarithromycin er oral tablet extended release 24 hour</i>	2	MO
<i>clarithromycin oral suspension reconstituted</i>	2	MO
<i>clarithromycin oral tablet</i>	2	MO
<i>e.e.s. 400 oral tablet</i>	2	MO
<b>ERY-TAB ORAL TABLET DELAYED RELEASE</b>	3	MO
<b>ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG</b>	4	B/D; MO
<i>erythrocin stearate oral tablet 250 mg</i>	2	MO
<i>erythromycin base oral capsule delayed release particles</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>erythromycin base oral tablet</i>	2	MO
<i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml</i>	2	MO
<i>erythromycin ethylsuccinate oral suspension reconstituted 400 mg/5ml</i>	1	MO
<i>erythromycin ethylsuccinate oral tablet</i>	2	MO
<i>erythromycin ophthalmic ointment</i>	1	MO
<i>romycin ophthalmic ointment</i>	1	MO
<b>ZMAX ORAL SUSPENSION RECONSTITUTED</b>	4	MO
<b>Quinolones</b>		
<b>CILOXAN OPHTHALMIC OINTMENT</b>	3	MO
<i>ciprofloxacin hcl ophthalmic solution</i>	2	MO
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	MO
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	1	MO
<i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i>	2	B/D; MO
<i>ciprofloxacin oral suspension reconstituted</i>	2	MO
<i>ciprofloxacin-ciproflox hcl er oral tablet extended release 24 hour</i>	2	MO
<i>gatifloxacin ophthalmic solution</i>	2	MO
<i>levofloxacin intravenous solution</i>	2	B/D; MO
<i>levofloxacin ophthalmic solution</i>	2	MO
<i>levofloxacin oral solution</i>	2	MO
<i>levofloxacin oral tablet</i>	1	MO
<i>moxifloxacin hcl ophthalmic solution</i>	2	MO
<i>moxifloxacin hcl oral tablet</i>	2	MO
<i>ofloxacin ophthalmic solution</i>	2	MO
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	MO
<i>ofloxacin otic solution</i>	2	MO
<b>VIGAMOX OPHTHALMIC SOLUTION</b>	4	MO
<b>Sulfonamides</b>		
<b>SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT</b>	4	MO
<i>sulfacetamide sodium ophthalmic solution</i>	2	MO
<b>SULFADIAZINE ORAL TABLET</b>	4	MO
<i>sulfamethoxazole-trimethoprim intravenous solution</i>	2	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>	2	MO
<i>sulfamethoxazole-trimethoprim oral tablet</i>	1	MO
<b>Tetracyclines</b>		
<i>doxy 100 intravenous solution reconstituted</i>	2	B/D; MO
<i>doxycycline hyclate intravenous solution reconstituted</i>	2	B/D; MO
<i>doxycycline hyclate oral capsule</i>	2	MO
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	MO
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	MO
<i>minocycline hcl oral capsule</i>	2	MO
<i>minocycline hcl oral tablet</i>	2	MO
<i>tetracycline hcl oral capsule</i>	2	MO
<b>Anticonvulsants</b>		
<b>Anticonvulsants, Other</b>		
<b>BRIVIACT ORAL SOLUTION</b>	4	PA; MO
<b>BRIVIACT ORAL TABLET</b>	5	PA; MO; NEDS
<i>levetiracetam er oral tablet extended release 24 hour</i>	2	MO
<b>LEVETIRACETAM IN NAACL INTRAVENOUS SOLUTION</b>	4	B/D; MO
<i>levetiracetam intravenous solution</i>	2	B/D; MO
<i>levetiracetam oral solution</i>	2	MO
<i>levetiracetam oral tablet</i>	2	MO
<b>POTIGA ORAL TABLET</b>	4	PA; MO
<i>roweepra xr oral tablet extended release 24 hour</i>	2	MO
<b>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE</b>	4	MO
<b>Calcium Channel Modifying Agents</b>		
<b>CELONTIN ORAL CAPSULE</b>	4	MO
<i>ethosuximide oral capsule</i>	2	MO
<i>ethosuximide oral solution</i>	2	MO
<i>zonisamide oral capsule</i>	2	MO
<b>Gamma-Aminobutyric Acid (Gaba) Augmenting Agents</b>		
<i>clobazam oral suspension</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>clobazam oral tablet</i>	2	PA; MO
<i>clonazepam oral tablet</i>	1	MO
<i>clonazepam oral tablet dispersible</i>	2	MO
<b>DIASTAT ACUDIAL RECTAL GEL</b>	4	MO
<b>DIASTAT PEDIATRIC RECTAL GEL</b>	4	MO
<i>diazepam rectal gel</i>	2	MO
<i>divalproex sodium oral capsule delayed release sprinkle</i>	2	MO
<b>EPIDIOLEX ORAL SOLUTION</b>	4	MO
<i>gabapentin oral capsule</i>	2	MO
<i>gabapentin oral solution 250 mg/5ml</i>	2	MO
<i>gabapentin oral tablet</i>	2	MO
<b>GABITRIL ORAL TABLET 12 MG, 16 MG</b>	4	MO
<i>phenobarbital oral elixir</i>	2	MO
<i>phenobarbital oral tablet</i>	2	MO
<i>primidone oral tablet</i>	2	MO
<b>SABRIL ORAL PACKET</b>	5	PA; MO; NEDS
<b>SYMPAZAN ORAL FILM</b>	4	PA; MO
<i>tiagabine hcl oral tablet</i>	2	MO
<i>valproate sodium intravenous solution 100 mg/ml</i>	2	B/D; MO
<i>valproic acid oral capsule</i>	2	MO
<i>valproic acid oral solution</i>	2	MO
<b>VIGABATRIN ORAL PACKET</b>	5	PA; MO; NEDS
<i>vigabatrin oral tablet</i>	5	PA; MO; NEDS
<i>vigadrone oral packet</i>	5	PA; MO; NEDS
<b>Glutamate Reducing Agents</b>		
<i>felbamate oral suspension</i>	2	MO
<i>felbamate oral tablet</i>	2	MO
<b>FYCOMPA ORAL SUSPENSION</b>	4	PA; MO
<b>FYCOMPA ORAL TABLET</b>	4	PA; MO
<i>lamotrigine starter kit-blue oral kit</i>	2	MO
<i>lamotrigine starter kit-green oral kit</i>	2	MO
<i>lamotrigine starter kit-orange oral kit</i>	2	MO
<b>QUDEXY XR ORAL CAPSULE ER 24 HOUR SPRINKLE</b>	4	MO
<i>topiramate er oral capsule er 24 hour sprinkle</i>	2	MO
<i>topiramate oral capsule sprinkle</i>	2	MO
<i>topiramate oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Sodium Channel Agents</b>		
<b>APTIOM ORAL TABLET</b>	4	PA; MO
<b>BANZEL ORAL SUSPENSION</b>	5	PA; MO; NEDS
<b>BANZEL ORAL TABLET 200 MG</b>	4	PA; MO
<b>BANZEL ORAL TABLET 400 MG</b>	5	PA; MO; NEDS
<i>carbamazepine er oral capsule extended release 12 hour</i>	2	MO
<i>carbamazepine er oral tablet extended release 12 hour</i>	2	MO
<i>carbamazepine oral suspension</i>	2	MO
<i>carbamazepine oral tablet</i>	2	MO
<i>carbamazepine oral tablet chewable</i>	2	MO
<b>DILANTIN INFATABS ORAL TABLET CHEWABLE</b>	3	MO
<b>DILANTIN ORAL CAPSULE</b>	3	MO
<b>DILANTIN ORAL SUSPENSION</b>	3	MO
<i>epitol oral tablet</i>	2	MO
<b>EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR</b>	4	MO
<i>fosphenytoin sodium injection solution 100 mg pe/2ml</i>	2	B/D; MO
<i>oxcarbazepine oral suspension</i>	2	MO
<i>oxcarbazepine oral tablet</i>	2	MO
<b>PEGANONE ORAL TABLET</b>	4	MO
<b>PHENYTEK ORAL CAPSULE</b>	4	MO
<i>phenytoin oral suspension 125 mg/5ml</i>	2	MO
<i>phenytoin oral tablet chewable</i>	2	MO
<i>phenytoin sodium extended oral capsule</i>	2	MO
<b>TEGRETOL-XR ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG</b>	4	MO
<b>VIMPAT INTRAVENOUS SOLUTION</b>	4	PA; MO
<b>VIMPAT ORAL SOLUTION</b>	4	PA; MO
<b>VIMPAT ORAL TABLET</b>	4	PA; MO
<b>Antidementia Agents</b>		
<b>Antidementia Agents, Other</b>		
<i>ergoloid mesylates oral tablet</i>	2	MO
<b>Cholinesterase Inhibitors</b>		
<i>donepezil hcl oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>donepezil hcl oral tablet dispersible</i>	2	MO
<i>galantamine hydrobromide er oral capsule extended release 24 hour</i>	2	MO
<i>galantamine hydrobromide oral solution</i>	2	MO
<i>galantamine hydrobromide oral tablet</i>	2	MO
<i>rivastigmine tartrate oral capsule</i>	2	MO
<i>rivastigmine transdermal patch 24 hour</i>	2	MO; QL (1 EA per 1 day)
<b>N-Methyl-D-Aspartate (Nmda) Receptor Antagonist</b>		
<i>memantine hcl er oral capsule extended release 24 hour</i>	2	MO; QL (1 EA per 1 day)
<i>memantine hcl oral solution</i>	2	MO
<i>memantine hcl oral tablet</i>	2	MO
<b>NAMENDA XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	4	MO; QL (1 EA per 1 day)
<b>NAMENDA XR TITRATION PACK ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	4	MO; QL (1 EA per 1 day)
<b>Antidepressants</b>		
<b>Antidepressants, Other</b>		
<i>bupropion hcl er (sr) oral tablet extended release 12 hour</i>	2	MO
<i>bupropion hcl er (xl) oral tablet extended release 24 hour</i>	2	MO
<i>bupropion hcl oral tablet</i>	2	MO
<i>mirtazapine oral tablet</i>	2	MO
<i>mirtazapine oral tablet dispersible</i>	2	MO
<b>TRINTELLIX ORAL TABLET</b>	4	PA; MO
<b>Monoamine Oxidase Inhibitors</b>		
<b>EMSAM TRANSDERMAL PATCH 24 HOUR</b>	4	PA; MO
<b>MARPLAN ORAL TABLET</b>	3	MO
<i>phenelzine sulfate oral tablet</i>	2	MO
<i>tranylcypromine sulfate oral tablet</i>	2	MO
<b>Ssris/Snris (Selective Serotonin Reuptake Inhibitors/Serotonin And Norepinephrine Reuptake Inhibitor</b>		
<b>BRINTELLIX ORAL TABLET</b>	4	PA; MO
<i>citalopram hydrobromide oral solution</i>	2	MO
<i>citalopram hydrobromide oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>DESVENLAFAXINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	4	MO; QL (1 EA per 1 day)
<i>desvenlafaxine succinate er oral tablet extended release 24 hour</i>	2	MO
<i>escitalopram oxalate oral solution</i>	2	MO
<i>escitalopram oxalate oral tablet</i>	1	MO
<b>FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	4	PA; MO
<b>FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK</b>	4	PA; MO
<i>fluoxetine hcl oral capsule 10 mg, 20 mg</i>	1	MO
<i>fluoxetine hcl oral capsule 40 mg</i>	2	MO
<i>fluoxetine hcl oral capsule delayed release</i>	2	MO; QL (4 EA per 28 days)
<i>fluoxetine hcl oral solution</i>	2	MO
<i>fluoxetine hcl oral tablet 10 mg, 20 mg</i>	2	MO
<b>FLUOXETINE HCL ORAL TABLET 60 MG</b>	4	MO
<i>fluvoxamine maleate er oral capsule extended release 24 hour</i>	2	MO
<i>fluvoxamine maleate oral tablet</i>	2	MO
<i>maprotiline hcl oral tablet</i>	2	MO
<i>nefazodone hcl oral tablet</i>	2	MO
<i>paroxetine hcl er oral tablet extended release 24 hour</i>	2	MO
<b>PAXIL ORAL SUSPENSION</b>	4	MO
<i>sertraline hcl oral concentrate</i>	2	MO
<i>sertraline hcl oral tablet</i>	1	MO
<i>trazodone hcl oral tablet 100 mg, 50 mg</i>	1	MO
<i>trazodone hcl oral tablet 150 mg, 300 mg</i>	2	MO
<i>venlafaxine hcl er oral capsule extended release 24 hour</i>	2	MO
<i>venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 37.5 mg, 75 mg</i>	2	MO
<b>VENLAFAXINE HCL ER ORAL TABLET EXTENDED RELEASE 24 HOUR 225 MG</b>	4	MO
<b>VIIBRYD ORAL KIT</b>	4	PA; MO
<b>VIIBRYD ORAL TABLET</b>	4	PA; MO
<b>VIIBRYD STARTER PACK ORAL KIT</b>	4	PA; MO
<b>Tricyclics</b>		
<i>amitriptyline hcl oral tablet</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>AMOXAPINE ORAL TABLET</b>	4	MO
<i>chlordiazepoxide-amitriptyline oral tablet</i>	2	MO
<i>clomipramine hcl oral capsule</i>	2	MO
<i>desipramine hcl oral tablet</i>	2	MO
<i>doxepin hcl oral capsule</i>	2	PA; MO
<i>doxepin hcl oral concentrate</i>	2	PA; MO
<i>imipramine hcl oral tablet</i>	2	MO
<i>nortriptyline hcl oral capsule</i>	1	MO
<i>nortriptyline hcl oral solution</i>	2	MO
<i>perphenazine-amitriptyline oral tablet</i>	2	MO
<i>protriptyline hcl oral tablet</i>	2	MO
<i>trimipramine maleate oral capsule</i>	2	MO
<b>Antiemetics</b>		
<b>Antiemetics, Other</b>		
<i>meclizine hcl oral tablet</i>	1	MO
<i>phenadoz rectal suppository 12.5 mg</i>	2	MO
<i>promethazine hcl injection solution</i>	2	MO
<i>promethazine hcl oral syrup</i>	1	MO
<i>promethazine hcl oral tablet</i>	1	MO
<i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>	2	MO
<i>promethegan rectal suppository 25 mg, 50 mg</i>	2	MO
<i>scopolamine transdermal patch 72 hour</i>	2	MO
<b>TRANSDERM-SCOP (1.5 MG) TRANSDERMAL PATCH 72 HOUR</b>	4	MO
<b>Emetogenic Therapy Adjuncts</b>		
<i>aprepitant oral capsule</i>	2	PA; MO
<b>CINVANTI INTRAVENOUS EMULSION</b>	4	B/D; MO
<i>dronabinol oral capsule</i>	2	B/D; MO
<b>EMEND ORAL SUSPENSION RECONSTITUTED</b>	4	PA; MO
<i>granisetron hcl oral tablet</i>	2	B/D; MO
<i>ondansetron hcl injection solution 4 mg/2ml</i>	2	B/D; MO
<i>ondansetron hcl oral solution</i>	2	B/D; MO
<i>ondansetron hcl oral tablet</i>	2	B/D; MO
<i>ondansetron oral tablet dispersible</i>	2	B/D; MO
<b>SYNDROS ORAL SOLUTION</b>	4	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Antifungals</b>		
<b>Antifungals</b>		
<b>ABELCET INTRAVENOUS SUSPENSION</b>	4	B/D; MO
<b>AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED</b>	4	B/D; MO
<b>AMPHOTERICIN B INTRAVENOUS SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>CANCIDAS INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>CASPOFUNGIN ACETATE INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<i>ciclopirox external gel</i>	2	MO
<i>ciclopirox external shampoo</i>	2	MO
<i>ciclopirox external solution</i>	2	MO
<i>ciclopirox olamine external cream</i>	2	MO
<i>ciclopirox olamine external suspension</i>	2	MO
<i>clotrimazole external cream</i>	2	MO
<i>clotrimazole external solution</i>	2	MO
<i>clotrimazole mouth/throat lozenge</i>	2	MO
<i>econazole nitrate external cream</i>	2	MO
<b>EXELDERM EXTERNAL CREAM</b>	3	MO
<b>EXELDERM EXTERNAL SOLUTION</b>	3	MO
<i>fluconazole in sodium chloride intravenous solution 400-0.9 mg/200ml-%</i>	2	B/D; MO
<i>fluconazole oral suspension reconstituted</i>	2	MO
<i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i>	2	MO
<i>fluconazole oral tablet 150 mg</i>	1	MO
<i>flucytosine oral capsule</i>	5	MO; NEDS
<i>griseofulvin microsize oral suspension</i>	2	MO
<i>griseofulvin microsize oral tablet</i>	2	MO
<i>griseofulvin ultramicrosize oral tablet</i>	2	MO
<i>itraconazole oral capsule</i>	2	MO
<i>itraconazole oral solution</i>	2	MO
<i>ketoconazole external cream</i>	2	MO; QL (120 GM per 30 days)
<i>ketoconazole external shampoo 2 %</i>	2	MO
<i>ketoconazole oral tablet</i>	2	MO
<i>miconazole 3 vaginal suppository</i>	2	MO
<i>naftifine hcl external cream 1 %</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>NAFTIN EXTERNAL GEL 1 %</b>	4	MO
<b>NATACYN OPHTHALMIC SUSPENSION</b>	4	MO
<b>NOXAFIL ORAL SUSPENSION</b>	4	PA; MO
<b>NOXAFIL ORAL TABLET DELAYED RELEASE</b>	4	PA; MO
<i>nystatin external cream</i>	2	MO
<i>nystatin external ointment</i>	2	MO
<i>nystatin external powder</i>	2	MO
<i>nystatin mouth/throat suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO
<i>nystatin-triamcinolone external cream</i>	2	MO
<i>nystatin-triamcinolone external ointment</i>	2	MO
<i>nystop external powder</i>	2	MO
<i>oxiconazole nitrate external cream</i>	2	MO
<b>OXISTAT EXTERNAL LOTION</b>	3	MO
<i>terbinafine hcl oral tablet</i>	1	MO
<i>terconazole vaginal cream</i>	2	MO
<i>terconazole vaginal suppository</i>	2	MO
<i>voriconazole intravenous solution reconstituted</i>	2	PA; MO
<i>voriconazole oral suspension reconstituted</i>	2	PA; MO
<i>voriconazole oral tablet</i>	5	PA; MO; NEDS
<i>zazole vaginal cream</i>	2	MO
<i>zazole vaginal suppository</i>	2	MO
<b>Antigout Agents</b>		
<b>Antigout Agents</b>		
<i>allopurinol oral tablet</i>	1	MO
<i>colchicine oral tablet</i>	2	MO
<i>colchicine-probenecid oral tablet</i>	2	MO
<b>COLCRYS ORAL TABLET</b>	4	MO
<i>probenecid oral tablet</i>	2	MO
<b>ULORIC ORAL TABLET</b>	3	MO
<b>Anti-Inflammatory Agents</b>		
<b>Glucocorticoids</b>		
<i>methylprednisolone acetate injection suspension 40 mg/ml</i>	2	B/D; MO
<i>methylprednisolone sodium succ injection solution reconstituted 125 mg</i>	2	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Nonsteroidal Anti-Inflammatory Drugs</b>		
<i>etodolac oral capsule</i>	1	MO
<i>etodolac oral tablet</i>	1	MO
<i>flurbiprofen oral tablet</i>	1	MO
<i>ibu oral tablet 600 mg, 800 mg</i>	1	MO
<i>profeno oral tablet</i>	1	MO
<b>Antimigraine Agents</b>		
<b>Ergot Alkaloids</b>		
<i>dihydroergotamine mesylate injection solution</i>	2	MO
<i>dihydroergotamine mesylate nasal solution</i>	2	MO
<b>ERGOMAR SUBLINGUAL TABLET SUBLINGUAL</b>	3	MO
<i>ergotamine-caffeine oral tablet</i>	2	MO
<b>MIGRANAL NASAL SOLUTION</b>	4	MO
<b>Prophylactic</b>		
<b>AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML</b>	4	PA; MO; QL (1 ML per 30 days)
<b>AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 70 MG/ML</b>	4	PA; MO; QL (2 ML per 30 days)
<i>divalproex sodium er oral tablet extended release 24 hour</i>	2	MO
<i>timolol maleate oral tablet</i>	2	MO
<b>Serotonin (5-Ht) 1B/1D Receptor Agonists</b>		
<i>naratriptan hcl oral tablet</i>	2	MO; QL (9 EA per 30 days)
<i>sumatriptan succinate oral tablet</i>	2	MO; QL (9 EA per 30 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>	2	MO; QL (8 ML per 30 days)
<b>Antimyasthenic Agents</b>		
<b>Parasympathomimetics</b>		
<b>GUANIDINE HCL ORAL TABLET</b>	4	MO
<i>pyridostigmine bromide er oral tablet extended release</i>	2	MO
<i>pyridostigmine bromide oral solution</i>	1	MO
<i>pyridostigmine bromide oral tablet</i>	2	MO
<b>Antimycobacterials</b>		
<b>Antimycobacterials, Other</b>		
<b>DAPSONE ORAL TABLET</b>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>rifabutin oral capsule</i>	2	MO
<b>Antituberculars</b>		
<b>CAPASTAT SULFATE INJECTION SOLUTION RECONSTITUTED</b>	4	B/D; MO
<i>ethambutol hcl oral tablet</i>	2	MO
<b>ISONIAZID ORAL SYRUP</b>	4	MO
<i>isoniazid oral tablet</i>	1	MO
<b>PASER ORAL PACKET</b>	4	MO
<b>PRIFTIN ORAL TABLET</b>	4	MO
<i>pyrazinamide oral tablet</i>	2	MO
<i>rifampin intravenous solution reconstituted</i>	2	B/D; MO
<i>rifampin oral capsule</i>	2	MO
<b>RIFATER ORAL TABLET</b>	4	MO
<b>SIRTURO ORAL TABLET</b>	5	PA; MO; NEDS
<b>TRECTOR ORAL TABLET</b>	4	MO
<b>Antineoplastics</b>		
<b>Alkylating Agents</b>		
<i>cyclophosphamide oral capsule</i>	2	B/D; MO
<b>GLEOSTINE ORAL CAPSULE</b>	4	MO
<b>HEXALEN ORAL CAPSULE</b>	5	MO; NEDS
<b>LEUKERAN ORAL TABLET</b>	3	MO
<i>lomustine oral capsule</i>	2	MO
<b>MATULANE ORAL CAPSULE</b>	5	MO; NEDS
<b>THIOTEPA INJECTION SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>VALCHLOR EXTERNAL GEL</b>	5	PA; MO; NEDS
<b>YONDELIS INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO
<b>Antiandrogens</b>		
<b>ABIRATERONE ACETATE ORAL TABLET</b>	5	PA; MO; NEDS
<i>bicalutamide oral tablet</i>	2	MO
<b>ERLEADA ORAL TABLET</b>	5	PA; MO; NEDS
<i>flutamide oral capsule</i>	2	MO
<i>nilutamide oral tablet</i>	2	MO
<b>XTANDI ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>YONSA ORAL TABLET</b>	5	PA; MO; NEDS
<b>ZYTIGA ORAL TABLET 500 MG</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Antiangiogenic Agents</b>		
<b>POMALYST ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>REVLIMID ORAL CAPSULE</b>	5	PA; MO; LA; NEDS
<b>THALOMID ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>Antiestrogens/Modifiers</b>		
<b>EMCYT ORAL CAPSULE</b>	3	MO
<b>FASLODEX INTRAMUSCULAR SOLUTION 250 MG/5ML</b>	5	B/D; MO; NEDS
<b>SOLTAMOX ORAL SOLUTION</b>	4	MO
<i>tamoxifen citrate oral tablet</i>	2	MO
<i>toremifene citrate oral tablet</i>	2	MO
<b>Antimetabolites</b>		
<b>ALIMTA INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<i>hydroxyurea oral capsule</i>	2	MO
<b>LONSURF ORAL TABLET</b>	5	PA; MO; NEDS
<i>mercaptopurine oral tablet</i>	2	MO
<b>PURIXAN ORAL SUSPENSION</b>	4	MO
<b>TABLOID ORAL TABLET</b>	4	MO
<b>Antineoplastics</b>		
<b>BORTEZOMIB INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>DACTINOMYCIN INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>FARYDAK ORAL CAPSULE</b>	5	PA; MO; NEDS
<i>fludarabine phosphate intravenous solution reconstituted</i>	2	B/D; MO
<b>HERCEPTIN INTRAVENOUS SOLUTION RECONSTITUTED 150 MG</b>	5	PA; MO; NEDS
<b>KADCYLA INTRAVENOUS SOLUTION RECONSTITUTED 160 MG</b>	5	PA; MO; NEDS
<b>LYNPARZA ORAL TABLET</b>	5	PA; MO; NEDS
<b>MYLOTARG INTRAVENOUS SOLUTION RECONSTITUTED 4.5 MG</b>	5	PA; MO; NEDS
<b>OXALIPLATIN INTRAVENOUS SOLUTION RECONSTITUTED 100 MG</b>	5	B/D; MO; NEDS
<b>RUBRACA ORAL TABLET 250 MG</b>	5	PA; MO; NEDS
<b>TALZENNA ORAL CAPSULE</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>TREANDA INTRAVENOUS SOLUTION RECONSTITUTED 25 MG</b>	5	B/D; MO; NEDS
<b>TRISENOX INTRAVENOUS SOLUTION 12 MG/6ML</b>	5	B/D; MO; NEDS
<b>VYXEOS INTRAVENOUS SUSPENSION RECONSTITUTED 100-44 MG</b>	5	B/D; MO; NEDS
<b>ZEJULA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>Antineoplastics, Other</b>		
<i>amifostine intravenous solution reconstituted</i>	5	B/D; MO; NEDS
<i>azacitidine injection suspension reconstituted</i>	5	PA; MO; NEDS
<b>BELEODAQ INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<i>bleomycin sulfate injection solution reconstituted 30 unit</i>	2	B/D; MO
<b>COTELLIC ORAL TABLET</b>	5	PA; MO; NEDS
<i>decitabine intravenous solution reconstituted</i>	5	B/D; MO; NEDS
<b>ERWINAZE INJECTION SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>GILOTRIF ORAL TABLET</b>	5	PA; MO; NEDS
<b>IBRANCE ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>LARTRUVO INTRAVENOUS SOLUTION 500 MG/50ML</b>	5	PA; MO
<i>leucovorin calcium injection solution reconstituted 100 mg, 350 mg</i>	2	B/D; MO
<b>LEUCOVORIN CALCIUM ORAL TABLET 10 MG, 15 MG</b>	4	MO
<i>leucovorin calcium oral tablet 25 mg, 5 mg</i>	2	MO
<i>levoleucovorin calcium intravenous solution</i>	5	B/D; MO; NEDS
<i>levoleucovorin calcium intravenous solution reconstituted 50 mg</i>	5	B/D; MO; NEDS
<i>levoleucovorin calcium pf intravenous solution</i>	5	B/D; MO; NEDS
<b>LYNPARZA ORAL CAPSULE</b>	5	PA; MO; NEDS
<i>mitoxantrone hcl intravenous concentrate 25 mg/12.5ml</i>	2	B/D; MO
<b>NINLARO ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ODOMZO ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ONCASPAR INJECTION SOLUTION</b>	5	PA; MO; NEDS
<i>paclitaxel intravenous concentrate 100 mg/16.7ml, 300 mg/50ml</i>	2	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>PROLEUKIN INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>RUBRACA ORAL TABLET 200 MG, 300 MG</b>	5	PA; MO; NEDS
<b>SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG</b>	5	PA; MO; NEDS
<b>SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>TAGRISSE ORAL TABLET</b>	5	PA; MO; NEDS
<b>TRISENOX INTRAVENOUS SOLUTION 10 MG/10ML</b>	4	B/D; MO
<b>VELCADE INJECTION SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>VENCLEXTA ORAL TABLET 10 MG, 50 MG</b>	4	PA; MO
<b>VENCLEXTA ORAL TABLET 100 MG</b>	5	PA; MO; NEDS
<b>VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>ZALTRAP INTRAVENOUS SOLUTION 100 MG/4ML</b>	5	PA; MO; NEDS
<b>ZOLINZA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ZYKADIA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>Aromatase Inhibitors, 3Rd Generation</b>		
<i>anastrozole oral tablet</i>	2	MO
<i>exemestane oral tablet</i>	2	MO
<i>letrozole oral tablet</i>	2	MO
<b>Enzyme Inhibitors</b>		
<b>ALIQOPA INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>COPIKTRA ORAL CAPSULE</b>	5	PA; MO; NEDS
<i>etoposide intravenous solution 100 mg/5ml, 500 mg/25ml</i>	2	B/D; MO
<b>IDHIFA ORAL TABLET</b>	5	PA; MO; NEDS
<b>KISQALI 200 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>KISQALI 400 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>KISQALI 600 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>KISQALI FEMARA 200 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>KISQALI FEMARA 400 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>KISQALI FEMARA 600 DOSE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>KYPROLIS INTRAVENOUS SOLUTION RECONSTITUTED 30 MG, 60 MG</b>	5	PA; MO
<b>TIBSOVO ORAL TABLET</b>	5	PA; MO; NEDS
<i>toposar intravenous solution 500 mg/25ml</i>	2	B/D; MO
<i>topotecan hcl intravenous solution reconstituted</i>	2	B/D; MO
<b>VERZENIO ORAL TABLET</b>	5	PA; MO; NEDS
<b>VITRAKVI ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>VITRAKVI ORAL SOLUTION</b>	5	PA; MO; NEDS
<b>XOSPATA ORAL TABLET</b>	5	PA; MO; NEDS
<b>ZYDELIG ORAL TABLET</b>	5	PA; MO; NEDS
<b>Molecular Target Inhibitors</b>		
<b>AFINITOR DISPERZ ORAL TABLET SOLUBLE</b>	5	PA; MO; NEDS
<b>AFINITOR ORAL TABLET</b>	5	PA; MO; NEDS
<b>ALECENSA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ALUNBRIG ORAL TABLET</b>	5	PA; MO; NEDS
<b>ALUNBRIG ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>BALVERSA ORAL TABLET</b>	5	PA; MO; NEDS
<b>BOSULIF ORAL TABLET</b>	5	PA; MO; NEDS
<b>BRAFTOVI ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>CABOMETYX ORAL TABLET 20 MG</b>	5	PA; MO; NEDS
<b>CABOMETYX ORAL TABLET 40 MG, 60 MG</b>	5	MO; NEDS
<b>CALQUENCE ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>CAPRELSA ORAL TABLET</b>	5	PA; MO; NEDS
<b>COMETRIQ (100 MG DAILY DOSE) ORAL KIT</b>	5	PA; MO; NEDS
<b>COMETRIQ (140 MG DAILY DOSE) ORAL KIT</b>	5	PA; MO; NEDS
<b>COMETRIQ (60 MG DAILY DOSE) ORAL KIT</b>	5	PA; MO; NEDS
<b>DAURISMO ORAL TABLET</b>	5	PA; MO; NEDS
<b>ERIVEDGE ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ICLUSIG ORAL TABLET</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>imatinib mesylate oral tablet</i>	5	MO; NEDS
<b>IMBRUVICA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>IMBRUVICA ORAL TABLET</b>	5	PA; MO; NEDS
<b>INLYTA ORAL TABLET</b>	5	PA; MO; NEDS
<b>IRESSA ORAL TABLET</b>	5	PA; MO; NEDS
<b>JAKAFI ORAL TABLET</b>	5	PA; MO; NEDS
<b>LENVIMA 10 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 12 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 14 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 18 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 20 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 24 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 4 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LENVIMA 8 MG DAILY DOSE ORAL CAPSULE THERAPY PACK</b>	5	PA; MO; NEDS
<b>LORBRENA ORAL TABLET</b>	5	PA; MO; NEDS
<b>MEKINIST ORAL TABLET</b>	5	PA; MO; NEDS
<b>MEKTOVI ORAL TABLET</b>	5	PA; MO; NEDS
<b>NERLYNX ORAL TABLET</b>	5	PA; MO; NEDS
<b>NEXAVAR ORAL TABLET</b>	5	PA; MO; LA; NEDS
<b>RYDAPT ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>SPRYCEL ORAL TABLET</b>	5	PA; MO; NEDS
<b>STIVARGA ORAL TABLET</b>	5	PA; MO; NEDS
<b>SUTENT ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>TAFINLAR ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>TARCEVA ORAL TABLET</b>	5	PA; MO; NEDS
<b>TASIGNA ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>TYKERB ORAL TABLET</b>	5	PA; MO; LA; NEDS
<b>VIZIMPRO ORAL TABLET</b>	5	PA; MO; NEDS
<b>VOTRIENT ORAL TABLET</b>	5	PA; MO; NEDS
<b>XALKORI ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ZELBORAF ORAL TABLET</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Monoclonal Antibody/Antibody-Drug Conjugate</b>		
<b>AVASTIN INTRAVENOUS SOLUTION 100 MG/4ML</b>	5	B/D; MO; NEDS
<b>BAVENCIO INTRAVENOUS SOLUTION</b>	5	PA; MO; NEDS
<b>CYRAMZA INTRAVENOUS SOLUTION</b>	5	B/D; MO; NEDS
<b>DARZALEX INTRAVENOUS SOLUTION 100 MG/5ML</b>	5	PA; MO; NEDS
<b>EMPLICITI INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>HERCEPTIN INTRAVENOUS SOLUTION RECONSTITUTED 440 MG</b>	5	PA; MO; NEDS
<b>IMFINZI INTRAVENOUS SOLUTION</b>	5	PA; MO; NEDS
<b>KADCYLA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG</b>	5	PA; MO; NEDS
<b>KEYTRUDA INTRAVENOUS SOLUTION</b>	5	PA; MO; NEDS
<b>KEYTRUDA INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>LARTRUVO INTRAVENOUS SOLUTION 190 MG/19ML</b>	5	PA; MO; NEDS
<b>OPDIVO INTRAVENOUS SOLUTION 100 MG/10ML, 40 MG/4ML</b>	5	PA; MO; NEDS
<b>PERJETA INTRAVENOUS SOLUTION</b>	5	PA; MO; NEDS
<b>RITUXAN INTRAVENOUS SOLUTION</b>	5	B/D; MO; NEDS
<b>TECENTRIQ INTRAVENOUS SOLUTION 1200 MG/20ML</b>	5	PA; MO; NEDS
<b>YERVOY INTRAVENOUS SOLUTION 50 MG/10ML</b>	5	PA; MO; NEDS
<b>Retinoids</b>		
<i>bexarotene oral capsule</i>	5	MO; NEDS
<b>PANRETIN EXTERNAL GEL</b>	4	MO
<b>TARGRETIN EXTERNAL GEL</b>	3	MO
<i>tretinoin oral capsule</i>	5	MO; NEDS
<b>Treatment Adjuncts</b>		
<b>ELITEK INTRAVENOUS SOLUTION RECONSTITUTED 1.5 MG</b>	5	B/D; MO; NEDS
<b>MESNEX ORAL TABLET</b>	4	MO
<b>Antiparasitics</b>		
<b>Anthelmintics</b>		
<i>albendazole oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>ivermectin oral tablet</i>	2	MO
<i>praziquantel oral tablet</i>	2	MO
<b>Antiprotozoals</b>		
<b>ALINIA ORAL SUSPENSION RECONSTITUTED</b>	4	MO
<b>ALINIA ORAL TABLET</b>	4	MO
<i>atovaquone oral suspension</i>	2	MO
<i>atovaquone-proguanil hcl oral tablet</i>	2	MO
<i>chloroquine phosphate oral tablet</i>	2	MO
<b>COARTEM ORAL TABLET</b>	4	MO
<b>DARAPRIM ORAL TABLET</b>	4	MO
<i>hydroxychloroquine sulfate oral tablet</i>	2	MO
<b>KRINTAFEL ORAL TABLET</b>	4	MO
<i>mefloquine hcl oral tablet</i>	2	MO
<b>NEBUPENT INHALATION SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>PENTAM INJECTION SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>PRIMAQUINE PHOSPHATE ORAL TABLET</b>	4	MO
<i>quinine sulfate oral capsule</i>	2	MO
<b>Pediculicides/Scabicides</b>		
<b>EURAX EXTERNAL CREAM</b>	4	MO
<b>EURAX EXTERNAL LOTION</b>	4	MO
<i>lindane external lotion</i>	2	MO
<i>lindane external shampoo</i>	2	MO
<i>malathion external lotion</i>	2	MO
<i>permethrin external cream</i>	2	MO
<b>Antiparkinson Agents</b>		
<b>Anticholinergics</b>		
<i>benztropine mesylate oral tablet</i>	1	PA; MO
<i>trihexyphenidyl hcl oral elixir</i>	2	MO
<i>trihexyphenidyl hcl oral tablet</i>	1	MO
<b>Antiparkinson Agents, Other</b>		
<i>entacapone oral tablet</i>	2	MO
<i>tolcapone oral tablet</i>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Dopamine Agonists</b>		
<b>APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE</b>	5	PA; MO; LA; NEDS
<i>bromocriptine mesylate oral capsule</i>	2	MO
<i>bromocriptine mesylate oral tablet</i>	2	MO
<b>NEUPRO TRANSDERMAL PATCH 24 HOUR</b>	4	PA; MO
<i>pramipexole dihydrochloride oral tablet</i>	2	MO
<i>ropinirole hcl oral tablet</i>	2	MO
<b>Dopamine Precursors/L- Amino Acid Decarboxylase Inhibitors</b>		
<i>carbidopa oral tablet</i>	2	MO
<i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>	2	MO
<i>carbidopa-levodopa oral tablet</i>	2	MO
<i>carbidopa-levodopa oral tablet dispersible</i>	2	MO
<i>carbidopa-levodopa-entacapone oral tablet</i>	2	MO
<b>STALEVO 100 ORAL TABLET</b>	4	MO
<b>STALEVO 125 ORAL TABLET</b>	4	MO
<b>STALEVO 150 ORAL TABLET</b>	4	MO
<b>STALEVO 200 ORAL TABLET</b>	4	MO
<b>STALEVO 50 ORAL TABLET</b>	4	MO
<b>STALEVO 75 ORAL TABLET</b>	4	MO
<b>Monoamine Oxidase B (Mao-B) Inhibitors</b>		
<i>rasagiline mesylate oral tablet</i>	2	MO
<i>selegiline hcl oral capsule</i>	2	MO
<i>selegiline hcl oral tablet</i>	2	MO
<b>ZELAPAR ORAL TABLET DISPERSIBLE</b>	4	MO
<b>Antipsychotics</b>		
<b>1St Generation/Typical</b>		
<b>CHLORPROMAZINE HCL INJECTION SOLUTION 50 MG/2ML</b>	4	B/D; MO
<i>chlorpromazine hcl oral tablet</i>	2	MO
<i>compro rectal suppository</i>	2	MO
<i>fluphenazine decanoate injection solution</i>	2	B/D; MO
<b>FLUPHENAZINE HCL INJECTION SOLUTION</b>	4	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>FLUPHENAZINE HCL ORAL CONCENTRATE</b>	4	MO
<b>FLUPHENAZINE HCL ORAL ELIXIR</b>	4	MO
<i>fluphenazine hcl oral tablet</i>	2	MO
<i>haloperidol decanoate intramuscular solution 100 mg/ml 1 ml</i>	2	MO
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	2	B/D; MO
<i>haloperidol lactate injection solution</i>	2	B/D; MO
<i>haloperidol lactate oral concentrate</i>	2	MO
<i>haloperidol oral tablet 0.5 mg, 1 mg, 2 mg, 5 mg</i>	1	MO
<i>haloperidol oral tablet 10 mg, 20 mg</i>	2	MO
<i>loxapine succinate oral capsule</i>	2	MO
<i>molindone hcl oral tablet</i>	2	MO
<i>perphenazine oral tablet</i>	2	MO
<i>pimozide oral tablet</i>	2	MO
<i>prochlorperazine edisylate injection solution 5 mg/ml</i>	2	MO
<i>prochlorperazine maleate oral tablet</i>	1	MO
<i>prochlorperazine rectal suppository</i>	2	MO
<i>thioridazine hcl oral tablet 10 mg</i>	2	MO
<i>thioridazine hcl oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO
<i>thiothixene oral capsule</i>	2	MO
<i>trifluoperazine hcl oral tablet</i>	2	MO
<b>2Nd Generation/Atypical</b>		
<b>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 400 MG</b>	5	B/D; MO; NEDS
<i>aripiprazole oral solution</i>	2	MO
<i>aripiprazole oral tablet</i>	2	MO
<i>aripiprazole oral tablet dispersible</i>	2	MO
<b>FANAPT ORAL TABLET</b>	4	PA; MO
<b>FANAPT TITRATION PACK ORAL TABLET</b>	4	PA; MO
<b>GEODON INTRAMUSCULAR SOLUTION RECONSTITUTED</b>	4	B/D; MO
<b>INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	4	PA; MO
<b>INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	4	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>LATUDA ORAL TABLET</b>	4	PA; MO
<b>NUPLAZID ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>NUPLAZID ORAL TABLET</b>	5	PA; MO; NEDS
<i>olanzapine intramuscular solution reconstituted</i>	2	B/D; MO
<i>olanzapine oral tablet</i>	2	MO
<i>olanzapine oral tablet dispersible</i>	2	MO
<i>paliperidone er oral tablet extended release 24 hour</i>	2	PA; MO
<b>PERSERIS SUBCUTANEOUS PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<i>quetiapine fumarate oral tablet</i>	2	MO
<b>REXULTI ORAL TABLET</b>	5	PA; MO; NEDS
<b>RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 12.5 MG, 25 MG, 37.5 MG</b>	4	B/D; MO
<b>RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MG</b>	5	B/D; MO; NEDS
<i>risperidone oral solution</i>	2	MO; QL (8 ML per 1 day)
<i>risperidone oral tablet</i>	2	MO; QL (2 EA per 1 day)
<i>risperidone oral tablet dispersible</i>	2	MO; QL (2 EA per 1 day)
<b>SAPHRIS SUBLINGUAL TABLET SUBLINGUAL</b>	4	PA; MO
<b>VRAYLAR ORAL CAPSULE</b>	5	PA; MO; QL (1 EA per 1 day); NEDS
<b>VRAYLAR ORAL CAPSULE THERAPY PACK</b>	4	PA; MO
<b>ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG</b>	4	B/D; MO
<b>Treatment-Resistant</b>		
<i>clozapine oral tablet</i>	2	MO
<i>clozapine oral tablet dispersible</i>	2	MO
<b>VERSACLOZ ORAL SUSPENSION</b>	4	MO
<b>Antispasticity Agents</b>		
<b>Antispasticity Agents</b>		
<i>baclofen oral tablet</i>	2	MO
<i>dantrolene sodium oral capsule</i>	2	MO
<i>tizanidine hcl oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Antivirals</b>		
<b>Anti-Cytomegalovirus (Cmv) Agents</b>		
<i>cidofovir intravenous solution</i>	5	B/D; MO; NEDS
<i>ganciclovir sodium intravenous solution reconstituted</i>	2	B/D; MO
<b>PREVYMIS INTRAVENOUS SOLUTION</b>	5	B/D; MO; NEDS
<b>PREVYMIS ORAL TABLET</b>	5	PA; MO; NEDS
<i>valganciclovir hcl oral solution reconstituted</i>	2	MO
<i>valganciclovir hcl oral tablet</i>	2	MO
<b>ZIRGAN OPHTHALMIC GEL</b>	4	MO
<b>Anti-Hepatitis B (Hbv) Agents</b>		
<i>adefovir dipivoxil oral tablet</i>	5	PA; MO; NEDS
<b>BARACLUDE ORAL SOLUTION</b>	4	PA; MO
<i>entecavir oral tablet</i>	5	PA; MO; NEDS
<b>EPIVIR HBV ORAL SOLUTION</b>	3	MO
<b>INTRON A INJECTION SOLUTION</b>	3	PA; MO
<b>INTRON A INJECTION SOLUTION RECONSTITUTED</b>	3	PA; MO
<i>lamivudine oral tablet 100 mg</i>	2	MO
<b>TENOFOVIR DISOPROXIL FUMARATE ORAL TABLET</b>	5	MO; NEDS
<b>TYZEKA ORAL TABLET</b>	5	MO; NEDS
<b>Anti-Hepatitis C (Hcv) Agents, Direct Acting</b>		
<b>DAKLINZA ORAL TABLET</b>	5	PA; MO; NEDS
<i>ledipasvir-sofosbuvir oral tablet</i>	5	PA; MO; NEDS
<b>MAVYRET ORAL TABLET</b>	5	PA; MO; NEDS
<i>sofosbuvir-velpatasvir oral tablet</i>	5	PA; MO; NEDS
<b>SOVALDI ORAL TABLET</b>	5	PA; MO; NEDS
<b>VOSEVI ORAL TABLET</b>	5	PA; MO; NEDS
<b>Anti-Hepatitis C (Hcv) Agents, Other</b>		
<b>PEGASYS PROCLICK SUBCUTANEOUS SOLUTION</b>	5	MO; NEDS
<b>PEGASYS SUBCUTANEOUS SOLUTION</b>	5	MO; NEDS
<b>PEG-INTRON REDIPEN PAK 4 SUBCUTANEOUS KIT 120 MCG/0.5ML, 150 MCG/0.5ML, 80 MCG/0.5ML</b>	5	MO; NEDS
<b>PEG-INTRON REDIPEN SUBCUTANEOUS KIT</b>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5ML</b>	5	MO; NEDS
<b>REBETOL ORAL SOLUTION</b>	4	MO
<i>ribasphere oral capsule</i>	2	MO
<i>ribasphere oral tablet 200 mg, 400 mg</i>	2	MO
<i>ribasphere oral tablet 600 mg</i>	5	MO; NEDS
<b>RIBAVIRIN INHALATION SOLUTION RECONSTITUTED</b>	5	B/D; MO
<i>ribavirin oral capsule</i>	2	MO
<i>ribavirin oral tablet 200 mg</i>	2	MO
<b>VIRAZOLE INHALATION SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>Anti-Hepatitis C (Hcv) Agents, Others</b>		
<b>EPCLUSA ORAL TABLET</b>	5	PA; MO; NEDS
<b>HARVONI ORAL TABLET</b>	5	PA; MO; NEDS
<b>RIBASPHERE RIBAPAK ORAL TABLET 600 MG</b>	5	MO; NEDS
<i>ribasphere ribapak oral tablet therapy pack 400 &amp; 600 mg</i>	2	MO
<b>ZEPATIER ORAL TABLET</b>	5	PA; MO; NEDS
<b>Antitherpetic Agents</b>		
<i>acyclovir oral capsule</i>	1	MO
<i>acyclovir oral suspension</i>	2	MO
<i>acyclovir oral tablet</i>	1	MO
<i>acyclovir sodium intravenous solution</i>	2	B/D; MO
<i>famciclovir oral tablet</i>	2	MO
<i>trifluridine ophthalmic solution</i>	2	MO
<i>valacyclovir hcl oral tablet</i>	2	MO
<b>Anti-Hiv Agents, Integrase Inhibitors (Insti)</b>		
<b>BIKTARVY ORAL TABLET</b>	5	MO; NEDS
<b>GENVOYA ORAL TABLET</b>	5	MO; NEDS
<b>ISENTRESS HD ORAL TABLET</b>	5	MO; NEDS
<b>ISENTRESS ORAL PACKET</b>	3	MO
<b>ISENTRESS ORAL TABLET</b>	5	MO; NEDS
<b>ISENTRESS ORAL TABLET CHEWABLE</b>	3	MO
<b>STRIBILD ORAL TABLET</b>	5	MO; NEDS
<b>SYMTUZA ORAL TABLET</b>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>TIVICAY ORAL TABLET 10 MG, 25 MG</b>	4	MO
<b>TIVICAY ORAL TABLET 50 MG</b>	5	MO; NEDS
<b>VITEKTA ORAL TABLET</b>	5	MO; NEDS
<b>Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)</b>		
<b>ATRIPLA ORAL TABLET</b>	5	MO; NEDS
<b>COMPLERA ORAL TABLET</b>	5	MO; NEDS
<b>EDURANT ORAL TABLET</b>	5	MO; NEDS
<i>efavirenz oral capsule 200 mg</i>	1	MO
<i>efavirenz oral tablet</i>	1	MO
<b>INTELENCE ORAL TABLET 100 MG, 200 MG</b>	5	MO; NEDS
<b>INTELENCE ORAL TABLET 25 MG</b>	4	MO
<i>nevirapine er oral tablet extended release 24 hour</i>	2	MO
<i>nevirapine oral suspension</i>	2	MO
<i>nevirapine oral tablet</i>	2	MO
<b>ODEFSEY ORAL TABLET</b>	5	MO; NEDS
<b>PIFELTRO ORAL TABLET</b>	4	MO
<b>RESCRIPTOR ORAL TABLET</b>	3	MO
<b>SUSTIVA ORAL CAPSULE</b>	3	MO
<b>SUSTIVA ORAL TABLET</b>	3	MO
<b>VIRAMUNE ORAL SUSPENSION</b>	4	MO
<b>Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)</b>		
<i>abacavir sulfate oral solution</i>	1	MO
<i>abacavir sulfate oral tablet</i>	2	MO
<b>ABACAVIR SULFATE-LAMIVUDINE ORAL TABLET</b>	5	MO; NEDS
<i>abacavir-lamivudine-zidovudine oral tablet</i>	5	MO; NEDS
<b>CIMDUO ORAL TABLET</b>	3	MO
<b>DELSTRIGO ORAL TABLET</b>	4	MO
<b>DESCOVY ORAL TABLET</b>	5	MO; NEDS
<i>didanosine oral capsule delayed release</i>	2	MO
<b>DOVATO ORAL TABLET</b>	5	MO; NEDS
<i>efavirenz oral capsule 50 mg</i>	1	MO
<b>EMTRIVA ORAL CAPSULE</b>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>EMTRIVA ORAL SOLUTION</b>	4	MO
<b>JULUCA ORAL TABLET</b>	5	MO; NEDS
<i>lamivudine oral solution</i>	2	MO
<i>lamivudine oral tablet 150 mg, 300 mg</i>	2	MO
<i>lamivudine-zidovudine oral tablet</i>	2	MO
<b>RETROVIR INTRAVENOUS SOLUTION</b>	3	MO
<i>stavudine oral capsule</i>	2	MO
<i>stavudine oral solution reconstituted</i>	2	MO
<b>SYMFI LO ORAL TABLET</b>	5	MO
<b>SYMFI ORAL TABLET</b>	5	MO; NEDS
<b>TRIUMEQ ORAL TABLET</b>	5	MO; NEDS
<b>TRUVADA ORAL TABLET</b>	5	MO; NEDS
<b>VIDEX EC ORAL CAPSULE DELAYED RELEASE 125 MG</b>	4	MO
<b>VIDEX ORAL SOLUTION RECONSTITUTED</b>	4	MO
<b>VIREAD ORAL POWDER</b>	3	MO
<b>VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG</b>	3	MO
<b>VIREAD ORAL TABLET 300 MG</b>	5	MO; NEDS
<b>ZERIT ORAL SOLUTION RECONSTITUTED</b>	4	MO
<b>ZIAGEN ORAL SOLUTION</b>	3	MO
<i>zidovudine oral capsule</i>	2	MO
<i>zidovudine oral syrup</i>	2	MO
<i>zidovudine oral tablet</i>	2	MO
<b>Anti-Hiv Agents, Other</b>		
<b>FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	MO; NEDS
<b>SELZENTRY ORAL SOLUTION</b>	5	MO; NEDS
<b>SELZENTRY ORAL TABLET 150 MG, 300 MG</b>	5	MO; NEDS
<b>SELZENTRY ORAL TABLET 25 MG, 75 MG</b>	4	MO
<b>TYBOST ORAL TABLET</b>	4	MO
<b>Anti-Hiv Agents, Protease Inhibitors</b>		
<b>APTIVUS ORAL CAPSULE</b>	5	MO; NEDS
<b>APTIVUS ORAL SOLUTION</b>	5	MO; NEDS
<b>ATAZANAVIR SULFATE ORAL CAPSULE</b>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>CRIXIVAN ORAL CAPSULE 200 MG, 400 MG</b>	3	MO
<b>EVOTAZ ORAL TABLET</b>	5	MO; NEDS
<b>FOSAMPRENAVIR CALCIUM ORAL TABLET</b>	5	MO; NEDS
<b>INVIRASE ORAL CAPSULE</b>	3	MO
<b>INVIRASE ORAL TABLET</b>	5	MO; NEDS
<b>KALETRA ORAL TABLET 100-25 MG</b>	3	MO
<b>KALETRA ORAL TABLET 200-50 MG</b>	5	MO; NEDS
<b>LEXIVA ORAL SUSPENSION</b>	4	MO
<b>LEXIVA ORAL TABLET</b>	5	MO; NEDS
<i>lopinavir-ritonavir oral solution</i>	2	MO
<b>NORVIR ORAL CAPSULE</b>	3	MO
<b>NORVIR ORAL PACKET</b>	3	MO
<b>NORVIR ORAL SOLUTION</b>	3	MO
<b>NORVIR ORAL TABLET</b>	3	MO
<b>PREZCOBIX ORAL TABLET</b>	5	MO; NEDS
<b>PREZISTA ORAL SUSPENSION</b>	4	MO
<b>PREZISTA ORAL TABLET 150 MG, 75 MG</b>	4	MO
<b>PREZISTA ORAL TABLET 600 MG, 800 MG</b>	5	MO; NEDS
<b>REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG</b>	5	MO; NEDS
<b>REYATAZ ORAL PACKET</b>	4	MO
<i>ritonavir oral tablet</i>	1	MO
<b>VIRACEPT ORAL TABLET 250 MG</b>	3	MO
<b>VIRACEPT ORAL TABLET 625 MG</b>	5	MO; NEDS
<b>Anti-Influenza Agents</b>		
<i>amantadine hcl oral capsule</i>	2	MO
<i>amantadine hcl oral syrup</i>	2	MO
<i>amantadine hcl oral tablet</i>	2	MO
<i>oseltamivir phosphate oral capsule</i>	2	MO; QL (2 EA per 1 day)
<i>oseltamivir phosphate oral suspension reconstituted</i>	2	MO
<b>RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	4	MO
<i>rimantadine hcl oral tablet</i>	2	MO
<b>TAMIFLU ORAL CAPSULE</b>	4	MO; QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>TAMIFLU ORAL SUSPENSION RECONSTITUTED 6 MG/ML</b>	4	MO
<b>XOFLUZA ORAL TABLET THERAPY PACK</b>	4	MO
<b>Anxiolytics</b>		
<b>Anxiolytics, Other</b>		
<i>bupirone hcl oral tablet</i>	2	MO
<i>hydroxyzine hcl oral syrup</i>	2	PA; MO
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<b>SILENOR ORAL TABLET</b>	3	MO
<i>triazolam oral tablet 0.25 mg</i>	2	MO
<b>Benzodiazepines</b>		
<i>alprazolam er oral tablet extended release 24 hour 0.5 mg</i>	2	MO
<i>alprazolam oral tablet</i>	1	MO
<i>alprazolam xr oral tablet extended release 24 hour 0.5 mg</i>	2	MO
<i>chlordiazepoxide hcl oral capsule</i>	1	MO
<i>clorazepate dipotassium oral tablet</i>	2	MO
<i>diazepam oral solution 5 mg/5ml</i>	2	MO
<i>diazepam oral tablet</i>	1	MO
<i>estazolam oral tablet</i>	2	MO; QL (1 EA per 1 day)
<i>lorazepam oral concentrate</i>	2	MO
<i>lorazepam oral tablet</i>	1	MO
<i>oxazepam oral capsule</i>	2	MO
<i>triazolam oral tablet 0.125 mg</i>	2	MO
<b>Ssris/Snris (Selective Serotonin Reuptake Inhibitors/Serotonin And Norepinephrine Reuptake Inhibitor)</b>		
<i>duloxetine hcl oral capsule delayed release particles 40 mg</i>	2	MO
<i>paroxetine hcl oral tablet</i>	1	MO
<i>venlafaxine hcl oral tablet</i>	2	MO
<b>Bipolar Agents</b>		
<b>Bipolar Agents, Other</b>		
<b>ABILIFY DISCMELT ORAL TABLET DISPERSIBLE 10 MG</b>	4	MO; QL (3 EA per 1 day)
<b>ABILIFY DISCMELT ORAL TABLET DISPERSIBLE 15 MG</b>	4	MO; QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>ABILIFY INTRAMUSCULAR SOLUTION</b>	4	B/D; MO
<b>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG</b>	5	B/D; MO; NEDS
<b>ABILIFY ORAL SOLUTION</b>	4	MO; QL (30 ML per 1 day)
<i>olanzapine-fluoxetine hcl oral capsule</i>	2	MO
<i>ziprasidone hcl oral capsule</i>	2	MO
<b>Mood Stabilizers</b>		
<i>divalproex sodium oral tablet delayed release</i>	2	MO
<b>LAMICTAL STARTER ORAL KIT</b>	4	MO
<i>lamotrigine oral tablet</i>	1	MO
<i>lamotrigine oral tablet chewable</i>	2	MO
<i>lithium carbonate er oral tablet extended release</i>	2	MO
<i>lithium carbonate oral capsule 150 mg, 300 mg</i>	1	MO
<i>lithium carbonate oral capsule 600 mg</i>	2	MO
<i>lithium carbonate oral tablet</i>	2	MO
<b>LITHIUM ORAL SOLUTION</b>	4	MO
<b>Blood Glucose Regulators</b>		
<b>Antidiabetic Agents</b>		
<i>acarbose oral tablet</i>	2	MO; QL (3 EA per 1 day)
<b>BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR</b>	3	MO
<b>BYDUREON SUBCUTANEOUS PEN-INJECTOR</b>	3	MO
<b>BYDUREON SUBCUTANEOUS SUSPENSION RECONSTITUTED ER</b>	3	MO
<i>colesevelam hcl oral tablet</i>	2	MO
<b>CYCLOSET ORAL TABLET</b>	4	MO
<b>FARXIGA ORAL TABLET</b>	3	MO
<i>glimepiride oral tablet</i>	1	MO
<i>glipizide er oral tablet extended release 24 hour</i>	2	MO
<i>glipizide oral tablet</i>	1	MO
<i>glyburide micronized oral tablet</i>	2	PA; MO
<i>glyburide oral tablet</i>	2	PA; MO
<b>JANUVIA ORAL TABLET</b>	3	MO; QL (1 EA per 1 day)
<b>JARDIANCE ORAL TABLET</b>	3	MO
<i>metformin hcl er oral tablet extended release 24 hour</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>metformin hcl oral tablet</i>	1	MO
<i>migliitol oral tablet</i>	1	MO
<i>nateglinide oral tablet</i>	2	MO
<b>OZEMPIC SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<i>pioglitazone hcl oral tablet</i>	2	MO
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (4 EA per 1 day)
<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (8 EA per 1 day)
<b>RIOMET ORAL SOLUTION</b>	4	MO
<b>SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	4	PA; MO
<b>SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	4	PA; MO
<b>SYNJARDY ORAL TABLET</b>	3	MO
<b>SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	3	MO
<i>tolazamide oral tablet</i>	2	MO
<b>TOLBUTAMIDE ORAL TABLET</b>	4	MO
<b>TRADJENTA ORAL TABLET</b>	3	MO; QL (1 EA per 1 day)
<b>TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	3	MO
<b>Blood Glucose Regulators</b>		
<b>ACTOPLUS MET XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	3	MO
<i>glipizide-metformin hcl oral tablet</i>	2	MO
<i>glyburide-metformin oral tablet</i>	2	PA; MO; QL (4 EA per 1 day)
<b>JANUMET ORAL TABLET</b>	3	MO; QL (2 EA per 1 day)
<b>JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	3	MO; QL (2 EA per 1 day)
<b>JENTADUETO ORAL TABLET</b>	3	MO; QL (2 EA per 1 day)
<b>JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	3	MO; QL (2 EA per 1 day)
<i>pioglitazone hcl-glimepiride oral tablet</i>	2	MO
<i>pioglitazone hcl-metformin hcl oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Glycemic Agents</b>		
<b>GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED</b>	3	MO
<b>GLUCAGON EMERGENCY INJECTION KIT</b>	3	MO
<b>PROGLYCEM ORAL SUSPENSION</b>	4	MO
<b>Insulins</b>		
<b>HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR</b>	3	MO
<b>HUMALOG MIX 50/50 SUBCUTANEOUS SUSPENSION</b>	3	MO
<b>HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR</b>	3	MO
<b>HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION</b>	3	MO
<b>HUMALOG SUBCUTANEOUS SOLUTION</b>	3	MO
<b>HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE</b>	3	MO
<b>HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR</b>	3	MO
<b>HUMULIN 70/30 SUBCUTANEOUS SUSPENSION</b>	3	MO
<b>HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR</b>	3	MO
<b>HUMULIN N SUBCUTANEOUS SUSPENSION</b>	3	MO
<b>HUMULIN R INJECTION SOLUTION</b>	3	MO
<b>HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION</b>	3	MO
<b>HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>LANTUS SUBCUTANEOUS SOLUTION</b>	3	MO
<b>LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	4	PA; MO
<b>LEVEMIR SUBCUTANEOUS SOLUTION</b>	4	PA; MO
<b>TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	3	MO
<b>TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	4	PA; MO
<b>TRESIBA SUBCUTANEOUS SOLUTION</b>	4	PA; MO
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
<b>COUMADIN ORAL TABLET</b>	4	MO
<b>ELIQUIS ORAL TABLET</b>	3	MO
<b>ELIQUIS STARTER PACK ORAL TABLET</b>	3	MO
<i>enoxaparin sodium injection solution</i>	2	MO
<i>enoxaparin sodium subcutaneous solution</i>	2	MO
<i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>	5	MO; NEDS
<i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>	2	MO
<b>FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML</b>	5	MO; NEDS
<b>FRAGMIN SUBCUTANEOUS SOLUTION 2500 UNIT/0.2ML, 5000 UNIT/0.2ML</b>	3	MO
<i>heparin (porcine) in nacl injection solution 2-0.9 unit/ml-%</i>	2	B/D; MO
<i>heparin sodium (porcine) injection solution 1000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>	2	B/D; MO
<b>HEPARIN SODIUM (PORCINE) INJECTION SOLUTION 2500 UNIT/ML</b>	4	B/D; MO
<i>jantoven oral tablet</i>	1	MO
<b>PRADAXA ORAL CAPSULE</b>	4	MO
<i>warfarin sodium oral tablet</i>	1	MO
<b>XARELTO ORAL TABLET</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>XARELTO STARTER PACK ORAL TABLET THERAPY PACK</b>	3	MO
<b>Blood Formation Modifiers</b>		
<i>anagrelide hcl oral capsule</i>	2	MO
<b>ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML</b>	4	PA; MO
<b>ARANESP (ALBUMIN FREE) INJECTION SOLUTION 200 MCG/ML, 300 MCG/ML</b>	5	PA; MO; NEDS
<b>ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML, 100 MCG/0.5ML, 25 MCG/0.42ML, 40 MCG/0.4ML, 60 MCG/0.3ML</b>	4	PA; MO
<b>ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 150 MCG/0.3ML, 200 MCG/0.4ML, 300 MCG/0.6ML, 500 MCG/ML</b>	5	PA; MO; NEDS
<b>EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML</b>	4	PA; MO
<b>FULPHILA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<b>LEUKINE INJECTION SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>MOZOBIL SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<b>NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	B/D; MO; NEDS
<b>NEUMEGA SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML</b>	5	B/D; MO; NEDS
<b>NEUPOGEN INJECTION SOLUTION PREFILLED SYRINGE</b>	5	B/D; MO; NEDS
<b>PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML</b>	3	PA; MO
<b>PROCRIT INJECTION SOLUTION 20000 UNIT/ML, 40000 UNIT/ML</b>	5	PA; MO; NEDS
<b>PROMACTA ORAL PACKET</b>	5	PA; MO; NEDS
<b>PROMACTA ORAL TABLET</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML</b>	3	PA; MO
<b>RETACRIT INJECTION SOLUTION 40000 UNIT/ML</b>	5	PA; MO; NEDS
<b>ZARXIO INJECTION SOLUTION PREFILLED SYRINGE</b>	5	B/D; MO; NEDS
<b>Hemostasis Agents</b>		
<i>tranexamic acid intravenous solution 1000 mg/10ml</i>	2	B/D; MO
<i>tranexamic acid oral tablet</i>	2	MO
<b>Platelet Modifying Agents</b>		
<i>aspirin-dipyridamole er oral capsule extended release 12 hour</i>	2	MO
<b>BRILINTA ORAL TABLET</b>	4	MO
<i>cilostazol oral tablet</i>	2	MO
<i>clopidogrel bisulfate oral tablet 300 mg</i>	2	MO; QL (1 EA per 30 days)
<i>clopidogrel bisulfate oral tablet 75 mg</i>	1	MO
<i>dipyridamole oral tablet</i>	2	MO
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agonists</b>		
<i>clonidine hcl oral tablet</i>	1	MO
<i>clonidine transdermal patch weekly</i>	2	MO
<i>guanfacine hcl oral tablet</i>	2	MO
<i>methyldopa oral tablet</i>	2	MO
<i>midodrine hcl oral tablet</i>	2	MO
<b>Alpha-Adrenergic Blocking Agents</b>		
<i>phenoxybenzamine hcl oral capsule</i>	2	MO
<i>prazosin hcl oral capsule</i>	2	MO
<b>RESERPINE ORAL TABLET</b>	4	MO
<b>Angiotensin Ii Receptor Antagonists</b>		
<b>ENTRESTO ORAL TABLET</b>	4	MO
<i>irbesartan oral tablet</i>	2	MO
<i>irbesartan-hydrochlorothiazide oral tablet</i>	2	MO
<i>losartan potassium oral tablet</i>	1	MO
<i>losartan potassium-hctz oral tablet</i>	1	MO; QL (1 EA per 1 day)
<i>olmesartan medoxomil oral tablet</i>	2	MO
<i>olmesartan medoxomil-hctz oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>valsartan oral tablet</i>	2	MO
<i>valsartan-hydrochlorothiazide oral tablet</i>	2	MO
<b>Angiotensin-Converting Enzyme (Ace) Inhibitors</b>		
<i>benazepril hcl oral tablet</i>	1	MO
<i>benazepril-hydrochlorothiazide oral tablet</i>	2	MO
<i>captopril oral tablet</i>	2	MO
<i>captopril-hydrochlorothiazide oral tablet</i>	2	MO
<i>enalapril maleate oral tablet</i>	1	MO
<i>enalapril-hydrochlorothiazide oral tablet</i>	2	MO
<i>fosinopril sodium oral tablet</i>	2	MO
<i>fosinopril sodium-hctz oral tablet</i>	2	MO
<i>lisinopril oral tablet</i>	1	MO
<i>lisinopril-hydrochlorothiazide oral tablet</i>	1	MO
<i>moexipril hcl oral tablet</i>	2	MO
<i>moexipril-hydrochlorothiazide oral tablet</i>	2	MO
<i>perindopril erbumine oral tablet</i>	2	MO
<i>quinapril hcl oral tablet</i>	1	MO; QL (2 EA per 1 day)
<i>quinapril-hydrochlorothiazide oral tablet</i>	2	MO; QL (1 EA per 1 day)
<i>ramipril oral capsule</i>	2	MO
<i>trandolapril oral tablet</i>	2	MO
<i>trandolapril-verapamil hcl er oral tablet extended release</i>	2	MO
<b>Antiarrhythmics</b>		
<i>amiodarone hcl oral tablet</i>	2	MO
<i>disopyramide phosphate oral capsule</i>	2	MO
<i>dofetilide oral capsule</i>	2	MO
<i>flecainide acetate oral tablet</i>	2	MO
<i>mexiletine hcl oral capsule</i>	2	MO
<b>MULTAQ ORAL TABLET</b>	4	PA; MO
<b>NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR</b>	3	MO
<i>pacerone oral tablet 100 mg, 200 mg</i>	2	MO
<i>propafenone hcl er oral capsule extended release 12 hour</i>	2	MO
<i>propafenone hcl oral tablet</i>	2	MO
<i>quinidine gluconate er oral tablet extended release</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>QUINIDINE SULFATE ER ORAL TABLET EXTENDED RELEASE</b>	4	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet</i>	2	MO
<i>sotalol hcl (af) oral tablet</i>	2	MO
<i>sotalol hcl oral tablet</i>	2	MO
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol hcl oral capsule</i>	2	MO
<i>atenolol oral tablet</i>	1	MO
<i>atenolol-chlorthalidone oral tablet</i>	1	MO
<i>betaxolol hcl oral tablet</i>	2	MO
<i>bisoprolol fumarate oral tablet</i>	2	MO
<i>bisoprolol-hydrochlorothiazide oral tablet</i>	1	MO
<i>carvedilol oral tablet</i>	1	MO
<i>carvedilol phosphate er oral capsule extended release 24 hour</i>	1	MO
<b>COREG CR ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	3	MO
<b>INNOPRAN XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	4	MO
<i>labetalol hcl oral tablet</i>	2	MO
<i>metoprolol succinate er oral tablet extended release 24 hour</i>	2	MO
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO
<i>metoprolol-hydrochlorothiazide oral tablet</i>	2	MO
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	MO
<i>nadolol-bendroflumethiazide oral tablet</i>	2	MO
<i>pindolol oral tablet</i>	2	MO
<i>propranolol hcl er oral capsule extended release 24 hour</i>	2	MO
<i>propranolol hcl oral solution</i>	2	MO
<i>propranolol hcl oral tablet</i>	2	MO
<i>propranolol-hctz oral tablet</i>	2	MO
<b>Calcium Channel Blocking Agents</b>		
<i>afeditab cr oral tablet extended release 24 hour</i>	2	MO
<i>amlodipine besy-benazepril hcl oral capsule</i>	2	MO
<i>amlodipine besylate oral tablet</i>	1	MO
<i>amlodipine besylate-valsartan oral tablet</i>	2	MO; QL (1 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>amlodipine-valsartan-hctz oral tablet</i>	2	MO; QL (1 EA per 1 day)
<b>CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 120 MG</b>	4	MO
<i>cartia xt oral capsule extended release 24 hour</i>	2	MO
<i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 360 mg, 420 mg</i>	2	MO
<i>diltiazem hcl er coated beads oral capsule extended release 24 hour</i>	2	MO
<i>diltiazem hcl er oral capsule extended release 12 hour</i>	2	MO
<i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>	2	MO
<i>diltiazem hcl oral tablet 120 mg, 90 mg</i>	2	MO
<i>diltiazem hcl oral tablet 30 mg, 60 mg</i>	1	MO
<i>dilt-xr oral capsule extended release 24 hour 180 mg, 240 mg</i>	2	MO
<i>felodipine er oral tablet extended release 24 hour</i>	2	MO
<i>isradipine oral capsule</i>	2	MO
<i>matzim la oral tablet extended release 24 hour</i>	2	MO
<i>nicardipine hcl oral capsule</i>	2	MO
<i>nifedical xl oral tablet extended release 24 hour</i>	2	MO
<i>nifedipine er oral tablet extended release 24 hour</i>	2	MO
<i>nifedipine er osmotic release oral tablet extended release 24 hour</i>	2	MO
<i>taztia xt oral capsule extended release 24 hour</i>	2	MO
<i>verapamil hcl er oral capsule extended release 24 hour</i>	2	MO
<i>verapamil hcl er oral tablet extended release</i>	2	MO
<i>verapamil hcl oral tablet</i>	1	MO
<b>Cardiovascular Agents, Other</b>		
<i>aliskiren fumarate oral tablet</i>	2	MO
<b>CORLANOR ORAL TABLET</b>	4	PA; MO
<b>DEMSER ORAL CAPSULE</b>	4	MO
<i>digox oral tablet</i>	2	MO
<i>digoxin oral solution</i>	2	MO
<i>digoxin oral tablet 125 mcg</i>	2	MO
<i>digoxin oral tablet 250 mcg</i>	2	PA; MO
<b>LANOXIN ORAL TABLET</b>	4	MO
<b>NORTHERA ORAL CAPSULE</b>	4	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>pentoxifylline er oral tablet extended release</i>	2	MO
<b>RANEXA ORAL TABLET EXTENDED RELEASE 12 HOUR</b>	3	MO
<i>ranolazine er oral tablet extended release 12 hour</i>	1	MO
<b>Diuretics, Carbonic Anhydrase Inhibitors</b>		
<i>acetazolamide oral tablet</i>	2	MO
<i>methazolamide oral tablet</i>	2	MO
<b>Diuretics, Loop</b>		
<i>bumetanide oral tablet</i>	2	MO
<i>ethacrynic acid oral tablet</i>	2	MO
<i>furosemide injection solution 10 mg/ml</i>	2	B/D; MO
<i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>	2	MO
<i>furosemide oral tablet</i>	1	MO
<i>torseamide oral tablet</i>	2	MO
<b>Diuretics, Potassium-Sparing</b>		
<b>ALDACTAZIDE ORAL TABLET 50-50 MG</b>	4	MO
<i>amiloride hcl oral tablet</i>	2	MO
<i>amiloride-hydrochlorothiazide oral tablet</i>	2	MO
<b>DYRENIUM ORAL CAPSULE</b>	4	MO
<i>eplerenone oral tablet</i>	2	MO
<i>spironolactone oral tablet 100 mg, 50 mg</i>	2	MO
<i>spironolactone oral tablet 25 mg</i>	1	MO
<i>spironolactone-hctz oral tablet</i>	2	MO
<i>triamterene-hctz oral capsule</i>	2	MO
<i>triamterene-hctz oral tablet</i>	2	MO
<b>Diuretics, Thiazide</b>		
<i>chlorothiazide oral tablet</i>	1	MO
<i>chlorthalidone oral tablet</i>	2	MO
<b>DIURIL ORAL SUSPENSION</b>	4	MO
<i>hydrochlorothiazide oral capsule</i>	1	MO
<i>hydrochlorothiazide oral tablet</i>	1	MO
<i>indapamide oral tablet</i>	1	MO
<b>METHYCLOTHIAZIDE ORAL TABLET</b>	4	MO
<i>metolazone oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Dyslipidemics, Fibric Acid Derivatives</b>		
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	MO
<i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i>	2	MO
<i>gemfibrozil oral tablet</i>	2	MO
<b>Dyslipidemics, Hmg Coa Reductase Inhibitors</b>		
<i>atorvastatin calcium oral tablet</i>	1	MO
<i>fluvastatin sodium er oral tablet extended release 24 hour</i>	2	MO
<i>fluvastatin sodium oral capsule</i>	2	MO
<i>lovastatin oral tablet</i>	2	MO
<i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg</i>	2	MO; QL (1.5 EA per 1 day)
<i>pravastatin sodium oral tablet 80 mg</i>	2	MO; QL (1 EA per 1 day)
<i>rosuvastatin calcium oral tablet</i>	2	MO
<i>simvastatin oral tablet</i>	1	MO; QL (1.5 EA per 1 day)
<b>Dyslipidemics, Other</b>		
<i>cholestyramine light oral packet</i>	2	MO
<i>cholestyramine light oral powder</i>	2	MO
<i>cholestyramine oral packet</i>	2	MO
<i>cholestyramine oral powder</i>	2	MO
<i>colesevelam hcl oral packet</i>	2	MO
<i>colestipol hcl oral packet</i>	2	MO
<i>colestipol hcl oral tablet</i>	2	MO
<i>ezetimibe oral tablet</i>	2	MO
<i>ezetimibe-simvastatin oral tablet</i>	2	MO
<b>JUXTAPID ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>KYNAMRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<i>niacin er (antihyperlipidemic) oral tablet extended release</i>	2	MO
<i>niacor oral tablet</i>	2	MO
<i>omega-3-acid ethyl esters oral capsule</i>	2	MO
<b>PRALUENT SUBCUTANEOUS SOLUTION PEN-INJECTOR</b>	5	PA; MO; NEDS
<i>prevalite oral packet</i>	2	MO
<b>VYTORIN ORAL TABLET</b>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>WELCHOL ORAL PACKET</b>	4	MO
<b>WELCHOL ORAL TABLET</b>	4	MO
<b>Vasodilators, Direct-Acting Arterial</b>		
<i>hydralazine hcl oral tablet</i>	2	MO
<i>minoxidil oral tablet</i>	2	MO
<b>Vasodilators, Direct-Acting Arterial/Venous</b>		
<b>DILATRATE-SR ORAL CAPSULE EXTENDED RELEASE</b>	3	MO
<b>ISORDIL TITRADOSE ORAL TABLET 40 MG</b>	4	MO
<i>isosorbide dinitrate er oral tablet extended release</i>	2	MO
<i>isosorbide dinitrate oral tablet</i>	2	MO
<i>isosorbide mononitrate er oral tablet extended release 24 hour</i>	2	MO
<i>isosorbide mononitrate oral tablet</i>	2	MO
<i>minitran transdermal patch 24 hour</i>	2	MO
<b>NITRO-BID TRANSDERMAL OINTMENT</b>	4	MO
<i>nitroglycerin sublingual tablet sublingual</i>	2	MO
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual solution</i>	2	MO
<b>NITROMIST TRANSLINGUAL AEROSOL SOLUTION</b>	4	MO
<b>Central Nervous System Agents</b>		
<b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>		
<i>amphetamine-dextroamphet er oral capsule extended release 24 hour</i>	2	MO
<i>amphetamine-dextroamphetamine oral tablet</i>	2	MO
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour</i>	2	MO
<i>dextroamphetamine sulfate oral tablet</i>	2	MO
<b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>		
<i>atomoxetine hcl oral capsule</i>	2	PA; MO
<i>dexmethylphenidate hcl er oral capsule extended release 24 hour</i>	2	MO
<i>dexmethylphenidate hcl oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>guanfacine hcl er oral tablet extended release 24 hour</i>	2	PA; MO
<i>metadate er oral tablet extended release 20 mg</i>	2	MO
<i>methylphenidate hcl er (cd) oral capsule extended release</i>	2	MO
<i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg</i>	2	MO
<i>methylphenidate hcl er oral tablet extended release 10 mg, 20 mg, 72 mg</i>	2	MO
<i>methylphenidate hcl er oral tablet extended release 18 mg, 27 mg, 54 mg</i>	2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 54 mg</i>	2	MO; QL (1 EA per 1 day)
<i>methylphenidate hcl er oral tablet extended release 24 hour 36 mg</i>	2	MO; QL (2 EA per 1 day)
<i>methylphenidate hcl er oral tablet extended release 36 mg</i>	2	MO; QL (2 EA per 1 day)
<i>methylphenidate hcl oral solution</i>	2	MO
<i>methylphenidate hcl oral tablet</i>	2	MO
<i>methylphenidate hcl oral tablet chewable</i>	2	MO
<b>RITALIN LA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 10 MG</b>	4	MO
<b>STRATTERA ORAL CAPSULE</b>	4	PA; MO
<b>Central Nervous System, Other</b>		
<b>HETLIOZ ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>NUEDEXTA ORAL CAPSULE</b>	4	PA; MO
<b>RADICAVA INTRAVENOUS SOLUTION</b>	5	PA; MO; NEDS
<i>riluzole oral tablet</i>	2	MO
<i>tetrabenazine oral tablet</i>	5	PA; MO; NEDS
<b>Fibromyalgia Agents</b>		
<i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>	2	MO
<b>LYRICA ORAL CAPSULE</b>	4	PA; MO
<b>LYRICA ORAL SOLUTION</b>	4	PA; MO
<b>SAVELLA ORAL TABLET</b>	3	MO
<b>SAVELLA TITRATION PACK ORAL</b>	3	MO
<b>Multiple Sclerosis Agents</b>		
<b>AUBAGIO ORAL TABLET</b>	5	PA; MO; NEDS
<b>AVONEX INTRAMUSCULAR KIT</b>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT</b>	5	MO; NEDS
<b>AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT</b>	5	MO; NEDS
<b>BETASERON SUBCUTANEOUS KIT</b>	5	MO; NEDS
<i>dalfampridine er oral tablet extended release 12 hour</i>	5	PA; MO; NEDS
<b>GILENYA ORAL CAPSULE 0.5 MG</b>	5	PA; MO; NEDS
<b>GLATIRAMER ACETATE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	MO; NEDS
<i>glatopa subcutaneous solution prefilled syringe 20 mg/ml</i>	5	MO; NEDS
<b>GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML</b>	5	MO; NEDS
<b>REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR</b>	5	PA; MO; NEDS
<b>REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR</b>	5	PA; MO; NEDS
<b>REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<b>REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<b>TECFIDERA ORAL</b>	5	PA; MO; NEDS
<b>TECFIDERA ORAL CAPSULE DELAYED RELEASE</b>	5	PA; MO; NEDS
<b>TY SABRI INTRAVENOUS CONCENTRATE</b>	5	PA; MO; NEDS
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline hcl oral capsule</i>	2	MO
<i>chlorhexidine gluconate mouth/throat solution</i>	1	MO
<i>periogard mouth/throat solution</i>	1	MO
<i>pilocarpine hcl oral tablet</i>	2	MO
<i>triamcinolone acetonide mouth/throat paste</i>	2	MO
<b>Dermatological Agents</b>		
<b>Dermatological Agents</b>		
<i>acitretin oral capsule 17.5 mg</i>	5	MO; NEDS
<i>adapalene external cream</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>adapalene external gel 0.1 %</i>	2	MO
<i>adapalene external solution</i>	2	MO
<i>ammonium lactate external cream</i>	2	MO
<i>ammonium lactate external lotion</i>	2	MO
<i>calcipotriene external cream</i>	2	MO; QL (120 GM per 30 days)
<i>calcipotriene external ointment</i>	2	MO; QL (120 GM per 30 days)
<i>calcipotriene external solution</i>	2	MO; QL (120 ML per 30 days)
<b>CARAC EXTERNAL CREAM</b>	4	MO
<i>claravis oral capsule 10 mg, 20 mg, 40 mg</i>	2	MO
<i>clotrimazole-betamethasone external cream</i>	2	MO
<i>clotrimazole-betamethasone external lotion</i>	2	MO
<b>CONDYLOX EXTERNAL GEL</b>	4	MO
<b>CORTISPORIN EXTERNAL CREAM</b>	4	MO
<b>CORTISPORIN EXTERNAL OINTMENT</b>	4	MO
<b>CVS GAUZE STERILE PAD 2"X2"</b>	4	MO
<i>diclofenac sodium transdermal gel 1 %</i>	2	MO; QL (960 GM per 30 days)
<i>diclofenac sodium transdermal gel 3 %</i>	2	MO; QL (200 GM per 30 days)
<i>doxycycline oral capsule delayed release</i>	2	MO
<i>fluorouracil external cream</i>	2	MO
<i>fluorouracil external solution</i>	2	MO
<i>imiquimod external cream</i>	2	MO
<i>methoxsalen rapid oral capsule</i>	2	MO
<b>ORACEA ORAL CAPSULE DELAYED RELEASE</b>	4	MO
<i>podofilox external solution</i>	2	MO
<b>SANTYL EXTERNAL OINTMENT</b>	3	MO; QL (100 GM per 30 days)
<i>selenium sulfide external lotion</i>	2	MO
<i>tacrolimus external ointment</i>	2	MO
<i>tazarotene external cream</i>	2	MO
<b>TAZORAC EXTERNAL CREAM</b>	4	MO
<b>TAZORAC EXTERNAL GEL</b>	4	MO
<b>TOLAK EXTERNAL CREAM</b>	4	MO
<i>tretinoin external cream 0.1 %</i>	2	MO
<b>Electrolytes/Minerals/ Metals/ Vitamins</b>		
<b>Electrolyte/Mineral Replacement</b>		
<b>AMINOSYN II INTRAVENOUS SOLUTION 7 %</b>	4	B/D; MO
<i>aminosyn ii/electrolytes intravenous solution</i>	2	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>citric acid-sodium citrate oral solution</i>	2	MO
<i>cytra k crystals oral packet</i>	2	MO
<i>dextrose in lactated ringers intravenous solution</i>	2	B/D; MO
<i>dextrose intravenous solution 10 %, 5 %</i>	2	B/D; MO
<b>DEXTROSE-NACL INTRAVENOUS SOLUTION 10-0.2 %</b>	4	B/D; MO
<i>dextrose-nacl intravenous solution 2.5-0.45 %, 5-0.2 %, 5-0.45 %, 5-0.9 %</i>	2	B/D; MO
<i>kcl in dextrose-nacl intravenous solution 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%</i>	2	B/D; MO
<i>klor-con 10 oral tablet extended release</i>	2	MO
<i>klor-con m10 oral tablet extended release</i>	2	MO
<b>KLOR-CON M15 ORAL TABLET EXTENDED RELEASE</b>	4	MO
<i>klor-con m20 oral tablet extended release</i>	2	MO
<i>klor-con oral packet 20 meq</i>	2	MO
<b>KLOR-CON ORAL PACKET 25 MEQ</b>	4	MO
<i>klor-con oral tablet extended release</i>	2	MO
<b>K-PHOS NO 2 ORAL TABLET</b>	4	MO
<i>lactated ringers intravenous solution</i>	2	B/D; MO
<i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>	2	B/D; MO
<b>ORACIT ORAL SOLUTION</b>	4	MO
<i>potassium chloride crys er oral tablet extended release</i>	2	MO
<i>potassium chloride er oral capsule extended release</i>	2	MO
<i>potassium chloride er oral tablet extended release</i>	2	MO
<i>potassium chloride intravenous solution 20 meq/100ml, 40 meq/100ml</i>	2	B/D; MO
<i>potassium chloride oral packet</i>	2	MO
<i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>	2	MO
<i>potassium citrate er oral tablet extended release</i>	2	MO
<i>potassium citrate-citric acid oral solution</i>	2	MO
<i>sodium chloride intravenous solution 0.45 %, 0.9 %, 5 %</i>	2	B/D; MO
<i>sodium chloride irrigation solution 0.9 %</i>	2	MO
<i>sodium fluoride oral tablet 2.2 (1 f) mg</i>	1	MO
<i>tpn electrolytes intravenous solution</i>	2	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>TRAVASOL INTRAVENOUS SOLUTION</b>	4	B/D; MO
<b>Electrolyte/Mineral/Metal Modifiers</b>		
<b>CARBAGLU ORAL TABLET</b>	5	PA; MO; NEDS
<i>deferasirox oral tablet soluble 125 mg</i>	2	MO
<i>deferasirox oral tablet soluble 250 mg, 500 mg</i>	5	MO; NEDS
<b>DEPEN TITRATABS ORAL TABLET</b>	5	MO; NEDS
<i>kionex oral suspension</i>	2	MO
<i>sodium polystyrene sulfonate oral powder</i>	2	MO
<b>SYPRINE ORAL CAPSULE</b>	5	MO; NEDS
<b>TRIENTINE HCL ORAL CAPSULE</b>	5	MO; NEDS
<b>VELTASSA ORAL PACKET</b>	3	MO
<b>Electrolytes/Minerals/ Metals/ Vitamins</b>		
<i>prenatal oral tablet 27-1 mg</i>	2	MO
<b>Vitamins</b>		
<b>ELITE-OB ORAL TABLET</b>	4	MO
<i>natalcare plus oral tablet</i>	2	MO
<i>natatab fa oral tablet</i>	2	MO
<i>natatab rx oral tablet</i>	2	MO
<b>PNV-DHA ORAL CAPSULE</b>	4	MO
<b>PRENATABS FA ORAL TABLET</b>	4	MO
<b>PRENATAL PLUS IRON ORAL TABLET</b>	4	MO
<i>ultra natalcare oral tablet</i>	2	MO
<i>vp-pnv-dha oral capsule</i>	2	MO
<b>ZATEAN-PN ORAL TABLET</b>	4	MO
<b>Gastrointestinal Agents</b>		
<b>Antispasmodics, Gastrointestinal</b>		
<b>CANTIL ORAL TABLET</b>	4	MO
<i>dicyclomine hcl oral capsule</i>	1	MO
<i>dicyclomine hcl oral solution</i>	2	MO
<i>dicyclomine hcl oral tablet</i>	1	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	MO
<i>methscopolamine bromide oral tablet</i>	2	MO
<b>PROPANTHELINE BROMIDE ORAL TABLET</b>	4	MO
<b>Gastrointestinal Agents, Other</b>		
<i>cromolyn sodium oral concentrate</i>	2	MO
<i>diphenoxylate-atropine oral liquid</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>diphenoxylate-atropine oral tablet</i>	2	MO
<b>GATTEX SUBCUTANEOUS KIT</b>	5	PA; MO; NEDS
<i>loperamide hcl oral capsule</i>	2	MO
<i>metoclopramide hcl injection solution</i>	2	B/D; MO
<i>metoclopramide hcl oral solution 5 mg/5ml</i>	1	MO
<i>metoclopramide hcl oral tablet</i>	1	MO
<b>MOTOFEN ORAL TABLET</b>	4	MO
<b>MOVANTIK ORAL TABLET</b>	4	PA; MO
<b>OSMOPREP ORAL TABLET</b>	4	MO
<b>RELISTOR ORAL TABLET</b>	4	PA; MO
<b>RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 8 MG/0.4ML</b>	5	PA; MO; NEDS
<i>ursodiol oral capsule</i>	2	MO
<i>ursodiol oral tablet</i>	2	MO
<b>Histamine2 (H2) Receptor Antagonists</b>		
<i>cimetidine hcl oral solution</i>	2	MO
<i>cimetidine oral tablet</i>	2	MO
<i>famotidine oral suspension reconstituted</i>	2	MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	2	MO
<i>ranitidine hcl injection solution 150 mg/6ml</i>	2	B/D; MO
<i>ranitidine hcl oral capsule</i>	2	MO
<i>ranitidine hcl oral syrup 75 mg/5ml</i>	2	MO
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	2	MO
<b>Irritable Bowel Syndrome Agents</b>		
<i>alosetron hcl oral tablet</i>	2	PA; MO; QL (2 EA per 1 day)
<b>AMITIZA ORAL CAPSULE</b>	3	MO
<b>LINZESS ORAL CAPSULE</b>	4	PA; MO
<b>Laxatives</b>		
<i>enulose oral solution</i>	2	MO
<i>gavilyte-c oral solution reconstituted</i>	2	MO
<i>gavilyte-g oral solution reconstituted</i>	2	MO
<i>gavilyte-n with flavor pack oral solution reconstituted</i>	2	MO
<i>lactulose oral solution 10 gm/15ml</i>	2	MO
<b>MOVIPREP ORAL SOLUTION RECONSTITUTED</b>	4	MO
<i>peg 3350/electrolytes oral solution reconstituted</i>	2	MO
<i>peg-3350/electrolytes oral solution reconstituted</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>polyethylene glycol 3350 oral powder</i>	2	MO
<i>trilyte oral solution reconstituted</i>	2	MO
<b>Protectants</b>		
<b>CARAFATE ORAL SUSPENSION</b>	4	MO
<i>misoprostol oral tablet 100 mcg</i>	2	MO
<i>sucralfate oral tablet</i>	2	MO
<b>Proton Pump Inhibitors</b>		
<b>DEXILANT ORAL CAPSULE DELAYED RELEASE</b>	3	MO
<i>esomeprazole magnesium oral capsule delayed release</i>	2	MO
<i>esomeprazole sodium intravenous solution reconstituted 40 mg</i>	2	B/D; MO
<i>lansoprazole oral capsule delayed release</i>	2	MO
<i>omeprazole oral capsule delayed release 10 mg</i>	2	MO; QL (1 EA per 1 day)
<i>omeprazole oral capsule delayed release 20 mg</i>	2	MO; QL (2 EA per 1 day)
<i>omeprazole oral capsule delayed release 40 mg</i>	2	MO
<i>pantoprazole sodium oral tablet delayed release</i>	2	MO; QL (2 EA per 1 day)
<b>Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment</b>		
<b>Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment</b>		
<b>ADAGEN INTRAMUSCULAR SOLUTION</b>	5	B/D; MO; NEDS
<b>ALDURAZYME INTRAVENOUS SOLUTION</b>	5	PA; MO; LA; NEDS
<b>ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG</b>	5	PA; MO; LA; NEDS
<b>BUPHENYL ORAL TABLET</b>	5	MO; NEDS
<b>CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT</b>	5	PA; MO; LA; NEDS
<b>CREON ORAL CAPSULE DELAYED RELEASE PARTICLES</b>	3	MO
<b>CYSTADANE ORAL POWDER</b>	4	MO
<b>CYSTAGON ORAL CAPSULE</b>	4	MO
<b>FABRAZYME INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; LA; NEDS
<b>KUVAN ORAL PACKET</b>	5	PA; MO; NEDS
<b>KUVAN ORAL TABLET SOLUBLE</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>LUMIZYME INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<i>miglustat oral capsule</i>	5	MO; NEDS
<b>NAGLAZYME INTRAVENOUS SOLUTION</b>	5	PA; MO; LA; NEDS
<b>ORFADIN ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>ORFADIN ORAL SUSPENSION</b>	5	PA; MO; NEDS
<b>RAVICTI ORAL LIQUID</b>	5	MO; NEDS
<b>SODIUM PHENYL BUTYRATE ORAL TABLET</b>	5	MO; NEDS
<b>UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<b>ZAVESCA ORAL CAPSULE</b>	5	MO; NEDS
<b>ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000 UNIT, 10000-32000 UNIT, 15000-47000 UNIT, 15000-51000 UNIT, 20000-63000 UNIT, 20000-68000 UNIT, 25000 UNIT, 25000-79000 UNIT, 3000-14000 UNIT, 40000-126000 UNIT, 40000-136000 UNIT, 5000 UNIT, 5000-24000 UNIT</b>	4	MO
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>flavoxate hcl oral tablet</i>	2	MO
<b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	4	MO
<i>oxybutynin chloride er oral tablet extended release 24 hour</i>	2	MO
<i>oxybutynin chloride oral syrup</i>	1	MO
<i>oxybutynin chloride oral tablet</i>	1	MO
<i>solifenacin succinate oral tablet</i>	2	MO
<i>tolterodine tartrate er oral capsule extended release 24 hour</i>	2	MO
<i>tolterodine tartrate oral tablet</i>	2	MO
<i>trospium chloride er oral capsule extended release 24 hour</i>	2	MO
<i>trospium chloride oral tablet</i>	2	MO
<b>Benign Prostatic Hypertrophy Agents</b>		
<i>alfuzosin hcl er oral tablet extended release 24 hour</i>	2	MO; QL (1 EA per 1 day)
<i>doxazosin mesylate oral tablet</i>	2	MO
<i>dutasteride oral capsule</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>dutasteride-tamsulosin hcl oral capsule</i>	2	MO
<i>finasteride oral tablet 5 mg</i>	2	MO; QL (1 EA per 1 day)
<i>tamsulosin hcl oral capsule</i>	2	MO
<i>terazosin hcl oral capsule</i>	1	MO
<b>Genitourinary Agents, Other</b>		
<i>bethanechol chloride oral tablet</i>	2	MO
<b>ELMIRON ORAL CAPSULE</b>	3	MO
<b>JYNARQUE ORAL TABLET</b>	5	PA; MO; NEDS
<b>JYNARQUE ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>Phosphate Binders</b>		
<b>AURYXIA ORAL TABLET</b>	4	PA; MO
<i>calcium acetate (phos binder) oral capsule</i>	2	MO
<b>REVELA ORAL PACKET</b>	3	MO
<b>REVELA ORAL TABLET</b>	3	MO
<i>sevelamer carbonate oral packet</i>	1	MO
<i>sevelamer carbonate oral tablet</i>	1	MO
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b>		
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b>		
<i>ala-cort external cream 1 %</i>	2	MO
<i>alclometasone dipropionate external cream</i>	2	MO
<i>alclometasone dipropionate external ointment</i>	2	MO
<i>amcinonide external cream</i>	2	MO
<i>amcinonide external lotion</i>	2	MO
<b>AMCINONIDE EXTERNAL OINTMENT</b>	4	MO
<i>betamethasone dipropionate aug external cream</i>	2	MO
<i>betamethasone dipropionate aug external gel</i>	2	MO
<i>betamethasone dipropionate aug external lotion</i>	2	MO
<i>betamethasone dipropionate aug external ointment</i>	2	MO
<i>betamethasone dipropionate external cream</i>	2	MO
<i>betamethasone dipropionate external lotion</i>	2	MO
<i>betamethasone dipropionate external ointment</i>	2	MO
<i>betamethasone valerate external cream</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>betamethasone valerate external lotion</i>	2	MO
<i>betamethasone valerate external ointment</i>	2	MO
<b>CAPEX EXTERNAL SHAMPOO</b>	4	MO
<i>clobetasol prop emollient base external cream</i>	2	MO; QL (60 GM per 30 days)
<i>clobetasol propionate external cream</i>	2	MO; QL (60 GM per 30 days)
<i>clobetasol propionate external gel</i>	2	MO; QL (60 GM per 30 days)
<i>clobetasol propionate external ointment</i>	2	MO; QL (60 GM per 30 days)
<i>clobetasol propionate external solution</i>	2	MO; QL (59 ML per 30 days)
<i>cortisone acetate oral tablet</i>	2	MO
<i>desonide external cream</i>	2	MO
<i>desonide external lotion</i>	2	MO
<i>desonide external ointment</i>	2	MO
<i>desoximetasone external cream</i>	2	MO
<i>desoximetasone external gel</i>	2	MO
<i>desoximetasone external ointment</i>	2	MO
<b>DEXAMETHASONE INTENSOL ORAL CONCENTRATE</b>	4	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	MO
<b>DEXAMETHASONE ORAL TABLET 1 MG</b>	4	MO
<i>dexamethasone oral tablet therapy pack</i>	2	MO
<i>dexamethasone sodium phosphate injection solution 120 mg/30ml</i>	2	B/D; MO
<b>DEXPAK 13 DAY ORAL TABLET THERAPY PACK</b>	4	MO
<i>diflorasone diacetate external cream</i>	2	MO
<i>diflorasone diacetate external ointment</i>	2	MO
<i>fludrocortisone acetate oral tablet</i>	2	MO
<i>fluocinolone acetonide body external oil</i>	2	MO
<i>fluocinolone acetonide external cream</i>	2	MO
<i>fluocinolone acetonide external ointment</i>	2	MO
<i>fluocinolone acetonide external solution</i>	2	MO
<i>fluocinolone acetonide scalp external oil</i>	2	MO
<i>fluocinonide emulsified base external cream</i>	2	MO
<i>fluocinonide external cream 0.05 %</i>	1	MO; QL (60 GM per 30 days)
<i>fluocinonide external cream 0.1 %</i>	2	MO; QL (60 GM per 30 days)
<i>fluocinonide external gel</i>	2	MO; QL (60 GM per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>fluocinonide external ointment</i>	2	MO; QL (60 GM per 30 days)
<i>fluocinonide external solution</i>	2	MO; QL (60 ML per 30 days)
<i>fluticasone propionate external cream</i>	2	MO
<i>fluticasone propionate external lotion</i>	2	MO
<i>fluticasone propionate external ointment</i>	2	MO
<i>halobetasol propionate external cream</i>	2	MO
<i>halobetasol propionate external ointment</i>	2	MO
<b>HALOG EXTERNAL CREAM</b>	3	MO
<b>HALOG EXTERNAL OINTMENT</b>	3	MO
<i>hydrocortisone butyrate external cream</i>	2	MO
<i>hydrocortisone butyrate external ointment</i>	2	MO
<i>hydrocortisone butyrate external solution</i>	2	MO
<i>hydrocortisone external cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone external lotion 2.5 %</i>	2	MO
<i>hydrocortisone external ointment 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone valerate external cream</i>	2	MO
<i>hydrocortisone valerate external ointment</i>	2	MO
<i>lokara external lotion</i>	2	MO
<b>MEDROL ORAL TABLET 2 MG</b>	4	MO
<i>methylprednisolone oral tablet</i>	2	MO
<i>methylprednisolone oral tablet therapy pack</i>	2	MO
<i>methylprednisolone sodium succ injection solution reconstituted 1000 mg</i>	2	B/D; MO
<i>mometasone furoate external cream</i>	2	MO
<i>mometasone furoate external ointment</i>	2	MO
<i>mometasone furoate external solution</i>	2	MO
<i>prednicarbate external cream</i>	2	MO
<i>prednicarbate external ointment</i>	2	MO
<i>prednisolone oral solution</i>	1	MO
<i>prednisolone sodium phosphate oral solution 25 mg/5ml, 6.7 (5 base) mg/5ml</i>	2	MO
<i>prednisolone sodium phosphate oral tablet dispersible</i>	2	MO
<b>PREDNISONE INTENSOL ORAL CONCENTRATE</b>	4	MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	MO
<i>prednisone oral tablet therapy pack</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>PROCTOFOAM HC RECTAL FOAM</b>	4	MO
<i>procto-med hc rectal cream</i>	2	MO
<i>proctosol hc rectal cream</i>	2	MO
<i>proctozone-hc rectal cream</i>	2	MO
<i>scalacort external lotion</i>	2	MO
<b>TEXACORT EXTERNAL SOLUTION</b>	4	MO
<i>triamcinolone acetonide external aerosol solution</i>	2	MO
<i>triamcinolone acetonide external cream 0.025 %, 0.1 %</i>	1	MO
<i>triamcinolone acetonide external cream 0.5 %</i>	2	MO
<i>triamcinolone acetonide external lotion</i>	2	MO
<i>triamcinolone acetonide external ointment 0.025 %, 0.1 %</i>	1	MO
<i>triamcinolone acetonide external ointment 0.5 %</i>	2	MO
<i>triderm external cream 0.1 %</i>	1	MO
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b>		
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b>		
<i>desmopressin ace rhinal tube nasal solution</i>	2	MO
<i>desmopressin ace spray refrig nasal solution</i>	2	MO
<i>desmopressin acetate injection solution</i>	2	MO
<i>desmopressin acetate oral tablet</i>	2	MO
<i>desmopressin acetate spray nasal solution</i>	2	MO
<b>HUMATROPE INJECTION SOLUTION RECONSTITUTED 12 MG, 24 MG, 6 MG</b>	5	PA; MO; NEDS
<b>INCRELEX SUBCUTANEOUS SOLUTION</b>	5	PA; MO; LA; NEDS
<b>SAIZEN CLICK.EASY INJECTION SOLUTION RECONSTITUTED</b>	5	PA; MO; LA; NEDS
<b>SAIZEN INJECTION SOLUTION RECONSTITUTED</b>	5	PA; MO; LA; NEDS
<b>STIMATE NASAL SOLUTION</b>	4	MO
<b>ZORBTIVE SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins)</b>		
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins)</b>		
<b>KORLYM ORAL TABLET</b>	5	PA; MO; NEDS
<i>misoprostol oral tablet 200 mcg</i>	2	MO
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)</b>		
<b>Anabolic Steroids</b>		
<b>ANADROL-50 ORAL TABLET</b>	5	PA; MO; NEDS
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO; NEDS
<i>oxandrolone oral tablet 2.5 mg</i>	2	PA; MO
<b>Androgens</b>		
<i>danazol oral capsule</i>	2	MO
<i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i>	2	B/D; MO
<i>testosterone enanthate intramuscular solution</i>	2	B/D; MO
<i>testosterone transdermal gel 10 mg/act (2%), 50 mg/5gm (1%)</i>	2	PA; MO
<b>Estrogens</b>		
<b>ALORA TRANSDERMAL PATCH TWICE WEEKLY</b>	4	MO; QL (8 EA per 28 days)
<i>amethia oral tablet</i>	2	MO
<i>amethyst oral tablet</i>	2	MO
<b>ANGELIQ ORAL TABLET 0.5-1 MG</b>	4	MO
<i>apri oral tablet</i>	2	MO
<i>aranelle oral tablet</i>	2	MO
<i>aviane oral tablet</i>	2	MO
<i>balziva oral tablet</i>	2	MO
<i>briellyn oral tablet</i>	2	MO
<b>CLIMARA PRO TRANSDERMAL PATCH WEEKLY</b>	4	MO
<b>COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY</b>	4	MO
<i>cryselle-28 oral tablet</i>	2	MO
<i>cyclafem 1/35 oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>cyclafem 7/7/7 oral tablet</i>	2	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	2	MO
<i>emoquette oral tablet</i>	2	MO
<b>ENJUVIA ORAL TABLET</b>	4	MO
<i>enpresse-28 oral tablet</i>	2	MO
<b>ESTRACE VAGINAL CREAM</b>	3	MO
<i>estradiol oral tablet</i>	1	MO
<i>estradiol transdermal patch twice weekly</i>	2	MO; QL (8 EA per 28 days)
<i>estradiol transdermal patch weekly</i>	2	MO
<i>estradiol vaginal tablet</i>	2	MO
<i>estradiol-norethindrone acet oral tablet</i>	2	MO
<b>ESTRING VAGINAL RING</b>	4	MO
<i>estropipate oral tablet</i>	2	MO
<b>FEMRING VAGINAL RING</b>	4	MO
<i>gianvi oral tablet</i>	2	MO
<i>introvale oral tablet</i>	2	MO
<i>jinteli oral tablet</i>	2	MO
<i>junel 1.5/30 oral tablet</i>	2	MO
<i>junel 1/20 oral tablet</i>	2	MO
<i>junel fe 1.5/30 oral tablet</i>	2	MO
<i>junel fe 1/20 oral tablet</i>	2	MO
<i>junel fe 24 oral tablet</i>	2	MO
<i>kariva oral tablet</i>	2	MO
<i>kelnor 1/35 oral tablet</i>	2	MO
<i>leena oral tablet</i>	2	MO
<i>lessina oral tablet</i>	2	MO
<i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &amp; 0.01 mg</i>	2	MO
<i>levora 0.15/30 (28) oral tablet</i>	2	MO
<i>low-ogestrel oral tablet</i>	2	MO
<i>lutera oral tablet</i>	2	MO
<b>MENEST ORAL TABLET</b>	3	MO
<b>MENOSTAR TRANSDERMAL PATCH WEEKLY</b>	4	MO
<i>microgestin 1.5/30 oral tablet</i>	2	MO
<i>microgestin 1/20 oral tablet</i>	2	MO
<i>microgestin fe 1.5/30 oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>microgestin fe 1/20 oral tablet</i>	2	MO
<i>mononessa oral tablet</i>	2	MO
<i>necon 0.5/35 (28) oral tablet</i>	2	MO
<i>necon 1/35 (28) oral tablet</i>	2	MO
<i>necon 1/50 (28) oral tablet</i>	2	MO
<b>NECON 10/11 (28) ORAL TABLET</b>	4	MO
<i>necon 7/7/7 oral tablet</i>	2	MO
<i>norethindrone-eth estradiol oral tablet</i>	2	MO
<i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	MO
<i>nortrel 0.5/35 (28) oral tablet</i>	2	MO
<i>nortrel 1/35 (21) oral tablet</i>	2	MO
<i>nortrel 1/35 (28) oral tablet</i>	2	MO
<i>nortrel 7/7/7 oral tablet</i>	2	MO
<b>NUVARING VAGINAL RING</b>	4	MO
<i>ocella oral tablet</i>	2	MO
<b>OGESTREL ORAL TABLET</b>	4	MO
<i>orsythia oral tablet</i>	2	MO
<i>portia-28 oral tablet</i>	2	MO
<b>PREFEST ORAL TABLET</b>	4	MO
<b>PREMARIN ORAL TABLET</b>	4	MO
<b>PREMARIN VAGINAL CREAM</b>	3	MO
<b>PREMPHASE ORAL TABLET</b>	4	MO
<b>PREMPRO ORAL TABLET</b>	4	MO
<i>previfem oral tablet</i>	2	MO
<i>quasense oral tablet</i>	2	MO
<i>reclipsen oral tablet</i>	2	MO
<i>sprintec 28 oral tablet</i>	2	MO
<i>sronyx oral tablet</i>	2	MO
<i>tri-legest fe oral tablet</i>	2	MO
<i>trinessa (28) oral tablet</i>	2	MO
<i>tri-previfem oral tablet</i>	2	MO
<i>tri-sprintec oral tablet</i>	2	MO
<i>trivora (28) oral tablet</i>	2	MO
<i>velivet oral tablet</i>	2	MO
<i>wymzya fe oral tablet chewable</i>	2	MO
<i>yuvafem vaginal tablet</i>	2	MO
<i>zenchent fe oral tablet chewable</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>zovia 1/35e (28) oral tablet</i>	2	MO
<i>zovia 1/50e (28) oral tablet</i>	2	MO
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)</b>		
<i>altavera oral tablet</i>	2	MO
<b>BIJUVA ORAL CAPSULE</b>	4	MO
<i>cyred eq oral tablet</i>	2	MO
<i>enskyce oral tablet 0.15-30 mg-mcg</i>	2	MO
<i>estarylla oral tablet</i>	2	MO
<i>estradiol vaginal cream</i>	1	MO
<i>hailey 24 fe oral tablet</i>	2	MO
<i>incassia oral tablet</i>	2	MO
<i>kelnor 1/50 oral tablet</i>	2	MO
<i>kurvelo oral tablet</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-30 mg-mcg</i>	2	MO
<i>lopreeza oral tablet 1-0.5 mg</i>	2	MO
<i>mili oral tablet</i>	2	MO
<i>syeda oral tablet</i>	2	MO
<i>tarina 24 fe oral tablet</i>	2	MO
<i>tri-estarylla oral tablet</i>	2	MO
<i>tri-mili oral tablet</i>	2	MO
<i>tri-vylibra lo oral tablet</i>	2	MO
<i>tri-vylibra oral tablet</i>	2	MO
<i>vylibra oral tablet</i>	2	MO
<b>Progestins</b>		
<i>camila oral tablet</i>	2	MO
<b>CRINONE VAGINAL GEL</b>	4	PA; MO
<b>DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE</b>	3	MO; QL (1 ML per 90 days)
<i>errin oral tablet</i>	2	MO
<i>hydroxyprogesterone caproate intramuscular solution</i>	2	B/D; MO
<i>jolivette oral tablet</i>	2	MO
<i>medroxyprogesterone acetate intramuscular suspension</i>	2	MO; QL (1 ML per 90 days)
<i>medroxyprogesterone acetate oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>megestrol acetate oral suspension 40 mg/ml, 625 mg/5ml</i>	2	PA; MO
<i>megestrol acetate oral tablet</i>	2	PA; MO
<i>nora-be oral tablet</i>	2	MO
<i>norethindrone acetate oral tablet</i>	2	MO
<i>norethindrone oral tablet</i>	2	MO
<i>progesterone micronized oral capsule</i>	2	MO
<b>Selective Estrogen Receptor Modifying Agents</b>		
<b>OSPHENA ORAL TABLET</b>	4	MO
<i>raloxifene hcl oral tablet</i>	2	MO; QL (1 EA per 1 day)
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid)</b>		
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid)</b>		
<i>levo-t oral tablet</i>	1	MO
<i>levothyroxine sodium oral tablet</i>	1	MO
<i>levoxyl oral tablet</i>	1	MO
<i>liothyronine sodium oral tablet</i>	2	MO
<b>SYNTHROID ORAL TABLET</b>	4	MO
<b>THYROLAR-1 ORAL TABLET 60 (12.5-50) MG (MCG)</b>	3	MO
<b>THYROLAR-1/2 ORAL TABLET 30 (6.25-25) MG (MCG)</b>	3	MO
<b>THYROLAR-1/4 ORAL TABLET 15 (3.1-12.5) MG (MCG)</b>	3	MO
<b>THYROLAR-2 ORAL TABLET 120 (25-100) MG (MCG)</b>	3	MO
<b>THYROLAR-3 ORAL TABLET 180 (37.5-150) MG (MCG)</b>	3	MO
<i>unithroid oral tablet</i>	1	MO
<b>Hormonal Agents, Suppressant (Adrenal)</b>		
<b>Hormonal Agents, Suppressant (Adrenal)</b>		
<b>LYSODREN ORAL TABLET</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Hormonal Agents, Suppressant (Pituitary)</b>		
<b>Hormonal Agents, Suppressant (Pituitary)</b>		
<i>cabergoline oral tablet</i>	2	MO; QL (32 EA per 30 days)
<b>ELIGARD SUBCUTANEOUS KIT</b>	4	B/D; MO
<i>leuprolide acetate injection kit</i>	2	MO
<b>LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT</b>	5	B/D; MO; NEDS
<b>LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT</b>	5	B/D; MO; NEDS
<b>LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT</b>	5	B/D; MO; NEDS
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	2	B/D; MO
<i>octreotide acetate injection solution 1000 mcg/ml, 500 mcg/ml</i>	5	B/D; MO; NEDS
<b>SIGNIFOR LAR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 20 MG, 40 MG, 60 MG</b>	5	B/D; MO; NEDS
<b>SIGNIFOR SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<b>SOMATULINE DEPOT SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<b>SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; LA; NEDS
<b>SYNAREL NASAL SOLUTION</b>	4	MO
<b>Hormonal Agents, Suppressant (Thyroid)</b>		
<b>Antithyroid Agents</b>		
<i>methimazole oral tablet</i>	2	MO
<i>propylthiouracil oral tablet</i>	2	MO
<b>Immunological Agents</b>		
<b>Angioedema Agents</b>		
<b>CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>FIRAZYR SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<b>HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>Immune Suppressants</b>		
<b>AZASAN ORAL TABLET</b>	4	B/D; MO
<i>azathioprine oral tablet</i>	2	B/D; MO
<i>azathioprine sodium injection solution reconstituted</i>	2	B/D; MO
<b>BENLYSTA INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR</b>	5	PA; MO; NEDS
<b>BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<i>cyclosporine modified oral capsule 25 mg</i>	2	B/D; MO
<b>CYCLOSPORINE MODIFIED ORAL CAPSULE 50 MG</b>	4	B/D; MO
<i>cyclosporine modified oral solution</i>	2	B/D; MO
<i>cyclosporine oral capsule</i>	2	B/D; MO
<b>ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML</b>	5	PA; MO; QL (16 ML per 28 days); NEDS
<b>ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/ML</b>	5	PA; MO; QL (8 ML per 28 days); NEDS
<b>ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR</b>	5	PA; MO; QL (8 ML per 28 days); NEDS
<i>engraf oral capsule</i>	2	B/D; MO
<i>engraf oral solution</i>	2	B/D; MO
<b>HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML</b>	5	PA; MO; QL (3 EA per 28 days); NEDS
<b>HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML &amp; 40MG/0.4ML</b>	5	PA; MO; QL (2 EA per 28 days); NEDS
<b>HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT</b>	5	PA; MO; QL (2 EA per 28 days); NEDS
<b>HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML</b>	5	PA; MO; QL (6 EA per 28 days); NEDS
<b>HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML</b>	5	PA; MO; QL (3 EA per 28 days); NEDS
<b>HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML</b>	5	PA; MO; QL (4 EA per 28 days); NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML &amp; 40MG/0.4ML</b>	5	PA; MO; QL (3 EA per 28 days); NEDS
<b>HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML</b>	5	PA; MO; QL (2 EA per 28 days); NEDS
<b>HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.2ML, 20 MG/0.4ML, 40 MG/0.8ML</b>	5	PA; MO; QL (4 EA per 28 days); NEDS
<b>INGREZZA ORAL CAPSULE</b>	5	PA; MO; NEDS
<i>methotrexate oral tablet</i>	2	MO
<i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml, 50 mg/2ml</i>	2	B/D; MO
<i>methotrexate sodium injection solution 250 mg/10ml</i>	2	B/D; MO
<i>methotrexate sodium injection solution reconstituted</i>	2	B/D; MO
<i>mycophenolate mofetil hcl intravenous solution reconstituted</i>	2	B/D; MO
<i>mycophenolate mofetil oral capsule</i>	2	B/D; MO
<i>mycophenolate mofetil oral suspension reconstituted</i>	2	B/D; MO
<i>mycophenolate mofetil oral tablet</i>	2	B/D; MO
<i>mycophenolate sodium oral tablet delayed release</i>	2	B/D; MO
<b>NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>PROGRAF ORAL PACKET</b>	4	B/D; MO
<b>RAPAMUNE ORAL SOLUTION</b>	3	B/D; MO
<b>REMICADE INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>RHEUMATREX ORAL TABLET</b>	4	MO
<b>SANDIMMUNE ORAL SOLUTION</b>	4	B/D; MO
<i>sirolimus oral solution</i>	1	B/D; MO
<i>sirolimus oral tablet</i>	2	B/D; MO
<i>tacrolimus oral capsule</i>	2	B/D; MO
<b>TREXALL ORAL TABLET</b>	4	B/D; MO
<b>XATMEP ORAL SOLUTION</b>	4	B/D; MO
<b>XELJANZ ORAL TABLET 10 MG</b>	5	PA; MO; NEDS
<b>XELJANZ ORAL TABLET 5 MG</b>	5	PA; MO
<b>XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR</b>	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>ZORTRESS ORAL TABLET 0.25 MG</b>	4	B/D; MO
<b>ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG</b>	5	B/D; MO; NEDS
<b>Immunizing Agents, Passive</b>		
<b>GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML</b>	5	PA; MO; NEDS
<b>HYPERRAB S/D INTRAMUSCULAR INJECTABLE</b>	4	B/D; MO
<b>THYMOGLOBULIN INTRAVENOUS SOLUTION RECONSTITUTED</b>	5	B/D; MO; NEDS
<b>Immunomodulators</b>		
<b>ACTIMMUNE SUBCUTANEOUS SOLUTION</b>	5	PA; MO; LA; NEDS
<b>ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>ILARIS (150MG DELIVERED) SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>ILARIS SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<i>leflunomide oral tablet</i>	2	MO
<b>RIDAURA ORAL CAPSULE</b>	3	MO
<b>SYNAGIS INTRAMUSCULAR SOLUTION</b>	5	PA; MO; NEDS
<b>Vaccines</b>		
<b>ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED</b>	3	MO
<b>ADACEL INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>BCG VACCINE INJECTION INJECTABLE</b>	4	MO
<b>BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	4	MO
<b>BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE)</b>	4	MO
<b>CERVARIX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>COMVAX INTRAMUSCULAR SUSPENSION</b>	3	MO
<b>DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5</b>	3	MO
<b>DIPHThERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>ENGERIX-B INJECTION SUSPENSION</b>	4	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>GARDASIL 9 INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	4	MO
<b>GARDASIL INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>HAVRIX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>HIBERIX INJECTION SOLUTION RECONSTITUTED</b>	4	MO
<b>IMOVAX RABIES INTRAMUSCULAR INJECTABLE</b>	4	MO
<b>INFANRIX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>IPOL INJECTION INJECTABLE</b>	3	MO
<b>IXIARO INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>KINRIX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>MENACTRA INTRAMUSCULAR INJECTABLE</b>	4	MO
<b>MENHIBRIX INTRAMUSCULAR SOLUTION RECONSTITUTED</b>	4	MO
<b>MENOMUNE SUBCUTANEOUS INJECTABLE</b>	4	MO
<b>MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED</b>	4	MO
<b>M-M-R II SUBCUTANEOUS INJECTABLE</b>	3	MO
<b>PEDIARIX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>PEDVAX HIB INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED</b>	4	MO
<b>QUADRACEL INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>RABAERT INTRAMUSCULAR SUSPENSION RECONSTITUTED</b>	4	MO
<b>RECOMBIVAX HB INJECTION SUSPENSION</b>	3	B/D; MO
<b>ROTARIX ORAL SUSPENSION RECONSTITUTED</b>	4	MO
<b>ROTATEQ ORAL SOLUTION</b>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML</b>	4	MO; QL (2 EA per 365 days)
<b>TDVAX INTRAMUSCULAR SUSPENSION</b>	4	MO
<b>TENIVAC INTRAMUSCULAR INJECTABLE</b>	4	MO
<b>TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	4	MO
<b>TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE</b>	3	MO
<b>TYPHIM VI INTRAMUSCULAR SOLUTION</b>	4	MO
<b>VAQTA INTRAMUSCULAR SUSPENSION</b>	3	MO
<b>VARIVAX SUBCUTANEOUS INJECTABLE</b>	3	MO
<b>VARIZIG INTRAMUSCULAR SOLUTION</b>	5	MO; NEDS
<b>YF-VAX SUBCUTANEOUS INJECTABLE</b>	4	MO
<b>ZOSTAVAX SUBCUTANEOUS SUSPENSION RECONSTITUTED</b>	4	MO; QL (1 EA per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Aminosalicylates</b>		
<b>ASACOL HD ORAL TABLET DELAYED RELEASE</b>	4	MO
<i>balsalazide disodium oral capsule</i>	2	MO
<b>DIPENTUM ORAL CAPSULE</b>	4	MO
<i>mesalamine oral tablet delayed release 800 mg</i>	2	MO
<i>mesalamine rectal enema</i>	2	MO
<i>mesalamine rectal suppository</i>	2	MO
<b>PENTASA ORAL CAPSULE EXTENDED RELEASE</b>	4	MO
<b>ROWASA RECTAL KIT</b>	4	MO
<b>Glucocorticoids</b>		
<i>budesonide oral capsule delayed release particles</i>	5	MO; NEDS
<i>colocort rectal enema</i>	2	MO
<b>CORTIFOAM RECTAL FOAM</b>	3	MO
<i>hydrocortisone oral tablet</i>	2	MO
<i>hydrocortisone rectal enema</i>	2	MO
<i>procto-pak rectal cream</i>	2	MO
<b>Sulfonamides</b>		
<i>sulfasalazine oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>sulfasalazine oral tablet delayed release</i>	2	MO
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate sodium oral tablet 10 mg, 5 mg</i>	1	MO; QL (1 EA per 1 day)
<i>alendronate sodium oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 EA per 28 days)
<i>alendronate sodium oral tablet 40 mg</i>	2	MO; QL (1 EA per 1 day)
<i>calcitonin (salmon) nasal solution</i>	2	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	B/D; MO
<i>calcitriol oral capsule</i>	2	B/D; MO
<i>calcitriol oral solution</i>	2	B/D; MO
<i>doxercalciferol oral capsule</i>	2	B/D; MO
<i>etidronate disodium oral tablet</i>	2	MO
<b>FORTEO SUBCUTANEOUS SOLUTION 600 MCG/2.4ML</b>	5	PA; MO; NEDS
<b>FORTICAL NASAL SOLUTION</b>	4	MO
<i>ibandronate sodium intravenous solution</i>	2	B/D; MO
<i>ibandronate sodium oral tablet</i>	2	MO; QL (1 EA per 28 days)
<b>MIACALCIN INJECTION SOLUTION</b>	4	B/D; MO
<i>paricalcitol oral capsule</i>	2	PA; MO
<b>PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	4	PA; MO
<i>risedronate sodium oral tablet 150 mg</i>	2	MO; QL (1 EA per 28 days)
<i>risedronate sodium oral tablet 30 mg, 5 mg</i>	2	MO; QL (1 EA per 1 day)
<i>risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	MO; QL (4 EA per 28 days)
<b>SENSIPAR ORAL TABLET 30 MG</b>	3	B/D; MO
<b>SENSIPAR ORAL TABLET 60 MG, 90 MG</b>	5	B/D; MO; NEDS
<b>XGEVA SUBCUTANEOUS SOLUTION</b>	5	PA; MO; NEDS
<i>zoledronic acid intravenous concentrate</i>	2	B/D; MO
<i>zoledronic acid intravenous solution 5 mg/100ml</i>	2	B/D; MO
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
<b>ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML</b>	4	MO
<b>COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML</b>	4	MO
<b>EXEL COMFORT POINT PEN NEEDLE 29G X 12MM</b>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>FERRIPROX ORAL TABLET</b>	5	PA; MO; NEDS
<b>INTRALIPID INTRAVENOUS EMULSION 30 %</b>	4	B/D; MO
<b>KEVEYIS ORAL TABLET</b>	5	PA; MO; NEDS
<i>levocarnitine oral solution</i>	2	B/D; MO
<i>levocarnitine oral tablet</i>	2	B/D; MO
<i>methylergonovine maleate oral tablet</i>	2	MO
<b>MONOJECT HYPODERMIC NEEDLE 25G X 1" , 25G X 1-1/4" , 25G X 5/8" , 27G X 1/2" , 30G X 3/4"</b>	4	MO
<b>MONOJECT INSULIN SYRINGE 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML, 29G X 1/2" 0.3 ML, 29G X 1/2" 0.5 ML, 30G X 5/16" 0.3 ML, 30G X 5/16" 0.5 ML, 30G X 5/16" 1 ML, U-100 1 ML</b>	4	MO
<b>NATPARA SUBCUTANEOUS CARTRIDGE</b>	5	PA; MO; NEDS
<b>PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML</b>	4	MO
<b>RELI-ON INSULIN SYRINGE 29G 0.3 ML</b>	4	MO
<b>Ophthalmic Agents</b>		
<b>Ophthalmic Prostaglandin And Prostanamide Analogs</b>		
<b>COMBIGAN OPHTHALMIC SOLUTION</b>	3	MO
<i>latanoprost ophthalmic solution</i>	2	MO
<b>LUMIGAN OPHTHALMIC SOLUTION 0.01 %</b>	3	MO
<b>RHOPRESSA OPHTHALMIC SOLUTION</b>	4	PA; MO
<b>TRAVATAN Z OPHTHALMIC SOLUTION</b>	3	MO
<i>travoprost ophthalmic solution</i>	2	MO
<b>Ophthalmic Agents, Other</b>		
<i>ak-poly-bac ophthalmic ointment</i>	2	MO
<b>ATROPINE SULFATE OPHTHALMIC OINTMENT</b>	4	MO
<i>atropine sulfate ophthalmic solution</i>	2	MO
<i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>	2	MO
<i>cyclopentolate hcl ophthalmic solution 1 %</i>	2	MO
<b>CYSTARAN OPHTHALMIC SOLUTION</b>	5	PA; MO; NEDS
<i>homatropine hbr ophthalmic solution</i>	2	MO
<i>mydral ophthalmic solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>naphazoline hcl ophthalmic solution</i>	2	MO
<i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>	2	MO
<i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i>	2	MO
<i>polycin b ophthalmic ointment</i>	2	MO
<i>polymyxin b-trimethoprim ophthalmic solution</i>	1	MO
<i>proparacaine hcl ophthalmic solution</i>	2	MO
<b>RESTASIS OPHTHALMIC EMULSION</b>	3	MO
<b>Ophthalmic Anti-Allergy Agents</b>		
<b>ALOCRILOPHTHALMIC SOLUTION</b>	4	MO
<i>azelastine hcl ophthalmic solution</i>	2	MO
<i>cromolyn sodium ophthalmic solution</i>	1	MO
<b>EMADINE OPHTHALMIC SOLUTION</b>	4	MO
<i>epinastine hcl ophthalmic solution</i>	2	MO
<i>olopatadine hcl ophthalmic solution 0.1 %</i>	2	MO
<b>Ophthalmic Antiglaucoma Agents</b>		
<i>acetazolamide er oral capsule extended release 12 hour</i>	2	MO
<b>ALPHAGAN P OPHTHALMIC SOLUTION</b>	3	MO
<i>apraclonidine hcl ophthalmic solution</i>	2	MO
<b>AZOPT OPHTHALMIC SUSPENSION</b>	3	MO
<i>betaxolol hcl ophthalmic solution</i>	2	MO
<b>BETOPTIC-S OPHTHALMIC SUSPENSION</b>	3	MO
<i>brimonidine tartrate ophthalmic solution</i>	2	MO
<i>carteolol hcl ophthalmic solution</i>	2	MO
<i>dorzolamide hcl ophthalmic solution</i>	2	MO
<i>dorzolamide hcl-timolol mal ophthalmic solution</i>	2	MO
<i>dorzolamide hcl-timolol mal pf ophthalmic solution</i>	2	MO
<b>IOPIDINE OPHTHALMIC SOLUTION 1 %</b>	3	MO
<i>levobunolol hcl ophthalmic solution 0.5 %</i>	2	MO
<i>metipranolol ophthalmic solution</i>	2	MO
<b>PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED</b>	4	MO
<i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>	2	MO
<b>SIMBRINZA OPHTHALMIC SUSPENSION</b>	3	MO
<i>timolol maleate ophthalmic gel forming solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>	1	MO
<i>timolol maleate ophthalmic solution 0.5 % (daily)</i>	2	MO
<b>Ophthalmic Anti-Inflammatories</b>		
<b>ALOMIDE OPHTHALMIC SOLUTION</b>	4	MO
<b>ALREX OPHTHALMIC SUSPENSION</b>	3	MO
<b>BLEPHAMIDE OPHTHALMIC SUSPENSION</b>	3	MO
<b>BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT</b>	3	MO
<i>bromfenac sodium (once-daily) ophthalmic solution</i>	2	MO
<i>bromfenac sodium ophthalmic solution</i>	2	MO
<i>dexamethasone sodium phosphate ophthalmic solution</i>	2	MO
<i>diclofenac sodium ophthalmic solution</i>	2	MO
<b>DUREZOL OPHTHALMIC EMULSION</b>	4	MO
<i>fluorometholone ophthalmic suspension</i>	2	MO
<i>flurbiprofen sodium ophthalmic solution</i>	2	MO
<b>FML FORTE OPHTHALMIC SUSPENSION</b>	3	MO
<b>FML OPHTHALMIC OINTMENT</b>	3	MO
<b>INVELTYS OPHTHALMIC SUSPENSION</b>	4	MO
<i>ketorolac tromethamine ophthalmic solution</i>	2	MO
<b>LOTEMAX OPHTHALMIC SUSPENSION</b>	4	MO
<b>MAXIDEX OPHTHALMIC SUSPENSION</b>	3	MO
<i>neomycin-polymyxin-dexameth ophthalmic ointment</i>	2	MO
<i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>	2	MO
<b>NEVANAC OPHTHALMIC SUSPENSION</b>	4	MO
<i>poly-dex ophthalmic ointment</i>	2	MO
<b>PRED MILD OPHTHALMIC SUSPENSION</b>	4	MO
<b>PRED-G OPHTHALMIC SUSPENSION</b>	3	MO
<b>PRED-G S.O.P. OPHTHALMIC OINTMENT</b>	3	MO
<i>prednisolone acetate ophthalmic suspension</i>	2	MO
<b>PREDNISOLONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION</b>	4	MO
<i>sulfacetamide-prednisolone ophthalmic solution</i>	2	MO
<b>TOBRADEX OPHTHALMIC OINTMENT</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>tobramycin-dexamethasone ophthalmic suspension</i>	2	MO
<b>VEXOL OPHTHALMIC SUSPENSION</b>	3	MO
<b>Otic Agents</b>		
<b>Otic Agents</b>		
<i>acetazol hc otic solution</i>	2	MO
<i>acetic acid otic solution</i>	2	MO
<i>acetic acid-aluminum acetate otic solution</i>	2	MO
<b>CIPRO HC OTIC SUSPENSION</b>	3	MO
<b>CIPRODEX OTIC SUSPENSION</b>	4	MO
<b>COLY-MYCIN S OTIC SUSPENSION</b>	4	MO
<b>CORTISPORIN-TC OTIC SUSPENSION</b>	4	MO
<i>fluocinolone acetonide otic oil</i>	2	MO
<i>hydrocortisone-acetic acid otic solution</i>	2	MO
<i>neomycin-polymyxin-hc otic solution 1 %</i>	2	MO
<i>neomycin-polymyxin-hc otic suspension</i>	2	MO
<b>Respiratory Tract/Pulmonary Agents</b>		
<b>Antihistamines</b>		
<i>azelastine hcl nasal solution 0.1 %</i>	2	MO
<i>cyproheptadine hcl oral tablet</i>	2	MO
<i>diphenhydramine hcl injection solution</i>	2	B/D; MO
<i>hydroxyzine pamoate oral capsule</i>	2	PA; MO
<i>levocetirizine dihydrochloride oral tablet</i>	2	MO; QL (1 EA per 1 day)
<i>olopatadine hcl nasal solution</i>	2	MO
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
<b>ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<b>BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<i>budesonide inhalation suspension</i>	2	B/D; MO
<b>FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<b>FLOVENT HFA INHALATION AEROSOL</b>	3	MO
<i>flunisolide nasal solution 25 mcg/act (0.025%)</i>	2	MO
<i>fluticasone propionate nasal suspension</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>QVAR INHALATION AEROSOL SOLUTION</b>	3	MO
<b>QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED</b>	3	MO
<b>Antileukotrienes</b>		
<i>montelukast sodium oral packet</i>	2	MO
<i>montelukast sodium oral tablet</i>	2	MO
<i>montelukast sodium oral tablet chewable</i>	2	MO
<i>zafirlukast oral tablet</i>	2	MO; QL (2 EA per 1 day)
<i>zileuton er oral tablet extended release 12 hour</i>	2	MO; QL (4 EA per 1 day)
<b>ZYFLO CR ORAL TABLET EXTENDED RELEASE 12 HOUR</b>	4	MO; QL (4 EA per 1 day)
<b>Bronchodilators, Anticholinergic</b>		
<b>ATROVENT HFA INHALATION AEROSOL SOLUTION</b>	4	MO
<b>COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION</b>	3	MO
<b>INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<i>ipratropium bromide inhalation solution</i>	2	B/D; MO
<i>ipratropium bromide nasal solution</i>	2	MO
<i>ipratropium-albuterol inhalation solution</i>	2	B/D; MO
<b>SPIRIVA HANDIHALER INHALATION CAPSULE</b>	3	MO
<b>SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION</b>	3	MO
<b>Bronchodilators, Sympathomimetic</b>		
<i>albuterol sulfate er oral tablet extended release 12 hour</i>	2	MO
<i>albuterol sulfate hfa inhalation aerosol solution</i>	1	MO
<i>albuterol sulfate inhalation nebulization solution</i>	2	B/D; MO
<i>albuterol sulfate oral syrup</i>	1	MO
<i>albuterol sulfate oral tablet</i>	2	MO
<b>ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>	2	MO
<b>FORADIL AEROLIZER INHALATION CAPSULE</b>	3	MO
<i>levalbuterol hcl inhalation nebulization solution</i>	2	B/D; MO
<i>levalbuterol tartrate inhalation aerosol</i>	2	MO
<i>metaproterenol sulfate oral syrup</i>	2	MO
<b>METAPROTERENOL SULFATE ORAL TABLET</b>	4	MO
<b>PROAIR HFA INHALATION AEROSOL SOLUTION</b>	3	MO
<b>PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<b>SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<i>terbutaline sulfate oral tablet</i>	2	MO
<b>XOPENEX HFA INHALATION AEROSOL</b>	4	MO
<b>Cystic Fibrosis Agents</b>		
<b>CAYSTON INHALATION SOLUTION RECONSTITUTED</b>	5	PA; MO; NEDS
<b>KALYDECO ORAL PACKET 50 MG, 75 MG</b>	5	PA; MO; NEDS
<b>KALYDECO ORAL TABLET</b>	5	PA; MO; NEDS
<b>ORKAMBI ORAL PACKET</b>	5	PA; MO; NEDS
<b>ORKAMBI ORAL TABLET</b>	5	PA; MO; NEDS
<b>PULMOZYME INHALATION SOLUTION</b>	5	B/D; MO; NEDS
<b>TOBI PODHALER INHALATION CAPSULE</b>	5	MO; NEDS
<i>tobramycin inhalation nebulization solution</i>	5	B/D; MO; NEDS
<b>Mast Cell Stabilizers</b>		
<i>cromolyn sodium inhalation nebulization solution</i>	2	B/D; MO
<b>Phosphodiesterase Inhibitors, Airways Disease</b>		
<b>DALIRESP ORAL TABLET 250 MCG</b>	4	MO; QL (30 EA per 30 days)
<b>DALIRESP ORAL TABLET 500 MCG</b>	4	MO; QL (1 EA per 1 day)
<b>ELIXOPHYLLIN ORAL ELIXIR</b>	4	MO
<b>THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR</b>	3	MO
<i>theochron oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<i>theophylline er oral tablet extended release 12 hour</i>	2	MO
<i>theophylline er oral tablet extended release 24 hour</i>	2	MO
<b>Pulmonary Antihypertensives</b>		
<b>ADEMPAS ORAL TABLET</b>	5	PA; MO; NEDS
<b>ALYQ ORAL TABLET</b>	5	PA; MO; NEDS
<i>ambrisentan oral tablet</i>	5	PA; MO; NEDS
<b>OPSUMIT ORAL TABLET</b>	5	PA; MO; NEDS
<b>REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML</b>	5	B/D; MO; NEDS
<b>REVATIO ORAL SUSPENSION RECONSTITUTED</b>	5	PA; MO; NEDS
<i>sildenafil citrate intravenous solution</i>	5	PA; MO; NEDS
<i>sildenafil citrate oral tablet 20 mg</i>	2	PA; MO
<b>TADALAFIL (PAH) ORAL TABLET</b>	5	PA; MO; NEDS
<b>TRACLEER ORAL TABLET</b>	5	PA; MO; LA; NEDS
<b>TRACLEER ORAL TABLET SOLUBLE</b>	5	PA; MO; NEDS
<b>UPTRAVI ORAL TABLET</b>	5	PA; MO; NEDS
<b>UPTRAVI ORAL TABLET THERAPY PACK</b>	5	PA; MO; NEDS
<b>VENTAVIS INHALATION SOLUTION</b>	5	PA; MO; NEDS
<b>Pulmonary Fibrosis Agents</b>		
<b>ESBRIET ORAL TABLET</b>	5	PA; MO; NEDS
<b>OFEV ORAL CAPSULE</b>	5	PA; MO; NEDS
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine inhalation solution</i>	2	B/D; MO
<b>BEVESPI AEROSPHERE INHALATION AEROSOL</b>	4	MO
<b>SYMBICORT INHALATION AEROSOL</b>	3	MO
<b>TYZINE NASAL SOLUTION</b>	3	MO
<b>XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED</b>	5	PA; MO; LA; NEDS
<b>Respiratory Tract/Pulmonary Agents</b>		
<b>ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<b>ADVAIR HFA INHALATION AEROSOL</b>	3	MO
<i>mometasone furoate nasal suspension</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug</b>	<b>Status</b>	<b>Requirements/Limits</b>
<b>TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED</b>	3	MO
<b>XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</b>	5	PA; MO; NEDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>carisoprodol oral tablet</i>	1	PA; MO
<i>cyclobenzaprine hcl oral tablet 10 mg</i>	1	PA; MO
<i>cyclobenzaprine hcl oral tablet 5 mg</i>	2	PA; MO
<i>methocarbamol oral tablet</i>	1	PA; MO
<i>orphenadrine citrate er oral tablet extended release 12 hour</i>	2	MO
<b>Sleep Disorder Agents</b>		
<b>Gaba Receptor Modulators</b>		
<i>eszopiclone oral tablet</i>	2	PA; MO
<i>flurazepam hcl oral capsule 15 mg</i>	2	MO
<i>flurazepam hcl oral capsule 30 mg</i>	1	MO
<i>temazepam oral capsule 15 mg, 30 mg</i>	1	MO
<i>zaleplon oral capsule</i>	2	PA; MO; QL (1 EA per 1 day)
<i>zolpidem tartrate er oral tablet extended release</i>	2	PA; MO
<i>zolpidem tartrate oral tablet</i>	1	PA; MO; QL (1 EA per 1 day)
<i>zolpidem tartrate sublingual tablet sublingual</i>	2	PA; MO
<b>Sleep Disorders, Other</b>		
<i>modafinil oral tablet</i>	2	PA; MO; QL (1 EA per 1 day)
<b>ROZEREM ORAL TABLET</b>	4	PA; MO
<b>XYREM ORAL SOLUTION</b>	5	PA; MO; LA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

You can find information on what the symbols and abbreviations on this table mean by going to page vi.



## Index of Drugs

<i>abacavir sulfate</i> .....	34	<b>ALIQOPA</b> .....	24	<b>ANORO ELLIPTA</b> .....	78
<b>ABACAVIR SULFATE-</b>		<i>aliskiren fumarate</i> .....	46	<b>APOKYN</b> .....	29
<b>LAMIVUDINE</b> .....	34	<i>allopurinol</i> .....	19	<i>apraclonidine hcl</i> .....	75
<i>abacavir-lamivudine-zidovudine</i> .....	34	<b>ALOCRI</b> .....	75	<i>aprepitant</i> .....	17
<b>ABELCET</b> .....	18	<b>ALOMIDE</b> .....	76	<i>apri</i> .....	62
<b>ABILIFY</b> .....	38	<b>ALORA</b> .....	62	<b>APTIOM</b> .....	14
<b>ABILIFY DISCMELT</b> .....	37	<i>alose tron hcl</i> .....	55	<b>APTIVUS</b> .....	35
<b>ABILIFY MAINTENA</b> .....	30, 38	<b>ALPHAGAN P</b> .....	75	<b>ARALAST NP</b> .....	56
<b>ABIRATERONE ACETATE</b> ..	21	<i>alprazolam</i> .....	37	<i>aranelle</i> .....	62
<i>acamprosate calcium</i> .....	5	<i>alprazolam er</i> .....	37	<b>ARANESP (ALBUMIN</b>	
<i>acarbose</i> .....	38	<i>alprazolam xr</i> .....	37	<b>FREE)</b> .....	42
<i>acebutolol hcl</i> .....	45	<b>ALREX</b> .....	76	<b>ARCALYST</b> .....	70
<i>acetaminophen-codeine</i> .....	4	<i>altavera</i> .....	65	<i>aripiprazole</i> .....	30
<i>acetaminophen-codeine #3</i> .....	4	<b>ALUNBRIG</b> .....	25	<b>ARNIVITY ELLIPTA</b> .....	77
<i>acetazol hc</i> .....	77	<b>ALYQ</b> .....	80	<b>ASACOL HD</b> .....	72
<i>acetazolamide</i> .....	47	<i>amantadine hcl</i> .....	36	<i>aspirin-dipyridamole er</i> .....	43
<i>acetazolamide er</i> .....	75	<b>AMBISOME</b> .....	18	<b>ASSURE ID INSULIN</b>	
<i>acetic acid</i> .....	77	<i>ambrisentan</i> .....	80	<b>SAFETY SYR</b> .....	73
<i>acetic acid-aluminum acetate</i> .....	77	<i>amcinonide</i> .....	58	<b>ATAZANAVIR SULFATE</b> .....	35
<i>acetylcysteine</i> .....	80	<b>AMCINONIDE</b> .....	58	<i>atenolol</i> .....	45
<i>acitretin</i> .....	51	<i>amethia</i> .....	62	<i>atenolol-chlorthalidone</i> .....	45
<b>ACTHIB</b> .....	70	<i>amethyst</i> .....	62	<i>atomoxetine hcl</i> .....	49
<b>ACTIMMUNE</b> .....	70	<i>amifostine</i> .....	23	<i>atorvastatin calcium</i> .....	48
<b>ACTOPLUS MET XR</b> .....	39	<i>amikacin sulfate</i> .....	6	<i>atovaquone</i> .....	28
<i>acyclovir</i> .....	33	<i>amiloride hcl</i> .....	47	<i>atovaquone-proguanil hcl</i> .....	28
<i>acyclovir sodium</i> .....	33	<i>amiloride-hydrochlorothiazide</i> ... 47		<b>ATRIPLA</b> .....	34
<b>ADACEL</b> .....	70	<b>AMINOSYN II</b> .....	52	<b>ATROPINE SULFATE</b> .....	74
<b>ADAGEN</b> .....	56	<i>aminosyn ii/electrolytes</i> .....	52	<i>atropine sulfate</i> .....	74
<i>adapalene</i> .....	51, 52	<i>amiodarone hcl</i> .....	44	<b>ATROVENT HFA</b> .....	78
<i>adefovir dipivoxil</i> .....	32	<b>AMITIZA</b> .....	55	<b>AUBAGIO</b> .....	50
<b>ADEMPAS</b> .....	80	<i>amitriptyline hcl</i> .....	16	<b>AURYXIA</b> .....	58
<b>ADVAIR DISKUS</b> .....	80	<i>amlodipine besy-benazepril hcl</i> .. 45		<b>AVASTIN</b> .....	27
<b>ADVAIR HFA</b> .....	80	<i>amlodipine besylate</i> .....	45	<i>aviane</i> .....	62
<i>afeditab cr</i> .....	45	<i>amlodipine besylate-valsartan</i> ... 45		<b>AVONEX</b> .....	50
<b>AFINITOR</b> .....	25	<i>amlodipine-valsartan-hctz</i> .....	46	<b>AVONEX PEN</b> .....	51
<b>AFINITOR DISPERZ</b> .....	25	<i>ammonium lactate</i> .....	52	<b>AVONEX PREFILLED</b> .....	51
<b>AIMOVIG</b> .....	20	<b>AMOXAPINE</b> .....	17	<i>azacitidine</i> .....	23
<i>ak-poly-bac</i> .....	74	<i>amoxicillin</i> .....	9	<b>AZACTAM</b> .....	9
<i>ala-cort</i> .....	58	<i>amoxicillin-pot clavulanate</i> .... 9, 10		<b>AZASAN</b> .....	68
<i>albendazole</i> .....	27	<i>amoxicillin-pot clavulanate er</i> .... 9		<b>AZASITE</b> .....	10
<i>albuterol sulfate</i> .....	78	<i>amphetamine-dextroamphet er</i> ... 49		<i>azathioprine</i> .....	68
<i>albuterol sulfate er</i> .....	78	<i>amphetamine-</i>		<i>azathioprine sodium</i> .....	68
<i>alclometasone dipropionate</i> .....	58	<i>dextroamphetamine</i> .....	49	<i>azelastine hcl</i> .....	75, 77
<b>ALDACTAZIDE</b> .....	47	<b>AMPHOTERICIN B</b> .....	18	<i>azithromycin</i> .....	10
<b>ALDURAZYME</b> .....	56	<i>ampicillin</i> .....	10	<b>AZOPT</b> .....	75
<b>ALECENSA</b> .....	25	<i>ampicillin sodium</i> .....	10	<i>aztreonam</i> .....	9
<i>alendronate sodium</i> .....	73	<i>ampicillin-sulbactam sodium</i> .....	10	<i>bacitracin</i> .....	7
<i>alfuzosin hcl er</i> .....	57	<b>ANADROL-50</b> .....	62	<i>bacitracin-polymyxin b</i> .....	74
<b>ALIMTA</b> .....	22	<i>anagrelide hcl</i> .....	42	<i>bacitra-neomycin-polymyxin-hc</i> ... 7	
<b>ALINIA</b> .....	28	<i>anastrozole</i> .....	24	<i>baclofen</i> .....	31
		<b>ANGELIQ</b> .....	62	<i>balsalazide disodium</i> .....	72

<b>BALVERSA</b> .....	25	<i>bupropion hcl er (sr)</i> .....	15	<i>cefuroxime axetil</i> .....	9
<i>balziva</i> .....	62	<i>bupropion hcl er (xl)</i> .....	15	<i>cefuroxime sodium</i> .....	9
<b>BANZEL</b> .....	14	<i>bupirone hcl</i> .....	37	<i>celecoxib</i> .....	3
<b>BARACLUDGE</b> .....	32	<i>butorphanol tartrate</i> .....	4	<b>CELONTIN</b> .....	12
<b>BAVENCIO</b> .....	27	<b>BYDUREON</b> .....	38	<i>cephalexin</i> .....	9
<b>BCG VACCINE</b> .....	70	<b>BYDUREON BCISE</b> .....	38	<b>CEREZYME</b> .....	56
<b>BELEODAQ</b> .....	23	<i>cabergoline</i> .....	67	<b>CERVARIX</b> .....	70
<i>benazepril hcl</i> .....	44	<b>CABOMETYX</b> .....	25	<i>cevimeline hcl</i> .....	51
<i>benazepril-hydrochlorothiazide</i> ..	44	<i>calcipotriene</i> .....	52	<b>CHANTIX</b> .....	6
<b>BENLYSTA</b> .....	68	<i>calcitonin (salmon)</i> .....	73	<b>CHANTIX CONTINUING</b>	
<i>benztropine mesylate</i> .....	28	<i>calcitriol</i> .....	73	<b>MONTH PAK</b> .....	6
<i>betamethasone dipropionate</i> .....	58	<i>calcium acetate (phos binder)</i> ....	58	<b>CHANTIX STARTING</b>	
<i>betamethasone dipropionate</i>		<b>CALQUENCE</b> .....	25	<b>MONTH PAK</b> .....	6
<i>aug</i> .....	58	<i>camila</i> .....	65	<b>CHLORAMPHENICOL SOD</b>	
<i>betamethasone valerate</i> .....	58, 59	<b>CANCIDAS</b> .....	18	<b>SUCCINATE</b> .....	7
<b>BETASERON</b> .....	51	<b>CANTIL</b> .....	54	<i>chlordiazepoxide hcl</i> .....	37
<i>betaxolol hcl</i> .....	45, 75	<b>CAPASTAT SULFATE</b> .....	21	<i>chlordiazepoxide-amitriptyline</i> ..	17
<i>bethanechol chloride</i> .....	58	<b>CAPEX</b> .....	59	<i>chlorhexidine gluconate</i> .....	51
<b>BETOPTIC-S</b> .....	75	<b>CAPRELSA</b> .....	25	<i>chloroquine phosphate</i> .....	28
<b>BEVESPI AEROSPHERE</b> .....	80	<i>captopril</i> .....	44	<i>chlorothiazide</i> .....	47
<i>bexarotene</i> .....	27	<i>captopril-hydrochlorothiazide</i> ...	44	<b>CHLORPROMAZINE HCL</b> ..	29
<b>BEXSERO</b> .....	70	<b>CARAC</b> .....	52	<i>chlorpromazine hcl</i> .....	29
<i>bicalutamide</i> .....	21	<b>CARAFATE</b> .....	56	<i>chlorthalidone</i> .....	47
<b>BICILLIN C-R</b> .....	10	<b>CARBAGLU</b> .....	54	<i>cholestyramine</i> .....	48
<b>BIJUVA</b> .....	65	<i>carbamazepine</i> .....	14	<i>cholestyramine light</i> .....	48
<b>BIKTARVY</b> .....	33	<i>carbamazepine er</i> .....	14	<i>choline &amp; mag trisalicylate</i> .....	3
<i>bisoprolol fumarate</i> .....	45	<i>carbidopa</i> .....	29	<i>ciclopirox</i> .....	18
<i>bisoprolol-hydrochlorothiazide</i> ..	45	<i>carbidopa-levodopa</i> .....	29	<i>ciclopirox olamine</i> .....	18
<i>bleomycin sulfate</i> .....	23	<i>carbidopa-levodopa er</i> .....	29	<i>cidofovir</i> .....	32
<b>BLEPHAMIDE</b> .....	76	<i>carbidopa-levodopa-entacapone</i> 29		<i>cilostazol</i> .....	43
<b>BLEPHAMIDE S.O.P.</b> .....	76	<b>CARDIZEM LA</b> .....	46	<b>CILOXAN</b> .....	11
<b>BOOSTRIX</b> .....	70	<i>carisoprodol</i> .....	81	<b>CIMDUO</b> .....	34
<b>BORTEZOMIB</b> .....	22	<i>carteolol hcl</i> .....	75	<i>cimetidine</i> .....	55
<b>BOSULIF</b> .....	25	<i>cartia xt</i> .....	46	<i>cimetidine hcl</i> .....	55
<b>BRAFTOVI</b> .....	25	<i>carvedilol</i> .....	45	<b>CINRYZE</b> .....	67
<b>BREO ELLIPTA</b> .....	77	<i>carvedilol phosphate er</i> .....	45	<b>CINVANTI</b> .....	17
<i>briellyn</i> .....	62	<b>CASPOFUNGIN ACETATE</b> ..	18	<b>CIPRO HC</b> .....	77
<b>BRILINTA</b> .....	43	<b>CAYSTON</b> .....	79	<b>CIPRODEX</b> .....	77
<i>brimonidine tartrate</i> .....	75	<i>cefaclor</i> .....	8	<i>ciprofloxacin</i> .....	11
<b>BRINTELLIX</b> .....	15	<b>CEFACLOR ER</b> .....	8	<i>ciprofloxacin hcl</i> .....	11
<b>BRIVIACT</b> .....	12	<i>cefadroxil</i> .....	8	<i>ciprofloxacin in d5w</i> .....	11
<i>bromfenac sodium</i> .....	76	<i>cefazolin sodium</i> .....	8	<i>ciprofloxacin-ciproflox hcl er</i> ....	11
<i>bromfenac sodium (once-daily)</i> ..	76	<i>cefdinir</i> .....	8	<i>citalopram hydrobromide</i> .....	15
<i>bromocriptine mesylate</i> .....	29	<i>cefepime hcl</i> .....	8	<i>citric acid-sodium citrate</i> .....	53
<i>budesonide</i> .....	72, 77	<i>cefixime</i> .....	8	<i>claravis</i> .....	52
<i>bumetanide</i> .....	47	<i>cefotaxime sodium</i> .....	8	<i>clarithromycin</i> .....	10
<b>BUPHENYL</b> .....	56	<i>cefoxitin sodium</i> .....	8	<i>clarithromycin er</i> .....	10
<i>buprenorphine hcl</i> .....	5	<i>cefpodoxime proxetil</i> .....	8, 9	<b>CLEOCIN</b> .....	7
<i>buprenorphine hcl-naloxone hcl</i> ...	5	<i>cefprozil</i> .....	9	<b>CLIMARA PRO</b> .....	62
<i>buproban</i> .....	6	<i>ceftazidime</i> .....	9	<i>clindamycin hcl</i> .....	7
<i>bupropion hcl</i> .....	15	<b>CEFTIN</b> .....	9	<i>clindamycin palmitate hcl</i> .....	7
<i>bupropion hcl er (smoking det)</i> ....	6	<i>ceftriaxone sodium</i> .....	9	<i>clindamycin phosphate</i> .....	7

<i>clobazam</i> .....	12, 13	<b>CVS GAUZE STERILE</b> .....	52	<b>DEXILANT</b> .....	56
<i>clobetasol prop emollient base</i> ...	59	<i>cyclafem 1/35</i> .....	62	<i>dexmethylphenidate hcl</i> .....	49
<i>clobetasol propionate</i> .....	59	<i>cyclafem 7/7/7</i> .....	63	<i>dexmethylphenidate hcl er</i> .....	49
<i>clomipramine hcl</i> .....	17	<i>cyclobenzaprine hcl</i> .....	81	<b>DEXPAK 13 DAY</b> .....	59
<i>clonazepam</i> .....	13	<i>cyclopentolate hcl</i> .....	74	<i>dextroamphetamine sulfate</i> .....	49
<i>clonidine</i> .....	43	<i>cyclophosphamide</i> .....	21	<i>dextroamphetamine sulfate er</i> ....	49
<i>clonidine hcl</i> .....	43	<b>CYCLOSET</b> .....	38	<i>dextrose</i> .....	53
<i>clopidogrel bisulfate</i> .....	43	<i>cyclosporine</i> .....	68	<i>dextrose in lactated ringers</i> .....	53
<i>clorazepate dipotassium</i> .....	37	<i>cyclosporine modified</i> .....	68	<b>DEXTROSE-NACL</b> .....	53
<i>clotrimazole</i> .....	18	<b>CYCLOSPORINE</b>		<i>dextrose-nacl</i> .....	53
<i>clotrimazole-betamethasone</i> .....	52	<b>MODIFIED</b> .....	68	<b>DIASTAT ACUDIAL</b> .....	13
<i>clozapine</i> .....	31	<i>cyproheptadine hcl</i> .....	77	<b>DIASTAT PEDIATRIC</b> .....	13
<b>COARTEM</b> .....	28	<b>CYRAMZA</b> .....	27	<i>diazepam</i> .....	13, 37
<i>codeine sulfate</i> .....	4	<i>cyred eq</i> .....	65	<i>diclofenac potassium</i> .....	3
<i>colchicine</i> .....	19	<b>CYSTADANE</b> .....	56	<i>diclofenac sodium</i> .....	3, 52, 76
<i>colchicine-probenecid</i> .....	19	<b>CYSTAGON</b> .....	56	<i>diclofenac sodium er</i> .....	3
<b>COLCRYS</b> .....	19	<b>CYSTARAN</b> .....	74	<i>dicloxacillin sodium</i> .....	10
<i>colesevelam hcl</i> .....	38, 48	<i>cytra k crystals</i> .....	53	<i>dicyclomine hcl</i> .....	54
<i>colestipol hcl</i> .....	48	<b>DACTINOMYCIN</b> .....	22	<i>didanosine</i> .....	34
<i>colistimethate sodium</i> .....	7	<b>DAKLINZA</b> .....	32	<i>diflorasone diacetate</i> .....	59
<i>colistimethate sodium (cba)</i> .....	6	<i>dalfampridine er</i> .....	51	<i>diflunisal</i> .....	3
<i>colocort</i> .....	72	<b>DALIRESP</b> .....	79	<i>digox</i> .....	46
<b>COLY-MYCIN S</b> .....	77	<i>danazol</i> .....	62	<i>digoxin</i> .....	46
<b>COMBIGAN</b> .....	74	<i>dantrolene sodium</i> .....	31	<i>dihydroergotamine mesylate</i> .....	20
<b>COMBIPATCH</b> .....	62	<b>DAPSONE</b> .....	20	<b>DILANTIN</b> .....	14
<b>COMBIVENT RESPIMAT</b> .....	78	<b>DAPTACEL</b> .....	70	<b>DILANTIN INFATABS</b> .....	14
<b>COMETRIQ (100 MG</b>		<i>daptomycin</i> .....	7	<b>DILATRATE-SR</b> .....	49
<b>DAILY DOSE)</b> .....	25	<b>DARAPRIM</b> .....	28	<i>diltiazem hcl</i> .....	46
<b>COMETRIQ (140 MG</b>		<b>DARZALEX</b> .....	27	<i>diltiazem hcl er</i> .....	46
<b>DAILY DOSE)</b> .....	25	<b>DAURISMO</b> .....	25	<i>diltiazem hcl er beads</i> .....	46
<b>COMETRIQ (60 MG DAILY</b>		<i>decitabine</i> .....	23	<i>diltiazem hcl er coated beads</i> ....	46
<b>DOSE)</b> .....	25	<i>deferasirox</i> .....	54	<i>dilt-xr</i> .....	46
<b>COMFORT ASSIST</b>		<b>DELSTRIGO</b> .....	34	<b>DIPENTUM</b> .....	72
<b>INSULIN SYRINGE</b> .....	73	<b>DEMSEER</b> .....	46	<i>diphenhydramine hcl</i> .....	77
<b>COMPLERA</b> .....	34	<b>DEPEN TITRATABS</b> .....	54	<i>diphenoxylate-atropine</i> .....	54, 55
<i>compro</i> .....	29	<b>DEPO-SUBQ PROVERA 104</b> .....	65	<b>DIPHThERIA-TETANUS</b>	
<b>COMVAX</b> .....	70	<b>DESCOVY</b> .....	34	<b>TOXOIDS DT</b> .....	70
<b>CONDYLOX</b> .....	52	<i>desipramine hcl</i> .....	17	<i>dipyridamole</i> .....	43
<b>COPIKTRA</b> .....	24	<i>desmopressin ace rhinal tube</i> ....	61	<i>disopyramide phosphate</i> .....	44
<b>COREG CR</b> .....	45	<i>desmopressin ace spray refrig</i> ....	61	<i>disulfiram</i> .....	5
<b>CORLANOR</b> .....	46	<i>desmopressin acetate</i> .....	61	<b>DIURIL</b> .....	47
<b>CORTIFOAM</b> .....	72	<i>desmopressin acetate spray</i> .....	61	<i>divalproex sodium</i> .....	13, 38
<i>cortisone acetate</i> .....	59	<i>desonide</i> .....	59	<i>divalproex sodium er</i> .....	20
<b>CORTISPORIN</b> .....	52	<i>desoximetasone</i> .....	59	<i>dofetilide</i> .....	44
<b>CORTISPORIN-TC</b> .....	77	<b>DESVENLAFAXINE ER</b> .....	16	<i>donepezil hcl</i> .....	14, 15
<b>COTELLIC</b> .....	23	<i>desvenlafaxine succinate er</i> .....	16	<i>doripenem</i> .....	9
<b>COUMADIN</b> .....	41	<i>dexamethasone</i> .....	59	<i>dorzolamide hcl</i> .....	75
<b>CREON</b> .....	56	<b>DEXAMETHASONE</b> .....	59	<i>dorzolamide hcl-timolol mal</i> ....	75
<b>CRINONE</b> .....	65	<b>DEXAMETHASONE</b>		<i>dorzolamide hcl-timolol mal pf</i> ..	75
<b>CRIXIVAN</b> .....	36	<b>INTENSOL</b> .....	59	<b>DOVATO</b> .....	34
<i>cromolyn sodium</i> .....	54, 75, 79	<i>dexamethasone sodium</i>		<i>doxazosin mesylate</i> .....	57
<i>cryselle-28</i> .....	62	<i>phosphate</i> .....	59, 76	<i>doxepin hcl</i> .....	17

<i>doxercalciferol</i> .....	73	<i>eplerenone</i> .....	47	<b>FARYDAK</b> .....	22
<i>doxy 100</i> .....	12	<b>EPOGEN</b> .....	42	<b>FASLODEX</b> .....	22
<i>doxycycline</i> .....	52	<b>EQUETRO</b> .....	14	<i>felbamate</i> .....	13
<i>doxycycline hyclate</i> .....	12	<i>ergoloid mesylates</i> .....	14	<i>felodipine er</i> .....	46
<i>doxycycline monohydrate</i> .....	12	<b>ERGOMAR</b> .....	20	<b>FEMRING</b> .....	63
<i>dronabinol</i> .....	17	<i>ergotamine-caffeine</i> .....	20	<i>fenofibrate</i> .....	48
<i>drospirenone-ethinyl estradiol</i> ....	63	<b>ERIVEDGE</b> .....	25	<i>fenofibrate micronized</i> .....	48
<i>duloxetine hcl</i> .....	37, 50	<b>ERLEADA</b> .....	21	<i>fenopropfen calcium</i> .....	3
<i>duramorph</i> .....	4	<i>errin</i> .....	65	<i>fentanyl</i> .....	4
<b>DUREZOL</b> .....	76	<i>ertapenem sodium</i> .....	9	<i>fentanyl citrate</i> .....	4
<i>dutasteride</i> .....	57	<b>ERWINAZE</b> .....	23	<b>FERRIPROX</b> .....	74
<i>dutasteride-tamsulosin hcl</i> .....	58	<b>ERY-TAB</b> .....	10	<b>FETZIMA</b> .....	16
<b>DYRENIUM</b> .....	47	<b>ERYTHROCIN</b>		<b>FETZIMA TITRATION</b> .....	16
<i>e.e.s. 400</i> .....	10	<b>LACTOBIONATE</b> .....	10	<i>finasteride</i> .....	58
<i>econazole nitrate</i> .....	18	<i>erythrocin stearate</i> .....	10	<b>FIRAZYR</b> .....	67
<b>EDURANT</b> .....	34	<i>erythromycin</i> .....	11	<i>firvanq</i> .....	7
<i>efavirenz</i> .....	34	<i>erythromycin base</i> .....	10, 11	<b>FLAGYL ER</b> .....	7
<b>ELIGARD</b> .....	67	<i>erythromycin ethylsuccinate</i> .....	11	<i>flavoxate hcl</i> .....	57
<b>ELIQUIS</b> .....	41	<b>ESBRIET</b> .....	80	<i>flecainide acetate</i> .....	44
<b>ELIQUIS STARTER PACK</b> ...	41	<i>escitalopram oxalate</i> .....	16	<b>FLOVENT DISKUS</b> .....	77
<b>ELITEK</b> .....	27	<i>esomeprazole magnesium</i> .....	56	<b>FLOVENT HFA</b> .....	77
<b>ELITE-OB</b> .....	54	<i>esomeprazole sodium</i> .....	56	<i>fluconazole</i> .....	18
<b>ELIXOPHYLLIN</b> .....	79	<i>estarylla</i> .....	65	<i>fluconazole in sodium chloride</i> ..	18
<b>ELMIRON</b> .....	58	<i>estazolam</i> .....	37	<i>flucytosine</i> .....	18
<b>EMADINE</b> .....	75	<b>ESTRACE</b> .....	63	<i>fludarabine phosphate</i> .....	22
<b>EMBEDA</b> .....	3	<i>estradiol</i> .....	63, 65	<i>fludrocortisone acetate</i> .....	59
<b>EMCYT</b> .....	22	<i>estradiol-norethindrone acet</i> .....	63	<i>flunisolide</i> .....	77
<b>EMEND</b> .....	17	<b>ESTRING</b> .....	63	<i>fluocinolone acetonide</i> .....	59, 77
<i>emoquette</i> .....	63	<i>estropipate</i> .....	63	<i>fluocinolone acetonide body</i> .....	59
<b>EMPLICITI</b> .....	27	<i>eszopiclone</i> .....	81	<i>fluocinolone acetonide scalp</i> .....	59
<b>EMSAM</b> .....	15	<i>ethacrynic acid</i> .....	47	<i>fluocinonide</i> .....	59, 60
<b>EMTRIVA</b> .....	34, 35	<i>ethambutol hcl</i> .....	21	<i>fluocinonide emulsified base</i> .....	59
<i>enalapril maleate</i> .....	44	<i>ethosuximide</i> .....	12	<i>fluorometholone</i> .....	76
<i>enalapril-hydrochlorothiazide</i> ....	44	<i>etidronate disodium</i> .....	73	<i>fluorouracil</i> .....	52
<b>ENBREL</b> .....	68	<i>etodolac</i> .....	20	<i>fluoxetine hcl</i> .....	16
<b>ENBREL SURECLICK</b> .....	68	<i>etodolac er</i> .....	3	<b>FLUOXETINE HCL</b> .....	16
<i>endocet</i> .....	4	<i>etoposide</i> .....	24	<i>fluphenazine decanoate</i> .....	29
<b>ENGERIX-B</b> .....	70	<b>EURAX</b> .....	28	<b>FLUPHENAZINE HCL</b> ....	29, 30
<b>ENJUVIA</b> .....	63	<b>EVOTAZ</b> .....	36	<i>fluphenazine hcl</i> .....	30
<i>enoxaparin sodium</i> .....	41	<b>EXEL COMFORT POINT</b>		<i>flurazepam hcl</i> .....	81
<i>enpresse-28</i> .....	63	<b>PEN NEEDLE</b> .....	73	<i>flurbiprofen</i> .....	20
<i>enskyce</i> .....	65	<b>EXELDERM</b> .....	18	<i>flurbiprofen sodium</i> .....	76
<i>entacapone</i> .....	28	<i>exemestane</i> .....	24	<i>flutamide</i> .....	21
<i>entecavir</i> .....	32	<i>ezetimibe</i> .....	48	<i>fluticasone propionate</i> .....	60, 77
<b>ENTRESTO</b> .....	43	<i>ezetimibe-simvastatin</i> .....	48	<i>fluvastatin sodium</i> .....	48
<i>enulose</i> .....	55	<b>FABRAZYME</b> .....	56	<i>fluvastatin sodium er</i> .....	48
<b>EPCLUSA</b> .....	33	<i>famciclovir</i> .....	33	<i>fluvoxamine maleate</i> .....	16
<b>EPIDIOLEX</b> .....	13	<i>famotidine</i> .....	55	<i>fluvoxamine maleate er</i> .....	16
<i>epinastine hcl</i> .....	75	<b>FANAPT</b> .....	30	<b>FML</b> .....	76
<i>epinephrine</i> .....	79	<b>FANAPT TITRATION</b>		<b>FML FORTE</b> .....	76
<i>epitol</i> .....	14	<b>PACK</b> .....	30	<i>fondaparinux sodium</i> .....	41
<b>EPIVIR HBV</b> .....	32	<b>FARXIGA</b> .....	38	<b>FORADIL AEROLIZER</b> .....	79

<b>FORTEO</b> .....	73	<i>griseofulvin ultramicrosize</i> .....	18	<i>hydrocodone-acetaminophen</i> .....	4
<b>FORTICAL</b> .....	73	<i>guanfacine hcl</i> .....	43	<i>hydrocodone-ibuprofen</i> .....	4
<b>FOSAMPRENAVIR</b>		<i>guanfacine hcl er</i> .....	50	<i>hydrocortisone</i> .....	60, 72
<b>CALCIUM</b> .....	36	<b>GUANIDINE HCL</b> .....	20	<i>hydrocortisone butyrate</i> .....	60
<i>fosinopril sodium</i> .....	44	<b>HAEGARDA</b> .....	67	<i>hydrocortisone valerate</i> .....	60
<i>fosinopril sodium-hctz</i> .....	44	<i>hailey 24 fe</i> .....	65	<i>hydrocortisone-acetic acid</i> .....	77
<i>fosphenytoin sodium</i> .....	14	<i>halobetasol propionate</i> .....	60	<i>hydromorphone hcl</i> .....	4
<b>FRAGMIN</b> .....	41	<b>HALOG</b> .....	60	<i>hydroxychloroquine sulfate</i> .....	28
<b>FULPHILA</b> .....	42	<i>haloperidol</i> .....	30	<i>hydroxyprogesterone caproate</i> ...	65
<i>furosemide</i> .....	47	<i>haloperidol decanoate</i> .....	30	<i>hydroxyurea</i> .....	22
<b>FUZEON</b> .....	35	<i>haloperidol lactate</i> .....	30	<i>hydroxyzine hcl</i> .....	37
<b>FYCOMPA</b> .....	13	<b>HARVONI</b> .....	33	<i>hydroxyzine pamoate</i> .....	77
<i>gabapentin</i> .....	13	<b>HAVRIX</b> .....	71	<b>HYPERRAB S/D</b> .....	70
<b>GABITRIL</b> .....	13	<i>heparin (porcine) in nacl</i> .....	41	<i>ibandronate sodium</i> .....	73
<i>galantamine hydrobromide</i> .....	15	<i>heparin sodium (porcine)</i> .....	41	<b>IBRANCE</b> .....	23
<i>galantamine hydrobromide er</i> ...	15	<b>HEPARIN SODIUM</b>		<i>ibu</i> .....	20
<b>GAMMAGARD</b> .....	70	<b>(PORCINE)</b> .....	41	<i>ibuprofen</i> .....	3
<i>ganciclovir sodium</i> .....	32	<b>HERCEPTIN</b> .....	22, 27	<b>ICLUSIG</b> .....	25
<b>GARDASIL</b> .....	71	<b>HETLIOZ</b> .....	50	<b>IDHIFA</b> .....	24
<b>GARDASIL 9</b> .....	71	<b>HEXALEN</b> .....	21	<b>ILARIS</b> .....	70
<i>gatifloxacin</i> .....	11	<b>HIBERIX</b> .....	71	<b>ILARIS (150MG</b>	
<b>GATTEX</b> .....	55	<i>homatropine hbr</i> .....	74	<b>DELIVERED)</b> .....	70
<i>gavilyte-c</i> .....	55	<b>HUMALOG</b> .....	40	<i>imatinib mesylate</i> .....	26
<i>gavilyte-g</i> .....	55	<b>HUMALOG JUNIOR</b>		<b>IMBRUVICA</b> .....	26
<i>gavilyte-n with flavor pack</i> .....	55	<b>KWIKPEN</b> .....	40	<b>IMFINZI</b> .....	27
<i>gemfibrozil</i> .....	48	<b>HUMALOG KWIKPEN</b> .....	40	<i>imipenem-cilastatin</i> .....	9
<i>gengraf</i> .....	68	<b>HUMALOG MIX 50/50</b> .....	40	<i>imipramine hcl</i> .....	17
<i>gentak</i> .....	6	<b>HUMALOG MIX 50/50</b>		<i>imiquimod</i> .....	52
<i>gentamicin sulfate</i> .....	6	<b>KWIKPEN</b> .....	40	<b>IMOVAX RABIES</b> .....	71
<b>GENVOYA</b> .....	33	<b>HUMALOG MIX 75/25</b> .....	40	<i>incassia</i> .....	65
<b>GEODON</b> .....	30	<b>HUMALOG MIX 75/25</b>		<b>INCRELEX</b> .....	61
<i>gianvi</i> .....	63	<b>KWIKPEN</b> .....	40	<b>INCRUSE ELLIPTA</b> .....	78
<b>GILENYA</b> .....	51	<b>HUMATROPE</b> .....	61	<i>indapamide</i> .....	47
<b>GILOTRIF</b> .....	23	<b>HUMIRA</b> .....	69	<i>indomethacin</i> .....	3
<b>GLATIRAMER ACETATE</b> ...	51	<b>HUMIRA PEDIATRIC</b>		<i>indomethacin er</i> .....	3
<i>glatopa</i> .....	51	<b>CROHNS START</b> .....	68	<b>INFANRIX</b> .....	71
<b>GLATOPA</b> .....	51	<b>HUMIRA PEN</b> .....	68	<b>INGREZZA</b> .....	69
<b>GLEOSTINE</b> .....	21	<b>HUMIRA PEN-CD/UC/HS</b>		<b>INLYTA</b> .....	26
<i>glimepiride</i> .....	38	<b>STARTER</b> .....	68	<b>INNOPRAN XL</b> .....	45
<i>glipizide</i> .....	38	<b>HUMIRA PEN-PS/UV/ADOL</b>		<b>INTELENCE</b> .....	34
<i>glipizide er</i> .....	38	<b>HS START</b> .....	68, 69	<b>INTRALIPID</b> .....	74
<i>glipizide-metformin hcl</i> .....	39	<b>HUMULIN 70/30</b> .....	40	<b>INTRON A</b> .....	32
<b>GLOBAL ALCOHOL PREP</b>		<b>HUMULIN 70/30 KWIKPEN</b> ..	40	<i>introvale</i> .....	63
<b>EASE</b> .....	7	<b>HUMULIN N</b> .....	40	<b>INVEGA SUSTENNA</b> .....	30
<b>GLUCAGEN HYPOKIT</b> .....	40	<b>HUMULIN N KWIKPEN</b> .....	40	<b>INVEGA TRINZA</b> .....	30
<b>GLUCAGON EMERGENCY</b> ..	40	<b>HUMULIN R</b> .....	40	<b>INVELTYS</b> .....	76
<i>glyburide</i> .....	38	<b>HUMULIN R U-500</b>		<b>INVIRASE</b> .....	36
<i>glyburide micronized</i> .....	38	<b>(CONCENTRATED)</b> .....	40	<b>IOPIDINE</b> .....	75
<i>glyburide-metformin</i> .....	39	<b>HUMULIN R U-500</b>		<b>IPOL</b> .....	71
<i>glycopyrrolate</i> .....	54	<b>KWIKPEN</b> .....	40	<i>ipratropium bromide</i> .....	78
<i>granisetron hcl</i> .....	17	<i>hydralazine hcl</i> .....	49	<i>ipratropium-albuterol</i> .....	78
<i>griseofulvin microsize</i> .....	18	<i>hydrochlorothiazide</i> .....	47	<i>irbesartan</i> .....	43

<i>irbesartan-hydrochlorothiazide</i> ..	43	<b>KISQALI FEMARA 200</b>		<b>LENVIMA 4 MG DAILY</b>	
<b>IRESSA</b> .....	26	<b>DOSE</b> .....	24	<b>DOSE</b> .....	26
<b>ISENTRESS</b> .....	33	<b>KISQALI FEMARA 400</b>		<b>LENVIMA 8 MG DAILY</b>	
<b>ISENTRESS HD</b> .....	33	<b>DOSE</b> .....	25	<b>DOSE</b> .....	26
<b>ISONIAZID</b> .....	21	<b>KISQALI FEMARA 600</b>		<i>lessina</i> .....	63
<i>isoniazid</i> .....	21	<b>DOSE</b> .....	25	<i>letrozole</i> .....	24
<b>ISORDIL TITRADOSE</b> .....	49	<i>klor-con</i> .....	53	<i>leucovorin calcium</i> .....	23
<i>isosorbide dinitrate</i> .....	49	<b>KLOR-CON</b> .....	53	<b>LEUCOVORIN CALCIUM</b> ...	23
<i>isosorbide dinitrate er</i> .....	49	<i>klor-con 10</i> .....	53	<b>LEUKERAN</b> .....	21
<i>isosorbide mononitrate</i> .....	49	<i>klor-con m10</i> .....	53	<b>LEUKINE</b> .....	42
<i>isosorbide mononitrate er</i> .....	49	<b>KLOR-CON M15</b> .....	53	<i>leuprolide acetate</i> .....	67
<i>isradipine</i> .....	46	<i>klor-con m20</i> .....	53	<i>levalbuterol hcl</i> .....	79
<i>itraconazole</i> .....	18	<b>KORLYM</b> .....	62	<i>levalbuterol tartrate</i> .....	79
<i>ivermectin</i> .....	28	<b>K-PHOS NO 2</b> .....	53	<b>LEVEMIR</b> .....	41
<b>IXIARO</b> .....	71	<b>KRINTAFEL</b> .....	28	<b>LEVEMIR FLEXTOUCH</b> .....	41
<b>JAKAFI</b> .....	26	<i>kurvelo</i> .....	65	<i>levetiracetam</i> .....	12
<i>jantoven</i> .....	41	<b>KUVAN</b> .....	56	<i>levetiracetam er</i> .....	12
<b>JANUMET</b> .....	39	<b>KYNAMRO</b> .....	48	<b>LEVETIRACETAM IN</b>	
<b>JANUMET XR</b> .....	39	<b>KYPROLIS</b> .....	25	<b>NACL</b> .....	12
<b>JANUVIA</b> .....	38	<i>labetalol hcl</i> .....	45	<i>levobunolol hcl</i> .....	75
<b>JARDIANCE</b> .....	38	<i>lactated ringers</i> .....	53	<i>levocarnitine</i> .....	74
<b>JENTADUETO</b> .....	39	<i>lactulose</i> .....	55	<i>levocetirizine dihydrochloride</i> ...	77
<b>JENTADUETO XR</b> .....	39	<b>LAMICTAL STARTER</b> .....	38	<i>levofloxacin</i> .....	11
<i>jinteli</i> .....	63	<i>lamivudine</i> .....	32, 35	<i>levoleucovorin calcium</i> .....	23
<i>jolivette</i> .....	65	<i>lamivudine-zidovudine</i> .....	35	<i>levoleucovorin calcium pf</i> .....	23
<b>JULUCA</b> .....	35	<i>lamotrigine</i> .....	38	<i>levonorgest-eth estrad 91-day</i> ...	63
<i>junel 1.5/30</i> .....	63	<i>lamotrigine starter kit-blue</i> .....	13	<i>levonorgestrel-ethinyl estrad</i> .....	65
<i>junel 1/20</i> .....	63	<i>lamotrigine starter kit-green</i> .....	13	<i>levora 0.15/30 (28)</i> .....	63
<i>junel fe 1.5/30</i> .....	63	<i>lamotrigine starter kit-orange</i> ...	13	<i>levorphanol tartrate</i> .....	4
<i>junel fe 1/20</i> .....	63	<b>LANOXIN</b> .....	46	<i>levo-t</i> .....	66
<i>junel fe 24</i> .....	63	<i>lansoprazole</i> .....	56	<i>levothyroxine sodium</i> .....	66
<b>JUXTAPID</b> .....	48	<b>LANTUS</b> .....	41	<i>levoxyl</i> .....	66
<b>JYNARQUE</b> .....	58	<b>LANTUS SOLOSTAR</b> .....	40	<b>LEXIVA</b> .....	36
<b>KADCYLA</b> .....	22, 27	<b>LARTRUVO</b> .....	23, 27	<i>lidocaine</i> .....	5
<b>KALETRA</b> .....	36	<i>latanoprost</i> .....	74	<i>lidocaine hcl</i> .....	5
<b>KALYDECO</b> .....	79	<b>LATUDA</b> .....	31	<i>lidocaine hcl (pf)</i> .....	5
<i>kariva</i> .....	63	<i>ledipasvir-sofosbuvir</i> .....	32	<i>lidocaine hcl urethral/mucosal</i> ...	5
<i>kcl in dextrose-nacl</i> .....	53	<i>leena</i> .....	63	<i>lidocaine viscous hcl</i> .....	5
<i>kelnor 1/35</i> .....	63	<i>leflunomide</i> .....	70	<i>lidocaine-prilocaine</i> .....	5
<i>kelnor 1/50</i> .....	65	<b>LENVIMA 10 MG DAILY</b>		<i>lindane</i> .....	28
<i>ketoconazole</i> .....	18	<b>DOSE</b> .....	26	<i>linezolid</i> .....	7
<i>ketoprofen</i> .....	3	<b>LENVIMA 12 MG DAILY</b>		<b>LINZESS</b> .....	55
<i>ketoprofen er</i> .....	3	<b>DOSE</b> .....	26	<i>liothyronine sodium</i> .....	66
<i>ketorolac tromethamine</i> .....	76	<b>LENVIMA 14 MG DAILY</b>		<i>lisinopril</i> .....	44
<b>KEVEYIS</b> .....	74	<b>DOSE</b> .....	26	<i>lisinopril-hydrochlorothiazide</i> ...	44
<b>KEYTRUDA</b> .....	27	<b>LENVIMA 18 MG DAILY</b>		<b>LITHIUM</b> .....	38
<b>KINRIX</b> .....	71	<b>DOSE</b> .....	26	<i>lithium carbonate</i> .....	38
<i>kionex</i> .....	54	<b>LENVIMA 20 MG DAILY</b>		<i>lithium carbonate er</i> .....	38
<b>KISQALI 200 DOSE</b> .....	24	<b>DOSE</b> .....	26	<i>lokara</i> .....	60
<b>KISQALI 400 DOSE</b> .....	24	<b>LENVIMA 24 MG DAILY</b>		<i>lomustine</i> .....	21
<b>KISQALI 600 DOSE</b> .....	24	<b>DOSE</b> .....	26	<b>LONSURF</b> .....	22
				<i>loperamide hcl</i> .....	55

<i>lopinavir-ritonavir</i> .....	36	<b>MESNEX</b> .....	27	<i>misoprostol</i> .....	56, 62
<i>lopreeza</i> .....	65	<i>metadate er</i> .....	50	<i>mitoxantrone hcl</i> .....	23
<i>lorazepam</i> .....	37	<i>metaproterenol sulfate</i> .....	79	<b>M-M-R II</b> .....	71
<b>LORBRENA</b> .....	26	<b>METAPROTERENOL</b>		<i>modafinil</i> .....	81
<i>losartan potassium</i> .....	43	<b>SULFATE</b> .....	79	<i>moexipril hcl</i> .....	44
<i>losartan potassium-hctz</i> .....	43	<i>metformin hcl</i> .....	39	<i>moexipril-hydrochlorothiazide</i> ..	44
<b>LOTEMAX</b> .....	76	<i>metformin hcl er</i> .....	38	<i>molindone hcl</i> .....	30
<i>lovastatin</i> .....	48	<i>methadone hcl</i> .....	4	<i>mometasone furoate</i> .....	60, 80
<i>low-ogestrel</i> .....	63	<i>methazolamide</i> .....	47	<b>MONOJECT</b>	
<i>loxapine succinate</i> .....	30	<i>methenamine hippurate</i> .....	7	<b>HYPODERMIC NEEDLE</b> .....	74
<b>LUCEMYRA</b> .....	5	<i>methimazole</i> .....	67	<b>MONOJECT INSULIN</b>	
<b>LUMIGAN</b> .....	74	<i>methocarbamol</i> .....	81	<b>SYRINGE</b> .....	74
<b>LUMIZYME</b> .....	57	<i>methotrexate</i> .....	69	<i>mononessa</i> .....	64
<b>LUPRON DEPOT (1-</b>		<i>methotrexate sodium</i> .....	69	<i>montelukast sodium</i> .....	78
<b>MONTH)</b> .....	67	<i>methotrexate sodium (pf)</i> .....	69	<b>MONUROL</b> .....	7
<b>LUPRON DEPOT (3-</b>		<i>methoxsalen rapid</i> .....	52	<b>MORPHINE SULFATE</b> .....	4
<b>MONTH)</b> .....	67	<i>methscopolamine bromide</i> .....	54	<i>morphine sulfate</i> .....	4
<b>LUPRON DEPOT (4-</b>		<b>METHYCLOTHIAZIDE</b> .....	47	<i>morphine sulfate (concentrate)</i> ....	4
<b>MONTH)</b> .....	67	<i>methyl dopa</i> .....	43	<i>morphine sulfate (pf)</i> .....	4
<i>lutera</i> .....	63	<i>methylergonovine maleate</i> .....	74	<i>morphine sulfate er</i> .....	4
<b>LYNPARZA</b> .....	22, 23	<i>methylphenidate hcl</i> .....	50	<b>MOTOFEN</b> .....	55
<b>LYRICA</b> .....	50	<i>methylphenidate hcl er</i> .....	50	<b>MOVANTIK</b> .....	55
<b>LYSODREN</b> .....	66	<i>methylphenidate hcl er (cd)</i> .....	50	<b>MOVIPREP</b> .....	55
<i>magnesium sulfate</i> .....	53	<i>methylphenidate hcl er (la)</i> .....	50	<i>moxifloxacin hcl</i> .....	11
<i>malathion</i> .....	28	<i>methylprednisolone</i> .....	60	<b>MOZOBIL</b> .....	42
<i>maprotiline hcl</i> .....	16	<i>methylprednisolone acetate</i> .....	19	<b>MULTAQ</b> .....	44
<b>MARPLAN</b> .....	15	<i>methylprednisolone sodium succ</i>		<i>mupirocin</i> .....	7
<b>MATULANE</b> .....	21	.....	19, 60	<i>mupirocin calcium</i> .....	7
<i>matzim la</i> .....	46	<i>metipranolol</i> .....	75	<i>mycophenolate mofetil</i> .....	69
<b>MAVYRET</b> .....	32	<i>metoclopramide hcl</i> .....	55	<i>mycophenolate mofetil hcl</i> .....	69
<b>MAXIDEX</b> .....	76	<i>metolazone</i> .....	47	<i>mycophenolate sodium</i> .....	69
<i>meclizine hcl</i> .....	17	<i>metoprolol succinate er</i> .....	45	<i>mydral</i> .....	74
<i>meclofenamate sodium</i> .....	3	<i>metoprolol tartrate</i> .....	45	<b>MYLOTARG</b> .....	22
<b>MEDROL</b> .....	60	<i>metoprolol-hydrochlorothiazide</i> .....	45	<b>MYRBETRIQ</b> .....	57
<i>medroxyprogesterone acetate</i> .....	65	<i>metronidazole</i> .....	7	<i>nabumetone</i> .....	3
<i>mefloquine hcl</i> .....	28	<i>metronidazole in nacl</i> .....	7	<i>nadolol</i> .....	45
<i>megestrol acetate</i> .....	66	<i>mexiletine hcl</i> .....	44	<i>nadolol-bendroflumethiazide</i> .....	45
<b>MEKINIST</b> .....	26	<b>MICALCIN</b> .....	73	<i>nafacillin sodium</i> .....	10
<b>MEKTOVI</b> .....	26	<i>miconazole 3</i> .....	18	<i>naftifine hcl</i> .....	18
<i>meloxicam</i> .....	3	<i>microgestin 1.5/30</i> .....	63	<b>NAFTIN</b> .....	19
<i>memantine hcl</i> .....	15	<i>microgestin 1/20</i> .....	63	<b>NAGLAZYME</b> .....	57
<i>memantine hcl er</i> .....	15	<i>microgestin fe 1.5/30</i> .....	63	<i>naloxone hcl</i> .....	6
<b>MENACTRA</b> .....	71	<i>microgestin fe 1/20</i> .....	64	<i>naltrexone hcl</i> .....	5
<b>MENEST</b> .....	63	<i>midodrine hcl</i> .....	43	<b>NAMENDA XR</b> .....	15
<b>MENHIBRIX</b> .....	71	<i>miglitol</i> .....	39	<b>NAMENDA XR TITRATION</b>	
<b>MENOMUNE</b> .....	71	<i>miglustat</i> .....	57	<b>PACK</b> .....	15
<b>MENOSTAR</b> .....	63	<b>MIGRANAL</b> .....	20	<i>naphazoline hcl</i> .....	75
<b>MENVEO</b> .....	71	<i>mili</i> .....	65	<i>naproxen</i> .....	3
<i>meperidine hcl</i> .....	4	<i>minitrans</i> .....	49	<i>naproxen dr</i> .....	3
<i>mercaptapurine</i> .....	22	<i>minocycline hcl</i> .....	12	<i>naproxen sodium</i> .....	3
<i>meropenem</i> .....	9	<i>minoxidil</i> .....	49	<i>naratriptan hcl</i> .....	20
<i>mesalamine</i> .....	72	<i>mirtazapine</i> .....	15	<b>NARCAN</b> .....	6

<b>NATACYN</b> .....	19	<i>nortrel 1/35 (28)</i> .....	64	<i>oxycodone hcl er</i> .....	4
<i>natacare plus</i> .....	54	<i>nortrel 7/7/7</i> .....	64	<i>oxycodone-acetaminophen</i> .....	5
<i>natatab fa</i> .....	54	<i>nortriptyline hcl</i> .....	17	<i>oxycodone-aspirin</i> .....	5
<i>natatab rx</i> .....	54	<b>NORVIR</b> .....	36	<i>oxycodone-ibuprofen</i> .....	5
<i>nateglinide</i> .....	39	<b>NOXAFIL</b> .....	19	<b>OZEMPIC</b> .....	39
<b>NATPARA</b> .....	74	<b>NUCALA</b> .....	78	<i>pacerone</i> .....	44
<b>NEBUPENT</b> .....	28	<b>NUDEXTA</b> .....	50	<i>paclitaxel</i> .....	23
<i>necon 0.5/35 (28)</i> .....	64	<b>NULOJIX</b> .....	69	<i>paliperidone er</i> .....	31
<i>necon 1/35 (28)</i> .....	64	<b>NUPLAZID</b> .....	31	<b>PANRETIN</b> .....	27
<i>necon 1/50 (28)</i> .....	64	<b>NUVARING</b> .....	64	<i>pantoprazole sodium</i> .....	56
<b>NECON 10/11 (28)</b> .....	64	<i>nystatin</i> .....	19	<i>paricalcitol</i> .....	73
<i>necon 7/7/7</i> .....	64	<i>nystatin-triamcinolone</i> .....	19	<i>paromomycin sulfate</i> .....	6
<i>nefazodone hcl</i> .....	16	<i>nystop</i> .....	19	<i>paroxetine hcl</i> .....	37
<i>neomycin sulfate</i> .....	6	<i>ocella</i> .....	64	<i>paroxetine hcl er</i> .....	16
<i>neomycin-bacitracin zn-</i>		<i>octreotide acetate</i> .....	67	<b>PASER</b> .....	21
<i>polymyx</i> .....	75	<b>ODEFSEY</b> .....	34	<b>PAXIL</b> .....	16
<i>neomycin-polymyxin-dexameth</i> ...	76	<b>ODOMZO</b> .....	23	<b>PEDIARIX</b> .....	71
<i>neomycin-polymyxin-gramicidin</i>	75	<b>OFEV</b> .....	80	<b>PEDVAX HIB</b> .....	71
<i>neomycin-polymyxin-hc</i> .....	8, 77	<i>ofloxacin</i> .....	11	<i>peg 3350/electrolytes</i> .....	55
<b>NERLYNX</b> .....	26	<b>OGESTREL</b> .....	64	<i>peg-3350/electrolytes</i> .....	55
<b>NEULASTA</b> .....	42	<i>olanzapine</i> .....	31	<b>PEGANONE</b> .....	14
<b>NEUMEGA</b> .....	42	<i>olanzapine-fluoxetine hcl</i> .....	38	<b>PEGASYS</b> .....	32
<b>NEUPOGEN</b> .....	42	<i>olmesartan medoxomil</i> .....	43	<b>PEGASYS PROCLICK</b> .....	32
<b>NEUPRO</b> .....	29	<i>olmesartan medoxomil-hctz</i> .....	43	<b>PEGINTRON</b> .....	33
<b>NEVANAC</b> .....	76	<i>olopatadine hcl</i> .....	75, 77	<b>PEG-INTRON REDIPEN</b> .....	32
<i>nevirapine</i> .....	34	<i>omega-3-acid ethyl esters</i> .....	48	<b>PEG-INTRON REDIPEN</b>	
<i>nevirapine er</i> .....	34	<i>omeprazole</i> .....	56	<b>PAK 4</b> .....	32
<b>NEXAVAR</b> .....	26	<b>ONCASPAR</b> .....	23	<i>penicillin g potassium</i> .....	10
<i>niacin er (antihyperlipidemic)</i> ...	48	<i>ondansetron</i> .....	17	<i>penicillin v potassium</i> .....	10
<i>niacor</i> .....	48	<i>ondansetron hcl</i> .....	17	<b>PENTAM</b> .....	28
<i>nicardipine hcl</i> .....	46	<b>OPDIVO</b> .....	27	<b>PENTASA</b> .....	72
<b>NICOTROL</b> .....	6	<b>OPSUMIT</b> .....	80	<i>pentoxifylline er</i> .....	47
<i>nifedical xl</i> .....	46	<b>ORACEA</b> .....	52	<i>perindopril erbumine</i> .....	44
<i>nifedipine er</i> .....	46	<b>ORACIT</b> .....	53	<i>perio gard</i> .....	51
<i>nifedipine er osmotic release</i> .....	46	<b>ORFADIN</b> .....	57	<b>PERJETA</b> .....	27
<i>nilutamide</i> .....	21	<b>ORKAMBI</b> .....	79	<i>permethrin</i> .....	28
<b>NINLARO</b> .....	23	<i>orphenadrine citrate er</i> .....	81	<i>perphenazine</i> .....	30
<b>NITRO-BID</b> .....	49	<i>orsythia</i> .....	64	<i>perphenazine-amitriptyline</i> .....	17
<i>nitrofurantoin</i> .....	8	<i>oseltamivir phosphate</i> .....	36	<b>PERSERIS</b> .....	31
<i>nitrofurantoin macrocrystal</i> .....	8	<b>OSMOPREP</b> .....	55	<i>phenadoz</i> .....	17
<i>nitrofurantoin monohyd macro</i> .....	8	<b>OSPHENA</b> .....	66	<i>phenelzine sulfate</i> .....	15
<i>nitroglycerin</i> .....	49	<i>oxacillin sodium</i> .....	10	<i>phenobarbital</i> .....	13
<b>NITROMIST</b> .....	49	<b>OXALIPLATIN</b> .....	22	<i>phenoxybenzamine hcl</i> .....	43
<i>nora-be</i> .....	66	<i>oxandrolone</i> .....	62	<b>PHENYTEK</b> .....	14
<i>norethindrone</i> .....	66	<i>oxaprozin</i> .....	3	<i>phenytoin</i> .....	14
<i>norethindrone acetate</i> .....	66	<i>oxazepam</i> .....	37	<i>phenytoin sodium extended</i> .....	14
<i>norethindrone-eth estradiol</i> .....	64	<i>oxcarbazepine</i> .....	14	<b>PHOSPHOLINE IODIDE</b> .....	75
<i>norgestim-eth estrad triphasic</i> ....	64	<i>oxiconazole nitrate</i> .....	19	<b>PIFELTRO</b> .....	34
<b>NORPACE CR</b> .....	44	<b>OXISTAT</b> .....	19	<i>pilocarpine hcl</i> .....	51, 75
<b>NORTHERA</b> .....	46	<i>oxybutynin chloride</i> .....	57	<i>pimozide</i> .....	30
<i>nortrel 0.5/35 (28)</i> .....	64	<i>oxybutynin chloride er</i> .....	57	<i>pindolol</i> .....	45
<i>nortrel 1/35 (21)</i> .....	64	<i>oxycodone hcl</i> .....	4, 5	<i>pioglitazone hcl</i> .....	39



<i>pioglitazone hcl-glimepiride</i> .....	39	<b>PRIMAQUINE</b> .....	28	<b>QVAR REDIHALER</b> .....	78
<i>pioglitazone hcl-metformin hcl</i> ...	39	<b>PHOSPHATE</b> .....	28	<b>RABAVERT</b> .....	71
<i>piperacillin sod-tazobactam so</i> ...	10	<i>primidone</i> .....	13	<b>RADICAVA</b> .....	50
<i>piroxicam</i> .....	3	<b>PRIMSOL</b> .....	8	<i>raloxifene hcl</i> .....	66
<b>PNV-DHA</b> .....	54	<b>PROAIR HFA</b> .....	79	<i>ramipril</i> .....	44
<i>podofilox</i> .....	52	<b>PROAIR RESPICLICK</b> .....	79	<b>RANEXA</b> .....	47
<i>polycin b</i> .....	75	<i>probenecid</i> .....	19	<i>ranitidine hcl</i> .....	55
<i>poly-dex</i> .....	76	<i>prochlorperazine</i> .....	30	<i>ranolazine er</i> .....	47
<i>polyethylene glycol 3350</i> .....	56	<i>prochlorperazine edisylate</i> .....	30	<b>RAPAMUNE</b> .....	69
<i>polymyxin b sulfate</i> .....	8	<i>prochlorperazine maleate</i> .....	30	<i>rasagiline mesylate</i> .....	29
<i>polymyxin b-trimethoprim</i> .....	75	<b>PROCRIT</b> .....	42	<b>RAVICTI</b> .....	57
<b>POMALYST</b> .....	22	<b>PROCTOFOAM HC</b> .....	61	<b>REBETOL</b> .....	33
<i>portia-28</i> .....	64	<i>procto-med hc</i> .....	61	<b>REBIF</b> .....	51
<i>potassium chloride</i> .....	53	<i>procto-pak</i> .....	72	<b>REBIF REBIDOSE</b> .....	51
<i>potassium chloride crys er</i> .....	53	<i>proctosol hc</i> .....	61	<b>REBIF REBIDOSE</b>	
<i>potassium chloride er</i> .....	53	<i>proctozone-hc</i> .....	61	<b>TITRATION PACK</b> .....	51
<i>potassium citrate er</i> .....	53	<i>profeno</i> .....	20	<b>REBIF TITRATION PACK</b> ...	51
<i>potassium citrate-citric acid</i> .....	53	<i>progesterone micronized</i> .....	66	<i>reclipsen</i> .....	64
<b>POTIGA</b> .....	12	<b>PROGLYCEM</b> .....	40	<b>RECOMBIVAX HB</b> .....	71
<b>PRADAXA</b> .....	41	<b>PROGRAF</b> .....	69	<b>RELENZA DISKHALER</b> .....	36
<b>PRALUENT</b> .....	48	<b>PROLEUKIN</b> .....	24	<b>RELI-ON INSULIN</b>	
<i>pramipexole dihydrochloride</i> .....	29	<b>PROLIA</b> .....	73	<b>SYRINGE</b> .....	74
<i>pravastatin sodium</i> .....	48	<b>PROMACTA</b> .....	42	<b>RELISTOR</b> .....	55
<i>praziquantel</i> .....	28	<i>promethazine hcl</i> .....	17	<b>REMICADE</b> .....	69
<i>prazosin hcl</i> .....	43	<i>promethegan</i> .....	17	<b>REMODULIN</b> .....	80
<b>PRED MILD</b> .....	76	<i>propafenone hcl</i> .....	44	<b>REVELA</b> .....	58
<b>PRED-G</b> .....	76	<i>propafenone hcl er</i> .....	44	<i>repaglinide</i> .....	39
<b>PRED-G S.O.P.</b> .....	76	<b>PROPANTHELINE</b>		<b>RESCRIPTOR</b> .....	34
<i>prednicarbate</i> .....	60	<b>BROMIDE</b> .....	54	<b>RESERPINE</b> .....	43
<i>prednisolone</i> .....	60	<i>proparacaine hcl</i> .....	75	<b>RESTASIS</b> .....	75
<i>prednisolone acetate</i> .....	76	<i>propranolol hcl</i> .....	45	<b>RETACRIT</b> .....	43
<i>prednisolone sodium phosphate</i> .....	60	<i>propranolol hcl er</i> .....	45	<b>RETROVIR</b> .....	35
<b>PREDNISOLONE SODIUM</b>		<i>propranolol-hctz</i> .....	45	<b>REVATIO</b> .....	80
<b>PHOSPHATE</b> .....	76	<i>propylthiouracil</i> .....	67	<b>REVLIMID</b> .....	22
<i>prednisone</i> .....	60	<b>PROQUAD</b> .....	71	<b>REXULTI</b> .....	31
<b>PREDNISONONE INTENSOL</b> ....	60	<i>protiptyline hcl</i> .....	17	<b>REYATAZ</b> .....	36
<b>PREFERRED PLUS</b>		<b>PULMOZYME</b> .....	79	<b>RHEUMATREX</b> .....	69
<b>INSULIN SYRINGE</b> .....	74	<b>PURIXAN</b> .....	22	<b>RHOPRESSA</b> .....	74
<b>PREFEST</b> .....	64	<i>pyrazinamide</i> .....	21	<i>ribasphere</i> .....	33
<b>PREMARIN</b> .....	64	<i>pyridostigmine bromide</i> .....	20	<b>RIBASPHERE RIBAPAK</b> .....	33
<b>PREMPHASE</b> .....	64	<i>pyridostigmine bromide er</i> .....	20	<i>ribasphere ribapak</i> .....	33
<b>PREMPRO</b> .....	64	<b>QUADRACEL</b> .....	71	<b>RIBAVIRIN</b> .....	33
<b>PRENATABS FA</b> .....	54	<i>quasense</i> .....	64	<i>ribavirin</i> .....	33
<i>prenatal</i> .....	54	<b>QUDEXY XR</b> .....	13	<b>RIDAURA</b> .....	70
<b>PRENATAL PLUS IRON</b> .....	54	<i>quetiapine fumarate</i> .....	31	<i>rifabutin</i> .....	21
<i>prevalite</i> .....	48	<i>quinapril hcl</i> .....	44	<i>rifampin</i> .....	21
<i>previfem</i> .....	64	<i>quinapril-hydrochlorothiazide</i> ....	44	<b>RIFATER</b> .....	21
<b>PREVYMIS</b> .....	32	<i>quinidine gluconate er</i> .....	44	<i>riluzole</i> .....	50
<b>PREZCOBIX</b> .....	36	<i>quinidine sulfate</i> .....	45	<i>rimantadine hcl</i> .....	36
<b>PREZISTA</b> .....	36	<b>QUINIDINE SULFATE ER</b> ....	45	<b>RIOMET</b> .....	39
<b>PRIFTIN</b> .....	21	<i>quinine sulfate</i> .....	28	<i>risedronate sodium</i> .....	73
		<b>QVAR</b> .....	78	<b>RISPERDAL CONSTA</b> .....	31

<i>risperidone</i> .....	31	<i>sofosbuvir-velpatasvir</i> .....	32	<b>SYMPAZAN</b> .....	13
<b>RITALIN LA</b> .....	50	<i>solifenacin succinate</i> .....	57	<b>SYMTUZA</b> .....	33
<i>ritonavir</i> .....	36	<b>SOLTAMOX</b> .....	22	<b>SYNAGIS</b> .....	70
<b>RITUXAN</b> .....	27	<b>SOMATULINE DEPOT</b> .....	67	<b>SYNAREL</b> .....	67
<i>rivastigmine</i> .....	15	<b>SOMAVERT</b> .....	67	<b>SYNDROS</b> .....	17
<i>rivastigmine tartrate</i> .....	15	<i>sorine</i> .....	45	<b>SYNERCID</b> .....	8
<i>romycin</i> .....	11	<i>sotalol hcl</i> .....	45	<b>SYNJARDY</b> .....	39
<i>ropinirole hcl</i> .....	29	<i>sotalol hcl (af)</i> .....	45	<b>SYNJARDY XR</b> .....	39
<i>rosuvastatin calcium</i> .....	48	<b>SOVALDI</b> .....	32	<b>SYNRIBO</b> .....	24
<b>ROTARIX</b> .....	71	<b>SPIRIVA HANDIHALER</b> .....	78	<b>SYNTHROID</b> .....	66
<b>ROTATEQ</b> .....	71	<b>SPIRIVA RESPIMAT</b> .....	78	<b>SYPRINE</b> .....	54
<b>ROWASA</b> .....	72	<i>spironolactone</i> .....	47	<b>TABLOID</b> .....	22
<i>roweepra xr</i> .....	12	<i>spironolactone-hctz</i> .....	47	<i>tacrolimus</i> .....	52, 69
<b>ROXICET</b> .....	5	<i>sprintec 28</i> .....	64	<b>TADALAFIL (PAH)</b> .....	80
<i>roxicet</i> .....	5	<b>SPRITAM</b> .....	12	<b>TAFINLAR</b> .....	26
<b>ROZEREM</b> .....	81	<b>SPRYCEL</b> .....	26	<b>TAGRISSE</b> .....	24
<b>RUBRACA</b> .....	22, 24	<i>sronyx</i> .....	64	<b>TALZENNA</b> .....	22
<b>RYDAPT</b> .....	26	<i>ssd</i> .....	8	<b>TAMIFLU</b> .....	36, 37
<b>SABRIL</b> .....	13	<b>STALEVO 100</b> .....	29	<i>tamoxifen citrate</i> .....	22
<b>SAIZEN</b> .....	61	<b>STALEVO 125</b> .....	29	<i>tamsulosin hcl</i> .....	58
<b>SAIZEN CLICK.EASY</b> .....	61	<b>STALEVO 150</b> .....	29	<b>TARCEVA</b> .....	26
<i>salsalate</i> .....	3	<b>STALEVO 200</b> .....	29	<b>TARGRETIN</b> .....	27
<b>SANDIMMUNE</b> .....	69	<b>STALEVO 50</b> .....	29	<i>tarina 24 fe</i> .....	65
<b>SANTYL</b> .....	52	<b>STALEVO 75</b> .....	29	<b>TASIGNA</b> .....	26
<b>SAPHRIS</b> .....	31	<i>stavudine</i> .....	35	<i>tazarotene</i> .....	52
<b>SAVELLA</b> .....	50	<b>STIMATE</b> .....	61	<b>TAZORAC</b> .....	52
<b>SAVELLA TITRATION</b>		<b>STIVARGA</b> .....	26	<i>taztia xt</i> .....	46
<b>PACK</b> .....	50	<b>STRATTERA</b> .....	50	<b>TDVAX</b> .....	72
<i>scalacort</i> .....	61	<b>STREPTOMYCIN SULFATE</b> ..	6	<b>TECENTRIQ</b> .....	27
<i>scopolamine</i> .....	17	<b>STRIBILD</b> .....	33	<b>TECFIDERA</b> .....	51
<i>selegiline hcl</i> .....	29	<b>SUBOXONE</b> .....	5	<b>TEFLARO</b> .....	9
<i>selenium sulfide</i> .....	52	<i>sucralfate</i> .....	56	<b>TEGRETOL-XR</b> .....	14
<b>SELZENTRY</b> .....	35	<b>SULFACETAMIDE</b>		<i>temazepam</i> .....	81
<b>SENSIPAR</b> .....	73	<b>SODIUM</b> .....	11	<b>TENIVAC</b> .....	72
<b>SEREVENT DISKUS</b> .....	79	<i>sulfacetamide sodium</i> .....	11	<b>TENOFOVIR DISOPROXIL</b>	
<i>sertraline hcl</i> .....	16	<i>sulfacetamide-prednisolone</i> .....	76	<b>FUMARATE</b> .....	32
<i>sevelamer carbonate</i> .....	58	<b>SULFADIAZINE</b> .....	11	<i>terazosin hcl</i> .....	58
<b>SHINGRIX</b> .....	72	<i>sulfamethoxazole-trimethoprim</i>		<i>terbinafine hcl</i> .....	19
<b>SIGNIFOR</b> .....	67	.....	11, 12	<i>terbutaline sulfate</i> .....	79
<b>SIGNIFOR LAR</b> .....	67	<i>sulfasalazine</i> .....	72, 73	<i>terconazole</i> .....	19
<i>sildenafil citrate</i> .....	80	<i>sulindac</i> .....	3	<i>testosterone</i> .....	62
<b>SILENOR</b> .....	37	<i>sumatriptan succinate</i> .....	20	<i>testosterone cypionate</i> .....	62
<i>silver sulfadiazine</i> .....	8	<b>SUPRAX</b> .....	9	<i>testosterone enanthate</i> .....	62
<b>SIMBRINZA</b> .....	75	<b>SUSTIVA</b> .....	34	<i>tetrabenazine</i> .....	50
<i>simvastatin</i> .....	48	<b>SUTENT</b> .....	26	<i>tetracycline hcl</i> .....	12
<i>sirolimus</i> .....	69	<i>syeda</i> .....	65	<b>TEXACORT</b> .....	61
<b>SIRTURO</b> .....	21	<b>SYLATRON</b> .....	24	<b>THALOMID</b> .....	22
<i>sodium chloride</i> .....	53	<b>SYMBICORT</b> .....	80	<b>THEO-24</b> .....	79
<i>sodium fluoride</i> .....	53	<b>SYMFI</b> .....	35	<i>theochron</i> .....	79
<b>SODIUM</b>		<b>SYMFI LO</b> .....	35	<i>theophylline er</i> .....	80
<b>PHENYLBUTYRATE</b> .....	57	<b>SYMLINPEN 120</b> .....	39	<i>thioridazine hcl</i> .....	30
<i>sodium polystyrene sulfonate</i> .....	54	<b>SYMLINPEN 60</b> .....	39	<b>THIOTEPA</b> .....	21

<i>thiothixene</i> .....	30	<b>TRELEGY ELLIPTA</b> .....	81	<i>valsartan</i> .....	44
<b>THYMOGLOBULIN</b> .....	70	<b>TRESIBA</b> .....	41	<i>valsartan-hydrochlorothiazide</i> ...	44
<b>THYROLAR-1</b> .....	66	<b>TRESIBA FLEXTOUCH</b> .....	41	<i>vancomycin hcl</i> .....	8
<b>THYROLAR-1/2</b> .....	66	<i>tretinoin</i> .....	27, 52	<i>vandazole</i> .....	8
<b>THYROLAR-1/4</b> .....	66	<b>TREXALL</b> .....	69	<b>VAQTA</b> .....	72
<b>THYROLAR-2</b> .....	66	<i>triamcinolone acetonide</i> .....	51, 61	<b>VARIVAX</b> .....	72
<b>THYROLAR-3</b> .....	66	<i>triamterene-hctz</i> .....	47	<b>VARIZIG</b> .....	72
<i>tiagabine hcl</i> .....	13	<i>triazolam</i> .....	37	<b>VELCADE</b> .....	24
<b>TIBSOVO</b> .....	25	<i>triderm</i> .....	61	<i>velivet</i> .....	64
<i>tigecycline</i> .....	8	<b>TRIENTINE HCL</b> .....	54	<b>VELTASSA</b> .....	54
<i>timolol maleate</i> .....	20, 75, 76	<i>tri-estarylla</i> .....	65	<b>VENCLEXTA</b> .....	24
<i>tinidazole</i> .....	6	<i>trifluoperazine hcl</i> .....	30	<b>VENCLEXTA STARTING</b>	
<b>TIVICAY</b> .....	34	<i>trifluridine</i> .....	33	<b>PACK</b> .....	24
<i>tizanidine hcl</i> .....	31	<i>trihexyphenidyl hcl</i> .....	28	<i>venlafaxine hcl</i> .....	37
<b>TOBI PODHALER</b> .....	79	<i>tri-legest fe</i> .....	64	<i>venlafaxine hcl er</i> .....	16
<b>TOBRADEX</b> .....	76	<i>trilyte</i> .....	56	<b>VENLAFAXINE HCL ER</b> .....	16
<i>tobramycin</i> .....	6, 79	<i>trimethoprim</i> .....	8	<b>VENTAVIS</b> .....	80
<i>tobramycin sulfate</i> .....	6	<i>tri-mili</i> .....	65	<i>verapamil hcl</i> .....	46
<i>tobramycin-dexamethasone</i> .....	77	<i>trimipramine maleate</i> .....	17	<i>verapamil hcl er</i> .....	46
<b>TOBREX</b> .....	6	<i>trinessa (28)</i> .....	64	<b>VERSACLOZ</b> .....	31
<b>TOLAK</b> .....	52	<b>TRINTELLIX</b> .....	15	<b>VERZENIO</b> .....	25
<i>tolazamide</i> .....	39	<i>tri-previfem</i> .....	64	<b>VEXOL</b> .....	77
<b>TOLBUTAMIDE</b> .....	39	<b>TRISENOX</b> .....	23, 24	<b>VICTOZA</b> .....	39
<i>tolcapone</i> .....	28	<i>tri-sprintec</i> .....	64	<b>VIDEX</b> .....	35
<i>tolmetin sodium</i> .....	3	<b>TRIUMEQ</b> .....	35	<b>VIDEX EC</b> .....	35
<i>tolterodine tartrate</i> .....	57	<i>trivora (28)</i> .....	64	<b>VIGABATRIN</b> .....	13
<i>tolterodine tartrate er</i> .....	57	<i>tri-vylibra</i> .....	65	<i>vigabatrin</i> .....	13
<i>topiramate</i> .....	13	<i>tri-vylibra lo</i> .....	65	<i>vigadrone</i> .....	13
<i>topiramate er</i> .....	13	<i>trospium chloride</i> .....	57	<b>VIGAMOX</b> .....	11
<i>toposar</i> .....	25	<i>trospium chloride er</i> .....	57	<b>VIIBRYD</b> .....	16
<i>topotecan hcl</i> .....	25	<b>TRULICITY</b> .....	39	<b>VIIBRYD STARTER PACK</b> ...	16
<i>toremifene citrate</i> .....	22	<b>TRUMENBA</b> .....	72	<b>VIMPAT</b> .....	14
<i>torseamide</i> .....	47	<b>TRUVADA</b> .....	35	<b>VIRACEPT</b> .....	36
<b>TOUJEO MAX SOLOSTAR</b> ...	41	<b>TWINRIX</b> .....	72	<b>VIRAMUNE</b> .....	34
<b>TOUJEO SOLOSTAR</b> .....	41	<b>TYBOST</b> .....	35	<b>VIRAZOLE</b> .....	33
<i>tpn electrolytes</i> .....	53	<b>TYGACIL</b> .....	8	<b>VIREAD</b> .....	35
<b>TRACLEER</b> .....	80	<b>TYKERB</b> .....	26	<b>VITEKTA</b> .....	34
<b>TRADJENTA</b> .....	39	<b>TYPHIM VI</b> .....	72	<b>VITRAKVI</b> .....	25
<i>tramadol hcl</i> .....	5	<b>TYSABRI</b> .....	51	<b>VIVITROL</b> .....	5
<i>tramadol-acetaminophen</i> .....	5	<b>TYZEKA</b> .....	32	<b>VIZIMPRO</b> .....	26
<i>trandolapril</i> .....	44	<b>TYZINE</b> .....	80	<i>voriconazole</i> .....	19
<i>trandolapril-verapamil hcl er</i> ....	44	<b>UDENYCA</b> .....	57	<b>VOSEVI</b> .....	32
<i>tranexamic acid</i> .....	43	<b>ULORIC</b> .....	19	<b>VOTRIENT</b> .....	26
<b>TRANSDERM-SCOP (1.5</b>		<i>ultra natalcare</i> .....	54	<i>vp-pnv-dha</i> .....	54
<b>MG)</b> .....	17	<i>unithroid</i> .....	66	<b>VRAYLAR</b> .....	31
<i>tranylcypromine sulfate</i> .....	15	<b>UPTRAVI</b> .....	80	<i>vylibra</i> .....	65
<b>TRAVASOL</b> .....	54	<i>ursodiol</i> .....	55	<b>VYTORIN</b> .....	48
<b>TRAVATAN Z</b> .....	74	<i>valacyclovir hcl</i> .....	33	<b>VYXEOS</b> .....	23
<i>travoprost</i> .....	74	<b>VALCHLOR</b> .....	21	<i>warfarin sodium</i> .....	41
<i>trazodone hcl</i> .....	16	<i>valganciclovir hcl</i> .....	32	<b>WELCHOL</b> .....	49
<b>TREANDA</b> .....	23	<i>valproate sodium</i> .....	13	<i>wymzya fe</i> .....	64
<b>TRECTOR</b> .....	21	<i>valproic acid</i> .....	13	<b>XALKORI</b> .....	26

<b>XARELTO</b> .....	41	<b>ZYPREXA RELPREVV</b> .....	31
<b>XARELTO STARTER PACK</b>	42	<b>ZYTIGA</b> .....	21
<b>XATMEP</b> .....	69		
<b>XELJANZ</b> .....	69		
<b>XELJANZ XR</b> .....	69		
<b>XGEVA</b> .....	73		
<b>XIFAXAN</b> .....	8		
<b>XIGDUO XR</b> .....	39		
<b>XOFLUZA</b> .....	37		
<b>XOLAIR</b> .....	80, 81		
<b>XOPENEX HFA</b> .....	79		
<b>XOSPATA</b> .....	25		
<b>XTANDI</b> .....	21		
<b>XYREM</b> .....	81		
<b>YERVOY</b> .....	27		
<b>YF-VAX</b> .....	72		
<b>YONDELIS</b> .....	21		
<b>YONSA</b> .....	21		
<i>yuvafem</i> .....	64		
<i>zafirlukast</i> .....	78		
<i>zaleplon</i> .....	81		
<b>ZALTRAP</b> .....	24		
<b>ZARXIO</b> .....	43		
<b>ZATEAN-PN</b> .....	54		
<b>ZAVESCA</b> .....	57		
<i>zazole</i> .....	19		
<b>ZEJULA</b> .....	23		
<b>ZELAPAR</b> .....	29		
<b>ZELBORAF</b> .....	26		
<i>zenchent fe</i> .....	64		
<b>ZENPEP</b> .....	57		
<b>ZEPATIER</b> .....	33		
<b>ZERIT</b> .....	35		
<b>ZIAGEN</b> .....	35		
<i>zidovudine</i> .....	35		
<i>zileuton er</i> .....	78		
<i>ziprasidone hcl</i> .....	38		
<b>ZIRGAN</b> .....	32		
<b>ZMAX</b> .....	11		
<i>zoledronic acid</i> .....	73		
<b>ZOLINZA</b> .....	24		
<i>zolpidem tartrate</i> .....	81		
<i>zolpidem tartrate er</i> .....	81		
<i>zonisamide</i> .....	12		
<b>ZORBTIVE</b> .....	61		
<b>ZORTRESS</b> .....	70		
<b>ZOSTAVAX</b> .....	72		
<i>zovia 1/35e (28)</i> .....	65		
<i>zovia 1/50e (28)</i> .....	65		
<b>ZYDELIG</b> .....	25		
<b>ZYFLO CR</b> .....	78		
<b>ZYKADIA</b> .....	24		



**[fallonhealth.org/seniorplan](https://fallonhealth.org/seniorplan)**

This formulary was updated on 06/25/2019. For more recent information or other questions, please contact Fallon Senior Plan at 1-800-325-5669 or, for TTY users, TRS 711, 8 a.m.–8 p.m., Monday–Friday (Oct. 1–March 31, seven days a week), or visit [fallonhealth.org/seniorplan](https://fallonhealth.org/seniorplan).

*Fallon Health is an HMO/HMO-POS plan with a Medicare contract. Enrollment in Fallon Health depends on contract renewal. The formulary may change at any time. You will receive notice when necessary.*